Pending

26/07/2022

25/07/2022 10:31 AM

10/08/2022 13:30 PM

## **Bid Notice Abstract**

### Invitation to Bid (ITB)

Status

**Reference Number** 

8864240

**Procuring Entity** 

BAGUIO WATER DISTRICT - BAGUIO CITY

Title

2 sets Vertical Centrifugal Pump 550 GPM x 550ft and Motor 100HP coupled to 100HP, 460V

**Associated Components** 

**Document Request List** 

**Bid Supplements** 

Date Published

Last Updated / Time

Closing Date / Time

Motor

Area of Delivery Benguet

| Solicitation |  |
|--------------|--|
| Number       |  |

Number:

07-076P

**Trade Agreement:** 

Implementing Rules and Regulations

**Procurement Mode:** 

**Public Bidding** 

Classification:

Goods

Category:

Industrial pumps and

compressors

**Approved Budget** for the Contract:

PHP 3,790,000.00

**Delivery Period:** 

Client Agency:

Contact Person:

Ma. Luisa C Tenedero BAC In-House Chairman

BWD Compound, Utility Road Baguio City Benguet Philippines 2600

63-74-4424858 63-74-4424858

purchasing.bwd2014@gmail.com

### Description

Vertical Centrifugal Pump and Motor

Motor Requirement:

- Type: Induction
- HP Rating: 100HP Nominal Voltage: 460V
- Supply Frequency: 60Hz
  Nominal Speed: 3600 RPM
- Number of Phase: 3
- Insulation Class: F
- Efficiency at full load: not less than 90% Enclose Class: TEFC

Coupled and aligned with Heavy Duty Mounting

Base to: Pump Requirement: - Capacity: 550 USGPM - TDH: 550ft

Construction Material: Shaft Seal: Cartridge Type Shaft Seal Material: HQQE Pump Head: Stainless Steel Pump Shaft: Stainless Steel

Impeller: Stainless Steel Chamber: Stainless Steel Outer Sleeve: Stainless Steel Base: Stainless Steel Neck Ring: PEEK

Support Bearing: Graflon

Bearing Rings: Tungsten Carbide

Pump Efficiency: Not less than 75% at rated capacity \*Booster pump to be utilized on fresh water with PH level 3 to 5

\*For on-site delivery

\*Supplier to provide combination flange with tensile nuts and bolts and gasket

\*Supplier to provide high tensile mounting bolts for pump base with a minimum length of 6 inches

\*Supplier to provide manufacturer pump test result upon delivery

\*Supplier to provide brochure with full specification and pump curve of offered booster pump

Approved budget cost: P 1,895,000.00 / unit

#### xxxxx

This is a two (2) envelope system:

Envelope "A" to contain the following; among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of P 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid;
- b) Terms of payment, delivery, warranty, bid validity and complete specifications;

c) Brochure/s (Original);

d) Proof of payment of a non-refundable fee of P5,000.00; otherwise, bids shall not be opened
e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder
(with red ribbon) if none has been submitted to the BAC in its Accreditation;
-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of

Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.

-For locally produced / manufactured products, only certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;

f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);

g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

#### Pre-bid Conference

Venue

29/07/2022

9:30:00 AM

Pre-bid conference: July 29, 2022 9:30am via Zoom Application Meeting ID: 452 718

Created by

Ma. Luisa C Tenedero

**Date Created** 

25/07/2022

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



# BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003

Effectivity Date February 15, 2020

Revision No. 00

## REQUEST FOR BIDS/QUOTATION (RQ)

| io.  |        |  | Z No.: 07 - 07            | 0.       |  |  |  |
|--|--------|--|---------------------------|----------|--|--|--|
|  | (1)    | Name of Supplier)                                    | PR / JO No.: 076P         |          |  |  |  |
| Contact Person:  |        | Da   | Date of RQ: July 18, 2022 |          |  |  |  |
| Address:   |        | Pu   | rpose of RQ:              |          |  |  |  |
|  |        | Sp   | are booster pumps fo      | r Camp 8 |  |  |  |
| Contact no.:   |        |  |                           |          |  |  |  |
| NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS |        |  |                           |          |  |  |  |
|  | Qty.   | Description  | U-Price                   | Total    |  |  |  |
|  |        |  |                           |          |  |  |  |
| VALIDITY DATE:   | 2 sets | Vertical Centrifugal Pump and Motor                  |                           |          |  |  |  |
|  |        | Motor Requirement:                                   |                           |          |  |  |  |
| day  |        | - Type: Induction                                    |                           |          |  |  |  |
| (30 days minimum)  |        | - HP Rating: 100HP                                   |                           |          |  |  |  |
|  |        | - Nominal Voltage: <b>460V</b>                       |                           |          |  |  |  |
| DELIVERY :   |        | - Supply Frequency: <b>60Hz</b>                      |                           |          |  |  |  |
| DELIVERY:  |        | - Nominal Speed: <b>3600 RPM</b>                     |                           |          |  |  |  |
| working days   |        | - Number of Phase: 3                                 |                           |          |  |  |  |
| calendar days  |        |  |                           |          |  |  |  |
| FOB warehouse  |        | - Insulation Class: F                                |                           |          |  |  |  |
|  |        | - Efficiency at full load: not less than 90%         |                           |          |  |  |  |
| WARRANTY   |        | - Enclose Class: TEFC                                |                           |          |  |  |  |
| 100000000000000000000000000000000000000  |        | Counted and aligned with Harry Date of               |                           |          |  |  |  |
| calendar days  |        | Coupled and aligned with Heavy Duty Mountin          | ig                        |          |  |  |  |
| upon acceptance.   |        | Base to:   |                           |          |  |  |  |
|  |        | Pump Requirement:                                    |                           |          |  |  |  |
| TERMS:   |        | - Capacity: <b>550 USGPM</b>                         |                           |          |  |  |  |
|  |        | - TDH: <b>550ft</b>                                  |                           |          |  |  |  |
|  |        | Construction Materials                               |                           |          |  |  |  |
|  |        | Construction Material:                               |                           |          |  |  |  |
|  |        | Shaft Seal: Cartridge Type                           |                           |          |  |  |  |
|  |        | Shaft Seal Material: HQQE                            |                           |          |  |  |  |
|  |        | Pump Head: Stainless Steel                           |                           |          |  |  |  |
|  |        | Pump Shaft: Stainless Steel                          |                           |          |  |  |  |
|  |        | Impeller: Stainless Steel                            |                           |          |  |  |  |
|  |        | Chamber: Stainless Steel                             |                           |          |  |  |  |
|  |        | Outer Sleeve: Stainless Steel                        |                           |          |  |  |  |
|  |        | Base: Stainless Steel                                |                           |          |  |  |  |
|  |        | Neck Ring: PEEK                                      |                           |          |  |  |  |
|  |        | Support Bearing: Graflon                             |                           |          |  |  |  |
|  |        | Bearing Rings: Tungsten Carbide                      |                           |          |  |  |  |
|  |        | Pump Efficiency: Not less than 75% at rated capac    | ity                       |          |  |  |  |
| Luca   |        | , and the capac                                      | ,                         |          |  |  |  |
| will be a second   |        | *Booster pump to be utilized on fresh water with     |                           |          |  |  |  |
|  |        | PH level 3 to 5                                      |                           |          |  |  |  |
|  |        | *For on-site delivery                                |                           |          |  |  |  |
|  |        | *Supplier to provide combination flange with tens    | ile                       |          |  |  |  |
|  |        | nuts and bolts and gasket                            | iie iii                   |          |  |  |  |
|  |        |  |                           |          |  |  |  |
|  |        | *Supplier to provide high tensile mounting bolts for | or                        |          |  |  |  |
|  |        | pump base with a minimum length of 6 inches          |                           |          |  |  |  |
|  |        | *Supplier to provide manufacturer pump test resu     | lt                        |          |  |  |  |
|  |        | upon delivery  |                           |          |  |  |  |
|  |        | *Supplier to provide brochure with full specificatio | n                         |          |  |  |  |
|  |        | and pump curve of offered booster pump               |                           |          |  |  |  |
|  |        | Ammand budget a second                               |                           |          |  |  |  |
|  |        | Approved budget cost: ₱ 1,895,000.00 / unit          |                           |          |  |  |  |
|  |        | XXXX   |                           |          |  |  |  |
|  |        |  |                           |          |  |  |  |



## BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003

Effectivity Date February 15, 2020

Revision No. 00

## **REQUEST FOR BIDS/QUOTATION (RQ)**

This is a two (2) envelope system: Envelope "A" to contain the following; among others:

- a) A refundable bid bond in the form of cash,
  Manager's or Cashier's check equivalent to 2% or
  surety bond callable on demand issued by a surety
  or insurance company duly certified by the
  Insurance Commission equivalent to 5% of the total
  approved budget cost is required for a total
  purchase bid amount of ₱ 50,000.00 and above.
  Validity of the surety bond is 120 days from the
  date of opening of bids OR Bid Securing
  Declaration regardless of amount of bid;
- b) Terms of payment, delivery, warranty, bid validity and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of P5,000.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;

-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.

- -For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
  - f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
  - g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

2 9 JUL 2022

Pre-bid conference: 9:30am via Zoom Application Meeting ID: 452 718 8447 Password: 9Buvgr

| By: Supplier or Authorized Represer | ntative: |
|-------------------------------------|----------|
|-------------------------------------|----------|

( sign over printed name )

Deadline of submission of bids:

11 0 AUG 2022

Opening of bids: 1:30 pm

Prepared by: McLamangan

PURCHASING

Noted by: ATTY. MA. LUISA C. TENEDERO

KU

ENGR. REYNALDO C. JAYCO BAC-TECHNICAL

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING

PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184

**BAC IN-HOUSE** 

Telefax No. (074) 442-4858 (Purchasing) / 444-7246