Central Portal for Philippine Government Procurement Oppurtunitie

Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number

8880054

Procuring Entity

BAGUIO WATER DISTRICT - BAGUIO CITY

Title

various water service connection fittings

Area of Delivery

Benguet

Solicitation Number:	07-080P-E	Status	Pending	
Trade Agreement:	Implementing Rules and	1		
	Regulations	Associated Components	1	
Procurement Mode:	Public Bidding			
Classification:	Goods			
Category:	Water Service Connection Materials/Fittings	Bid Supplements	0	
Approved Budget for the Contract:	PHP 102,750.00	Document Request List		
Delivery Period:			K	
Client Agency:				
		Date Published	30/07/2022	
Contact Person:	Ma. Luisa C Tenedero BAC In-House Chairman			
	BWD Compound, Utility Road Baguio City Benguet	Last Updated / Time	29/07/2022 11:50 AM	
	Philippines 2600 63-74-4424858 63-74-4424858 purchasing.bwd2014@gmail.com	Closing Date / Time	10/08/2022 13:30 PM	

Description

6 pieces 2"Ø Gate Valve, Flanged type with Companion flanges, and BNG Design Code: Hydraulic test to BS 5163 (DIN3230 /DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163

Maximum Pressure: PN16 or 16 bar

Temperature Range: -20 to 160 degree centigrade
Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN3202-F4, ANSI B16.10, BS 5163
End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN2533 PN 10/16, ANSI 150#, BS4504 PN 10/16
Tightness Test: Operating Torque Test or JIS B2003, DIN3230, AWWA C509, BS 6755

Materials:

Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron
Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874

Wedge Nut: Brass or Dezincification Resistant Brass

Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel /Brass

Bonnet Gasket: EPDM Rubber or EPDM / NBR

Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt

O-Ring: NBR or EPDM / NBR

Stem Collar: Brass

Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50)
Dustproof Ring: NBR or EPDM / NBR
Handwheel: Ductile Iron (DI)

Hex Nut: Cast Iron Overall Dimensions: Size / DN Length (L)

Height (H) mm Width or D mm Weight kgs

DN50 (2") 178 300-241 160-165 13-14

Approved Budget Cost: P14,305.00 / set

20 sets 1"Ø Threaded Type Gate Valve, Class 125

Features: Brass Body, Non-Rising stem, Screw-over bonnet, Threaded ends

Specifications:

Nominal pressure: Non-shock working pressure Max working pressure 150 psi Fitting to withstand min. working pressure of 1.00 Thread shall be NPT

Water way shall unobstructed when fully opened

Handwheel: Alloy / Packing Nut: Brass Bonnet: Brass / Stem: Brass Rod Wedge: Brass / Body: Brass

Bonnet Gasket: Plastic / Packing: Teflon

Approved Budget Cost: ₱846.00 / pc

xxxxx

Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following; among others:

a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of P 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid;

b) Terms of payment, delivery, warranty, bid validity and complete specifications;

c) Brochure/s (Original);

d) Proof of payment of a non-refundable fee of P500.00; otherwise, bids shall not be opened

e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;

-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.

-For locally produced / manufactured products, only certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;

f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation); g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Created by

Ma. Luisa C Tenedero

Date Created

29/07/2022

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003

Effectivity Date February 15, 2020

Revision No. 00

REQUEST FOR BIDS/QUOTATION (RQ)

Го:		RQ No.:	07 - 080P-E		
	(Name of Supplier)	PR / JO No.:	080P		
Contact Person:		Date of RO:	July 25, 2022		
Address:		Purpose of RQ:			
		Proposed re-piping of 2"Ø x 205LM			
Contact no.:		Distribution Line Including transfer of existing service connections along Cudirao, Loakan Proper			

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS Qty. Description **U-Price** Total VALIDITY DATE: 2"Ø Gate Valve, Flanged type with Companion 6 pcs flanges, and BNG day Design Code: Hydraulic test to BS 5163 (DIN3230 / (30 days minimum) DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163 Maximum Pressure: PN16 or 16 bar Temperature Range: -20 to 160 degree centigrade **DELIVERY**: Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN working days 3202-F4, ANSI B16.10, BS 5163 calendar days FOB warehouse End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16 Tightness Test: Operating Torque Test or JIS B2003, DIN WARRANTY 3230, AWWA C509, BS 6755 calendar days Materials: upon acceptance. Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, TERMS: core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874 Wedge Nut: Brass or Dezincification Resistant Brass Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass Bonnet Gasket: EPDM Rubber or EPDM / NBR Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt O-Ring: NBR or EPDM / NBR Stem Collar: Brass Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 Dustproof Ring: NBR or EPDM / NBR Handwheel: Ductile Iron (DI) Hex Nut: Cast Iron Overall Dimensions: Size / DN Length (L) Height (H) Width or D Weight kgs mm mm DN50 (2") 178 300-241 160-165 13-14 Approved Budget Cost: ₱14,305.00 / set 20 sets 1"Ø Threaded Type Gate Valve, Class 125 Features: Brass Body, Non-Rising stem, Screw-over bonnet, Threaded ends Specifications: Nominal pressure: Non-shock working pressure Max working pressure 150 psi Fitting to withstand min. working pressure of 1.00



BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003

Effectivity Date February 15, 2020

Revision No. 00

REQUEST FOR BIDS/QUOTATION (RQ)

Thread shall be NPT

Water way shall unobstructed when fully opened

Material List

Handwheel: Alloy / Packing Nut: Brass Bonnet: Brass / Stem: Brass Rod Wedge: Brass / Body: Brass

Bonnet Gasket: Plastic / Packing: Teflon Approved Budget Cost: ₱846.00 / pc

XXXX

Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system: Envelope "A" to contain the following; among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids **OR** Bid Securing Declaration regardless of amount of bid;
- Terms of payment, delivery, warranty, bid validity and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of **P500.00**; otherwise bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;

-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement. -For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;

- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

By: Supplier o	r Authorized Repr	esentative:				(sign over printed name)
Deadline of su	bmission of bids:		1	10 AUG	2022	Opening of pids: 1:30 pm
	Sher		M	heal		day Jayar
Prepared by:	Malamangan PURCHASING	Noted by: ATTY. I	BAC IN	-HOUSE		ENGR. REYNALDO C. JAYCO BAC-TECHNICAL
	BWD RESERVES T PUR	HE RIGHT TO REJE SUANT TO THE PEI	CT BIDS	&/OR DECL	ARE A F	AILURE OF BIDDING

Telefax No. (074) 442-4858 (Purchasing) / 444-7246