

BAGUIO WATER DISTRIC

"Serving Mankind is Serving God" Revision No.:

OO3 Purok BWD Brey Marcoville Baguio City

003 Purok BWD, Brgy., Marcoville, Baguio City Tel. No. 442-4858 Fax No. 442-4858/444-7245 Document No.: ADM-PUR-F006
Effectivity Date: February 15, 2020
Revision No.: 00

Nº 34996

PURCHASE ORDER

Supplier Tel No./ Fax No Address / TIN	FANM ENTERPRISES INC. (02) 8932-4361 Batasan Hills, Quezon City	P.O. No. : Date : PR No./Abstract No. :	34996 November 18, 2022 10-091P-B
Gentlemen/ Mada			
	this Office the following articles subject to the te		
Place of Delivery Date of Delivery		Warranty : □Six mo	
& - 12 week Delivery Term	Calendar Days upon receipt of PO full partial delivery allowed	∠ Subject to testing / in	Required (5% if in check/50% if GSIS surety bond aspection prior to payment \$\fomale 30 Days \square Others(Pls. Specify)
Quantity Ur	nit Description/Specifica	ations	Unit Cost Amount
1 Lot	VARIOUS MATERIALS x x x (Please refer to the attached she	x	₽ 2,732,973.00
	specification		
The success			
Usage / Requisit	ioner 2022 2nd & 3rd Quarter Consolidated Supplies	and Materials	
rel corp. cors			
repared by:	Checked by: Audited by:	Recommending	Approval: Approved By:
Aus	In The	2 11.	DI Million
/	ATTY. CHANELL DOLOR D. DE GUZMAN LUZVIMIN G. F	AIII. MA. LEISE	n./Com./Fin. Ceneral Manager
Purchasing Supervi	Admin Divisionavianager Internal	AGIVI-AGIT	T./COIII./I III. General Manager
John Me.		7 · 4	
Signatu	are over Printed Name of Supplier Date		
Funds Available:	10 1	Acct. :	aintenance Evnense
	LYN D. PENALES	CAPEX	aintenance Expense
1/17 -	inance Manager	Other Payable	s



BAGUIO WATER DISTRICT

003 Purok BWD, Barangay Marcoville, Baguio City (074) 442-4858 / (074) 444-7245

PURCHASE ORDER

Effectivity Date February 15, 2020


Revision No. 00

Supplier/Contractor: FANM ENTERPRISES Purchase Order No.: 34996

Contact Number: 02-8932-4361 Date: November 18, 2022

Address / TIN: Batasan Hills, Quezon City: PR No./Abstract No.: 10-091P-B

Qty	Unit	Description	Unit Cost	Amount
500	Pcs.	Brand: "Zhejiang Best & Honest" -Elements of the valve should be free from dirt, and there should not be any dirt, chip, burrs, and flakes etc. before assembling. -The threaded parts of the socket should be coated with sealing glue. -The valve should not present block to the circulation of closing and opening, and it should be flexible. -When the valve is fully open, the degree of the body axis and ball axis should be less than 3 degrees. -Seal test should be carried and testing pressure should not be less than 0.6Mpa. -The valve should be turned off during delivery. Materials Body: CW617N Bonnet: CW617N Ball: Hpb57-3 Ball Seat: PTFE SM031 Stem: Hpb57-3 Handle: Hpb57-3	580.00	290,000.00
		Elastic Cylindrical Pin: Stainless Steel		
500	Pcs.	1/2" Check Valve, Class 125, Brand: "Zhejiang Best & Honest" Screwed Cap, swing type disc, threaded ends, WOG, Non-shock, 1.38Mpa (200 psi), Saturated Steam Pressure (SSP), 0.86Mpa (125 psi), Materials: Body: Bronze/Brass; Cap: Brass/Bronze; Hinge Pin: Brass/Stainless Steel; Disc: Brass	392.00	196,000.00
330	Pcs.	1"Ø Gate Valve, Threaded Type, Brand: "Zhejiang Best & Honest" (please see complete specifications below)	846.00	279,180.00
5	Pcs.	1 ½"Ø Gate Valve, Threaded Type, Brand: "Zhejiang Best & Honest"		8,570.00
3	Pcs.	(please see complete specifications below)		
,	1 03.	2"Ø Gate Valve, Threaded Type, Brand: "Zhejiang Best & Honest" (please see complete specifications below)	2,642.00	7,926.00
		GATE VALVE THREADED TYPE SPECIFICATIONS: Feature: Brass Body, Non-rising stem, screw-over bonnet, threaded ends Specifications: - Nominal Pressure: Non-shock working pressure - Max working pressure: 150 psi - Fitting to withstand minimum working pressure of 1.00 - Thread shall be NPT - Water way shall unobstructed when fully opened Material List: - Handwheel: Alloy; Packing Nut: Brass; Bonnet: Brass; Stem: Brass Rod; Wedge: Brass; Body: Brass; Bonnet Gasket: Plastic; Packing: Teflon		
50	Pcs.	1/2"Ø HDPE Coupling "Plasson" Body: Polypropylene, High Grade Copolymer Split Ring: Acetal; Liner:	246.00	12,300.00
-		Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)		
10	Pcs.	3/4"Ø HDPE Coupling "Plasson" Body: Polypropylene, High Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	207.50	2,075.00



r



BAGUIO WATER DISTRICT

003 Purok BWD, Barangay Marcoville, Baguio City (074) 442-4858 / (074) 444-7245

Document No.	ADM-PUR-F006	
Effectivity Date	February 15, 2020	
Revision No.	00	

PURCHASE ORDER

Qty	Unit	Description	Unit Cost	Amount
50	Pcs.	1"Ø HDPE Coupling "Plasson" Body: Polypropylene, High Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	372.00	18,600.00
15 、	Pcs.	3"Ø HDPE Coupling "Plasson" Body: Polypropylene, High Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	4,002.00	60,030.00
1,420	Pcs.	V ₂ "Ø HDPE Male Coupling Adapter "Plasson" Body: Polypropylene, High Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	186.00	264,120.00
23 、	Pcs.	3/4"Ø HDPE Male Coupling Adapter "Plasson" Body: Polypropylene, High Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	132.00	3,036.00
230	Pcs.	1"Ø HDPE Male Coupling Adapter "Plasson" Body: Polypropylene, High Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	148.00	34,040.00
10 ,	Pcs.	1 ½"Ø HDPE Male Coupling Adapter "Plasson" Body: Polypropylene, High Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	564.00	5,640.00
66	Pcs.	2"Ø HDPE Male Coupling Adapter "Plasson" Body: Polypropylene, High Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	966.00	63,756.00
125	Pcs.	2" x 1" Tapping Saddle "Plasson" (please see complete specifications below)	4,196.00	524,500.00
65	Pcs.	3" x 1" Tapping Saddle "Plasson" (please see complete specifications below)	4,496.00	292,240.00
115	Pcs.	4" x 1" Tapping Saddle "Plasson" (please see complete specifications below)	4,564.00	524,860.00
25 P	Pcs.	6" x 1" Tapping Saddle "Plasson" (please see complete specifications below)	5,844.00	146,100.00
		Tapping Saddle Specifications: Body: Polypropylene, high grade copolymer Nut: Polypropylene, high grade copolymer Split Ring: Acetal (POM); Seal: EPDM; Bolts: Plated Steel; Nuts: Stainless Steel Filled with self boring mechanism made of brass that will function as a valve; O-ring of outlet fixed inside the body. Threads must conform to ISO-7/1, BS21-1973, DIN 2999, NEN 3258, AS 1722 Part 1 – 1975. Quality must conform to ISO-9002		

Total: ₱2,732,973.00

Usage: 2022 2nd & 3rd Quarter Consolidated supplies and materials

Prepared by:

Checked by:

Audited by:

Recommending

Approval:

Approved by:

M. G. Lamangan

Atty. C.D.DeGuzman Administrative Div Manager L. G. Ramos Internal Auditor

AGM Adm./Com /Fin /IC

Engr. Salvador M. Royeca General Manager



BAGUIO WATER DISTRICT **Bids and Awards Committee** (In-house)

RESOLUTION

Document Code: BAC IH

Document No. BAC_IH_F002

Effective Date: 16 March 2020

Revision No. 00

BIDS AND AWARDS COMMITTEE RESOLUTION NO. 057-2022

(RQ No. 08-091P-B; Various Valves)

WHEREAS, the Baguio Water District-Bids and Awards Committee (BWD-BAC), in accordance with the provisions of Republic Act (RA) No. 9184, conducted the bidding for the procurement of a) five hundred (500) pcs 1/2" ball valves / stop cock balls typelock wing (threaded); b) five hundred (500) pcs 1/2" check valves, class 125; c) three hundred thirty (330) pcs 1"ø gate valves, threaded type class 125; d) five (5) pcs 1 ½"ø gate valves, threaded type; e) three (3) pcs 2"ø gate valves, threaded type; f) fifty (50) pcs ½"Ø HDPE couplings; f) fifty (50) pcs ½"Ø HDPE coupling; g) ten (10) pcs ¾" HDPE couplings; h) fifty (50) pcs 1" HDPE couplings; i) fifteen (15) pcs 3" HDPE couplings; j) one thousand four hundred twenty (1,420) pcs ½"\$\phi\$ HDPE male coupling adapters; k) twenty-three (23) pcs ¾"Ø HDPE male coupling adapters; l) two hundred thirty (230) pcs 1"Ø HDPE male coupling adapters; m) ten (10) pcs 1 ½"Ø HDPE male coupling adapters; n) sixty-six (66) pcs 2"Ø HDPE male coupling adapters; o) one hundred twenty five (125) pcs 2" x 1" tapping saddles; p) sixty-five (65) pcs 3" x 1" tapping saddles; q) one hundred fifteen (115) pcs 4" x 1" tapping saddles; r) twenty-five (25) pcs tapping saddles; s) two (2) pcs universal tappers 12" x 1"; t) three (3) pcs universal tappers 8" x 2"; u) three (3) pcs universal tappers 10" x 2"and v) three (3) pcs universal tappers 12" x 2" required specifications under Request for Quotation (RQ) No. 08-091P-B dated 26 August 2022, under a two-envelope system of bidding but not on a one-lot purchase:

WHEREAS, the approved budget unit costs for the said procurement are a) Php580.00/pc - ½" ball valve / stop cock ball type-lock wing (threaded); b) Php392.00/pc - ½" check valve, class 125; c) Php846.00/pc - 1"Ø gate valve, threaded type class 125; d) Php1,714.00/pc - 1 ½"ø gate valve, threaded type; e) Php2,642.00/pc - 2"ø gate valve, threaded type; f) Php246.00/pc - ½"Ø HDPE coupling; g) Php207.50/pc - ¾" HDPE coupling; h) Php372.00/pc - 1" HDPE coupling; i) Php4,002.00/pc - 3" HDPE coupling; j) Php186.00/pc - ½"Ø HDPE male coupling adapter; k) Php132.00/pc - ¾"Ø HDPE male coupling adapter; l) Php148.00/pc - 1"Ø HDPE male coupling adapter; m) Php564.00/pc - 1 ½"Ø HDPE male coupling adapter; n) Php966.00/pc - 2"Ø HDPE male coupling adapter; o) Php4,196.00/pc - 2" x 1" tapping saddle; p) Php4,496.00/pc - 3" x 1" tapping saddle; q) Php4,564.00/pc - 4" x 1" tapping saddle; r) Php5,844.00/pc - 6"x1" tapping saddle; s) Php2,978.00/pc - universal tapper 12" x 1"; t) Php25,338.00/pc - universal tapper 8" x 2"; u) Php28,816.00 /pc - universal tapper 10" x 2" and v) Php28,816.00/pc - universal tapper 12" x 2";

WHEREAS, only FANM ENTERPRISES, INC. submitted its bid and during the opening of the technical bids on 21 September 2022, it was determined that while the red ribboned and apostilled certificate of authorized distributorship/dealership issued by Zhejiang Best & Honest Electromechanics Co., Ltd. is accepted, an updated certificate should be submitted by the lone bidder should the fittings offered be determined complying and an award shall be made for the fittings offered by the said principal supplier;

WHEREAS, upon evaluation by the Technical Working Group of its offers, it was determined that FANM ENTERPRISES, INC. submitted complying bids for items a-r however, quotes were submitted for items

WHEREAS, its financial bids were opened on 13 September 2022 and the bids as read and calculated are as follows:

- deministration of thems

FANM ENTERPRISES, INC.	BRAND	BID AS READ AND CALCULATED (pc)	% VARIANCE FROM ABC	ABC (pc/set)
FANM ENTERPRISES, INC.				
a) ½" ball valve / stop cock ball type-lock wing (threaded)	Zhejiang Best & Honest	Php580.00	-0-	Php580.00
b) ½" check valve, class 125	Zhejiang Best & Honest	Php392.00	-0-	Php392.00
c) 1"Ø gate valve, threaded type class 125	Zhejiang Best & Honest	Php846.00	-0-	Php846.00
d) 1 ½"Ø gate valve, threaded type	Zhejiang Best & Honest	Php1,714.00	-0-	Php1,714.00
e) 2"Ø gate valve, threaded type	Zhejiang Best & Honest	Php2,642.00	-0-	Php2,642.00
f) ½"Ø HDPE coupling	Plasson	Php246.00	-0-	Php246.00
g) ¾" HDPE coupling	Plasson	Php207.50	-0-	Php207.50
h) 1" HDPE coupling	Plasson	Php372.00	-0-	Php372.00
i) 3" HDPE coupling	Plasson	Php4,002.00	-0-	Php4,002.00
j) ½"Ø HDPE male coupling adapter	Plasson	Php186.00	-0-	Php186.00
k) ¾"Ø HDPE male coupling adapter	Plasson	Php132.00	-0-	Php132.00
l) 1"Ø HDPE male coupling adapter	Plasson	Php148.00	-0-	Php148.00
m) 1 ½"Ø HDPE male coupling adapter	Plasson	Php564.00	-0-	Php564.00
n) 2"Ø HDPE male coupling adapter	Plasson	Php966.00	-0-	Php966.00
o) 2" x 1" tapping saddle	Plasson	Php4,196.00	-0-	Php4,196.00
p) 3" x 1" tapping saddle	Plasson	Php4,496.00	-0-	Php4,496.00
q) 4" x 1" tapping saddle	Plasson	Php4,564.00	-0-	Php4,564.00
r) 6"x1" tapping saddle	Plasson	Php5,844.00	-0-	Php5,844.00

WHEREAS, upon qualification and careful examination, validation and verification of all the documents submitted by and of the financial bids of the lone complying bidder, it has been determined that **FANM ENTERPRISES**, **INC**. submitted complete documents and its financial bids for items *a-r* are determined as the lone and lowest calculated responsive bids;

NOW THEREFORE, on motion duly seconded, be it

- famility

2 | Page

RESOLVED, as it is hereby resolved, to award the procurement of a) five hundred (500) pcs ½" ball valves / stop cock balls type-lock wing (threaded); b) five hundred (500) pcs ½" check valves, class 125; c) three hundred thirty (330) pcs 1"Ø gate valves, threaded type class 125; d) five (5) pcs 1½"Ø gate valves, threaded type; e) three (3) pcs 2"Ø gate valves, threaded type; f) fifty (50) pcs ½"Ø HDPE couplings; f) fifty (50) pcs ½"Ø HDPE couplings; g) ten (10) pcs ¾" HDPE couplings; h) fifty (50) pcs 1" HDPE couplings; i) fifteen (15) pcs 3" HDPE couplings; j) one thousand four hundred twenty (1,420) pcs ½"Ø HDPE male coupling adapters; k) twenty-three (23) pcs ¾"Ø HDPE male coupling adapters; l) two hundred thirty (230) pcs 1"Ø HDPE male coupling adapters; m) ten (10) pcs 1½"Ø HDPE male coupling adapters; n) sixty-six (66) pcs 2"Ø HDPE male coupling adapters; o) one hundred twenty five (125) pcs 2" x 1" tapping saddles; p) sixty-five (65) pcs 3" x 1" tapping saddles; q) one hundred fifteen (115) pcs 4" x 1" tapping saddles; r) twenty-five (25) pcs tapping saddles to FANM ENTERPRISES, INC. with the offered brands and specifications, for being the lone and lowest calculated responsive bidder for these items.

RESOLVED FURTHER, to inform **FANM ENTERPRISES**, **INC.** to submit its updated red ribboned and apostilled certificate of authorized distributorship/dealership from Zhejiang Best & Honest Electromechanics Co., Ltd. prior to issuance of its Notice of Award / Notice to Proceed.

RESOLVED FINALLY, to declare a failure of bidding and a re-bidding is recommended to be conducted for the procurement of items: s) two (2) pcs universal tappers 12" x 1"; t) three (3) pcs universal tappers 8" x 2"; u) three (3) pcs universal tappers 10" x 2" and v) three (3) pcs universal tappers 12" x 2", with the required specifications under RQ No. 08-091P-B dated 26 August 2022.

UNANIMOUSLY APPROVED (21 October 2022)

Engr. Fernando A. Peria Vice-Chairperson Engr. Noriel C. Calpito Member

Atty. Chanell Dolor D. De Guzman

Mr. Geovani L. Piza

Member

Engr. Michael Jordan E. Sison Member

> Atty. Ma. Luisa C. Tenedero Chairperson

Attested by the Secretariat:

Apple Jane P. Aviles

Sharlene M. Durante

Approved by:

ngr. Salvador M. Roy General Manager