

Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number

9671701

Procuring Entity

BAGUIO WATER DISTRICT - BAGUIO CITY

Title

various water service connection fittings

Area of Delivery

Benguet

Solicitation Number:	03-065P-B	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Public Bidding	Associated Components	1
Classification:	Goods		
Category:	Water Service Connection Materials/Fittings	Bid Supplements	0
Approved Budget for the Contract:	PHP 3,769,437.00		
Delivery Period:		Document Request List	0
Client Agency:			
		Date Published	19/04/2023
Contact Person:	Ma. Luisa C Tenedero BAC In-House Chairman		
	BWD Compound, Utility Road Baguio City Benguet	Last Updated / Time	18/04/2023 14:16 PM
	Philippines 2600 63-74-4424858 63-74-4424858 purchasing.bwd2014@gmail.com	Closing Date / Time	10/05/2023 13:30 PM

Description

1,150 pieces 1/2" Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded) (please see complete specifications below)

Approved Budget Cost: ₱580.00 / PC

5 pieces 1" Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded) (please see complete specifications below)

Approved Budget Cost: ₱1,138.00 / PC

1,100 pieces 1/2" Check Valve, Class 125 Screwed Cap, swing type disc, Threaded ends, WOG, Non-Shock, 1.38Mpa (200 psi), Saturated steam

pressure (SSP), 0.86Mpa (125 psi)

Materials:

Body: bronze / brass; Cap: brass / bronze; Hinge pin: brass / stainless steel; Disc: brass

Approved Budget Cost: ₱392.00 / PC

345 pieces 1" Ø Gate Valve, Threaded Type Class 125 (please see complete specifications below)

Approved Budget Cost: ₱846.00 / PC

5 pieces 1 1/2" Ø Gate Valve, threaded type

(please see complete specifications below) Approved Budget Cost: ₱1,714.00 / PC

3 pieces 2" Ø Gate Valve, threaded type (please see complete specifications below) Approved Budget Cost: ₱2,642.00 / PC

50 pieces 1/2" Ø HDPE Coupling

Body: Polypropylene, high-grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱246.00 / PC

10 pieces 3/4" Ø HDPE Coupling

Body: Polypropylene, high-grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱207.50 / PC

50 pieces 1" HDPE Coupling

Body: Polypropylene, high-grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱372.00 / PC

20 pieces 2" HDPE Coupling

Body: Polypropylene, high-grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱1,070.00 / PC

25 pieces 2" Ø HDPE Female Coupling Adapter Body: Polypropylene, high-grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱1,194.00 / PC

500 pieces 1/2" Ø HDPE Male Coupling Adapter Body: Polypropylene, high-grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱186.00 / PC

23 pieces 3/4" Ø HDPE Male Coupling Adapter Body: Polypropylene, high-grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱132.00 / PC

230 pieces 1" Ø HDPE Male Coupling Adapter Body: Polypropylene, high-grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱148.00 / PC

30 pieces 2" Ø HDPE Male Coupling Adapter Body: Polypropylene, high-grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱966.00 / PC

160 pieces 2" x 1" Tapping Saddle (please see complete specifications below) Approved Budget Cost: ₱ 4,196.00 / PC

65 pieces 3" x 1" Tapping Saddle (please see complete specifications below) Approved Budget Cost: ₱ 4,496.00 / PC

133 pieces 4" x 1" Tapping Saddle (please see complete specifications below) Approved Budget Cost: P4,564.00 / PC

33 pieces 6" x 1" Tapping Saddle (please see complete specifications below) Approved Budget Cost; ₱5,844.00 / PC

8 pieces Universal Tapper 8" x 1" (for PVC) (please see complete specifications below) Approved Budget Cost: P14,762.00 / PC

10 pieces Universal Tapper 10" x 1" (for PVC) (please see complete specifications below) Approved Budget Cost: P15,380.00 / PC

5 pieces Universal Tapper 12" x 1" (for PVC) (please see complete specifications below) Approved Budget Cost: ₱15,708.00 / PC

XXXXX

BALL VALVE SPECIFICATIONS:

- -Elements of the valve should be free from dirt, and there should not be any dirt, chip, burrs, flakes, etc. before assembling.
- -The threaded parts of the socket should be coated with sealing glue.
- -The valve should not present a block to the circulation of closing and opening, and it should be flexible.
- -When the valve is fully open, the degree of the body axis and ball axis should be less than 3 degrees.
- -Seal test should be carried and testing pressure should not be less than 0.6Mpa.
- -The valve should be turned off during delivery.

Materials

Body: CW617N; Bonnet: CW617N Ball: Hpb57-3; Ball Seat: PTFE SM031 Stem: Hpb57-3; Handle: Hpb57-3 Elastic Cylindrical Pin: Stainless Steel

GATE VALVE (THREADED) SPECIFICATIONS:

Features: Brass Body, Non-Rising stem, Screw-over bonnet, Threaded ends

Specifications:

Nominal pressure: Non-shock working pressure

Max working pressure 150 psi

Fitting to withstand min. working pressure of 1.00

The thread shall be NPT

Waterway shall unobstructed when fully opened

Material List

Handwheel: Alloy / Packing Nut: Brass Bonnet: Brass / Stem: Brass Rod

Wedge: Brass / Body: Brass

Bonnet Gasket: Plastic / Packing: Teflon

TAPPING SADDLE SPECIFICATIONS:

Body: Polypropylene, high-grade copolymer Nuts: Polypropylene, high-grade copolymer Split Ring: Acetal (POM); Seal: EPDM;

Bolts: Plated Steel; Nuts: Stainless steel, filled with a self-boring mechanism made of brass that will function as a valve; O-Ring of outlet fixed inside the body. Threads must conform to ISO – 7/1, BS21 – 1973, DIN 2999, NEN 3258, AS 1722 part. 1-1975. The quality conforms to ISO-9002.

UNIVERSAL TAPPING SADDLE SPECIFICATIONS:

For all kinds of pipe and sizes except PE Pipe Tapping on PA adaptor internally-threaded

Threading to BSP 1/2", 3/4", and 1"

Use: for water and neutral liquids to max. 70°C

Maximum working pressure: 16 bar

Materials:

Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (BS 2789 grade 500-7) with rubber liner

Stirrup (lower part): Stainless Steel A2

Coating: Electro-statically applied epoxy resin to DIN 30677 - internally and externally; Stirrup Bushing:

Stainless Steel 303; Adaptor: Polyamide PA-11GF; Rubber Gasket: NBR; Rubber Lining: NBR; Bolts: Stainless Steel A2;

Washer: Stainless Steel A2; Support Washer: PE-HD

Option:

Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand sizes / 100mm band width

xxxxx

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable

on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of \$\mathbb{P}\$ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;

b) Terms of payment, delivery, warranty, bid validity, and complete specifications;

c) Brochure/s (Original);

d) Proof of payment of a non-refundable fee of \$5,000.00; otherwise, bids shall not be opened

e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;

-For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.

-For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;

f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);

g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Pre-bid Conference

Date

Time

Venue

28/04/2023

1:00:00 AM

Pre-bid conference: April 28, 2023 9:30 am via Zoom Application Meeting ID: 452 718 8447

Password: 9Buvqr

Created by

Ma. Luisa C Tenedero

Date Created

18/04/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2023 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap





Document No. ADM-PUR-F003 Revision Date February 15, 2020 Revision No. 01

REQUEST FOR BIDS/QUOTATION (RQ)

То:		RQ No.: 03 – 065P-B
	(Name of Supplier)	PR / JO No.: 065P
Contact Person:		Date of RQ: March 30, 2023
Address:		Purpose of RQ:
Contact no.:		2 nd Quarter 2023 Consolidated supplies and materials

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS **U-Price** Total Qty. Description **VALIDITY DATE:** 1,150 pcs 1/2" Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded) day (please see complete specifications below) (30 days minimum) Approved Budget Cost: ₱580.00 / pc **DELIVERY:** 5 pcs 1" Ball Valve / Stop Cock Ball Type-Lock Wing working days (Threaded) calendar days (please see complete specifications below) FOB warehouse Approved Budget Cost: ₱1,138.00 / pc WARRANTY 1,100 pcs 1/2" Check Valve, Class 125 calendar davs Screwed Cap, swing type disc, Threaded ends, WOG, upon acceptance. Non-Shock, 1.38Mpa (200 psi), Saturated steam pressure (SSP), 0.86Mpa (125 psi) **TERMS:** Materials: Body: bronze / brass; Cap: brass / bronze; Hinge pin: brass / stainless steel; Disc: brass Approved Budget Cost: ₱392.00 / pc 345 pcs 1"Ø Gate Valve, Threaded Type Class 125 (please see complete specifications below) Approved Budget Cost: ₱846.00 / pc 1 1/2"Ø Gate Valve, threaded type 5 pcs (please see complete specifications below) Approved Budget Cost: ₱1,714.00 / pc 3 pcs 2"Ø Gate Valve, threaded type (please see complete specifications below) Approved Budget Cost: ₱2,642.00 / pc 50 pcs 1/2"Ø HDPE Coupling Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱246.00 / pc





Document No. ADM-PUR-F003 Revision Date February 15, 2020 Revision No. 01

REQUEST FOR BIDS/QUOTATION (RQ)

ion so	REC	QUEST FOR BIDS/QUOTATION (RQ)	Revision No.	01
	10 pcs	3/4"Ø HDPE Coupling Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱207.50 / pc		
	50 pcs	1" HDPE Coupling Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱372.00 / pc		
	20 pcs	2" HDPE Coupling Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱1,070.00 / pc		
	25 pcs	2"Ø HDPE Female Coupling Adapter Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱1,194.00 / pc		
	500 pcs	1/2"Ø HDPE Male Coupling Adapter Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱186.00 / pc		
	23 pcs	3/4"Ø HDPE Male Coupling Adapter Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱132.00 / pc		
	230 pcs	1"Ø HDPE Male Coupling Adapter Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱148.00 / pc		
	30 pcs	2"Ø HDPE Male Coupling Adapter Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱966.00 / pc		





Document No. ADM-PUR-F003

Revision Date February 15, 2020

Revision No. 01

REQUEST FOR BIDS/QUOTATION (RQ)

160 pcs	2" x 1" Tapping Saddle			
	(please see complete specifications below)			
	Approved Budget Cost: ₱ 4,196.00 / pc			
65 pcs	3" x 1" Tapping Saddle			
	(please see complete specifications below)			
	Approved Budget Cost: ₱ 4,496.00 / pc			
133 pcs	4" x 1" Tapping Saddle			
	(please see complete specifications below)			
	Approved Budget Cost: ₱4,564.00 / pc			
33 pcs	6" x 1" Tapping Saddle			
-	(please see complete specifications below)			
	Approved Budget Cost: ₱5,844.00 / pc			
8 pcs	Universal Tapper 8" x 1" (for PVC)			
•	(please see complete specifications below)			
	Approved Budget Cost: ₱14,762.00 / pc			
10 pcs	Universal Tapper 10" x 1" (for PVC)			
-	(please see complete specifications below)			
	Approved Budget Cost: ₱15,380.00 / pc			
5 pcs	Universal Tapper 12" x 1" (for PVC)			
_	(please see complete specifications below)			
	Approved Budget Cost: ₱15,708.00 / pc			
	x x x x x			
	BALL VALVE SPECIFICATIONS:			
	-Elements of the valve should be free from dirt, and there			
	should not be any dirt, chip, burrs, and flakes etc. before			
	assembling.			
	-The threaded parts of the socket should be coated with			
	sealing glueThe valve should not present block to the circulation of			
	closing and opening, and it should be flexible.			
	-When the valve is fully open, the degree of the body axis			
	and ball axis should be less than 3 degrees.			
	-Seal test should be carried and testing pressure should			
	not be less than 0.6Mpa.			
	-The valve should be turned off during delivery.			
	Materials			
	Body: CW617N; Bonnet: CW617N			
	Ball: Hpb57-3; Ball Seat: PTFE SM031			
	Stem: Hpb57-3; Handle: Hpb57-3			
	Elastic Cylindrical Pin: Stainless Steel			
ii .		Î.	1	





Document No. ADM-PUR-F003 Revision Date February 15, 2020 Revision No. 01

REQUEST FOR BIDS/QUOTATION (RQ)

GATE VALVE (THREADED) SPECIFICATIONS:

Features: Brass Body, Non-Rising stem, Screw-over

bonnet,

Threaded ends Specifications:

Nominal pressure: Non-shock working pressure

Max working pressure 150 psi

Fitting to withstand min. working pressure of 1.00

Thread shall be NPT

Water way shall unobstructed when fully opened

Material List

Handwheel: Alloy / Packing Nut: Brass Bonnet: Brass / Stem: Brass Rod Wedge: Brass / Body: Brass

Bonnet Gasket: Plastic / Packing: Teflon

TAPPING SADDLE SPECIFICATIONS:

Body: Polypropylene, high grade copolymer Nuts: Polypropylene, high grade copolymer Split Ring: Acetal (POM); Seal: EPDM;

Bolts: Plated Steel; Nuts: Stainless steel, filled with self boring mechanism made of brass that will function as a valve; O-Ring of outlet fixed inside the body. Threads must conform to ISO – 7/1, BS21 – 1973, DIN 2999, NEN 3258, AS 1722 part. 1-1975. Quality conforms to ISO-9002.

UNIVERSAL TAPPING SADDLE SPECIFICATIONS:

For all kinds of pipe and <u>sizes</u> except PE Pipe Tapping on PA adaptor internally threaded

Threading to BSP ½", ¾", and 1"

Use: for water and neutral liquids to max. 70°C

Maximum working pressure: 16 bar

Materials:

Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (BS

2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2

Coating: Electro-statically applied epoxy resin to DIN 30677 – internally and externally; Stirrup Bushing:

Stainless Steel 303; Adaptor: Polyamide PA-11GF; Rubber Gasket: NBR; Rubber Lining: NBR; Bolts: Stainless Steel A2; Washer: Stainless Steel A2; Support Washer: PE-HD

Option:

Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width

 $\mathsf{X}\;\mathsf{X}\;\mathsf{X}\;\mathsf{X}\;\mathsf{X}$

This is a two (2) envelope system: Envelope "A" to contain the following; among others:

 A refundable bid bond in the form of cash, Manager's, or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the





Document No.	ADM-PUR-F003
Revision Date	February 15, 2020
Revision No.	01

REQUEST FOR BIDS/QUOTATION (RQ)

Insurance Commission equivalent to 5% of the
total approved budget cost is required for a total
purchase bid amount of ₱ 50,000.00 and above.
Validity of the surety bond is 120 days from the
date of opening of bids OR Bid Securing
Declaration regardless of amount of bid;
Tamas of manuscrat delivery comments hid callets.

- b) Terms of payment, delivery, warranty, bid validity and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of **₱5,000.00**; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship /
 Dealership issued by the Principal Supplier to the
 participating bidder (with red ribbon) if none has
 been submitted to the BAC in its Accreditation;

-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.

- -For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
 - f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
 - g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Pre-bid conference: April 28, 2023 9:30am via Zoom Application Meeting ID: 452 718 8447

Password: 9Buvqr

By: Supplier or Authorized Re	(sign over printed name)	
Deadline of submission of bid	_{s:}	Opening of bids: 1:30 pm
Snev	Noted by: ATTY. MA. LUISA C. TENEDERO	ENGR. REYNALDO C. JAYCO
Prepared by: MGLamangan	Noted by: ATTY. MA. LUISA C. TENEDERO	ENGR. REYNALDO C. JAYCO
PURCHASING	BAC IN-HOUSE	BAC-TECHNICAL

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184

Telefax No. (074) 442-4858 (Purchasing) / 444-7246