

Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number

9673533

Procuring Entity

BAGUIO WATER DISTRICT - BAGUIO CITY

Title

1 set Submersible Pump and Motor

Area of Delivery

Benguet

Solicitation Number:	03-049P	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Public Bidding	Associated Components	1
Classification:	Goods		
Category:	Industrial pumps and compressors	Bid Supplements	0
Approved Budget for the Contract:	PHP 330,000.00		
Delivery Period:		Document Request List	0
Client Agency:			
		Date Published	19/04/2023
Contact Person:	Ma. Luisa C Tenedero BAC In-House Chairman		
	BWD Compound, Utility Road Baguio City Benguet	Last Updated / Time	18/04/2023 16:47 PM
	Philippines 2600 63-74-4424858 63-74-4424858 purchasing.bwd2014@gmail.com	Closing Date / Time	03/05/2023 01:00 AM

Description

Submersible Pump Capacity: 150 gpm TDH: 200 ft

Eff. @ Rated Capacity: Not less than 70%

Speed (Nominal): 3600 rpm

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 10 Hp

Nominal Voltage: 460 V Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to the attached for complete specifications) *Supplier to provide manufacturer pump test result

upon delivery

*Supplier to provide a brochure with full specification

and pump curve of offered booster pump Approved Budget Cost: ₱ 330,000.00 / set

STANDARD SPECIFICATIONS FOR SUBMERSIBLE MOTOR

I. GENERAL REQUIREMENTS:
Rating: _____Hp
Nominal Voltage (V): _____V
No. of Phase: _____Hz
Frequency: _____Hz
Std. Diameter: ____Inch
Lead Wire / Cables: Plug-in / Detachable
Rotor Spline: NEMA Standard

II. MATERIAL COMPONENTS:

4" STD. 6" STD. 8" STD.

End Castings: 304 SS over Iron Gray Iron Gray Iron

Stator Shell: 301 SS 301 SS 304 SS

Stator Ends: Low Carbon Steel Low Carbon Steel

Shaft Extension: 17-4 SS 303 SS (5-30Hp)

17-4 SS (40-60Hp) 17-4 SS

Fasteners: 300 Series SS 300 & 400 Series SS 300 & 400 Series SS Seal Cover: Acetal 304 SS & Sintered Bronze 304 SS & Sintered Bronze

Seal: Nitrile Rubber Lip Carbon Ceramic Face Sand Fighter TM SiC/SiC Seal System

Diaphragm: Nitrile Rubber Nitrile Viton Diaphragm Plate: 304 SS 304 SS 304 SS Diaphragm Spring: 302 SS 302 SS Diaphragm Cover: 304 SS 304D

Diaphragm Cover: 304 SS 304D Slinger: Nitrile Rubber Nitrile Viton

Lead Wire (or Cable): XLPE XLPE 125□ C XLPO

Lead Potting: Epoxy Epoxy Epoxy Lead Jam Nut: 300 Series SS

Filter: Delrin & Polyester Delrin & Polyester

III. Must submit an authenticated certificate of dealership/distributorship with red ribbon IV. ISO certified

STANDARD SPECIFICATIONS FOR SUBMERSIBLE PUMP

I. General Requirements:

Capacity: gpm

TDH: ft

Eff. @ Rated Capacity: % Speed (Nominal): rpm

Std. Dia.: Not more than 6 inches

Check Valve and Strainer:

- Standard built-in stop ring to prevent upthrust damage during critical start-up and stopping phase

- Capable to handle sand content from 50 to 150ppm on certain pump sizes

Coupling: NEMA std. Spline type

II. Material Components:

Valve Casing: Stainless Steel Valve Cup: Stainless Steel

Neck ring:

For pump capacity:

- 1-5 cum/hr: NBR/TPU
- 7-14 cum/hr: TPU/PPS-FKM
- 17-60 cum/hr: NBR-FKM-LSR
- 77 cum & above: NBR-FKM

Bearing:

- Replaceable wear ring, bearing, and neck ring for easy maintenance
- Sealed top bearing for high resistance against sand
- Octagonal shape bearings with sand flush channels to reduce abrasive wear

For pump capacity:

- 1-5 cum/hr: NBR
- 7-14 cum/hr: LSR-FKM
- 17-60 cum/hr: NBR-FKM
- 77 cum & above: NBR-FKM

Chamber: Stainless Steel Impeller: Stainless Steel

Section interconnector: Cast Stainless Steel

Shaft complete: Stainless Steel

Strap: Stainless Steel Cable guard: Stainless Steel

Washer for stop ring: Carbon / Graphite HY22 in PTFE mass

Strainer: Stainless Steel

Valve seat:

For pump capacity:

• 1-5 cum/hr: Rubber type/NBR

• 7-14 cum/hr: NBR-FKM

17-60 cum/hr: NBR-FKM77 & above: NBR-FKM

III. Others

Discharge Nipple: 12" S-40, BI or SS Discharge Coupling: S-80, BI or SS

IV. Must submit Authenticated Certificate of Dealership / Distributorship with Red Ribbon

V. ISO Certified

XXXX

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of P 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;
- b) Terms of payment, delivery, warranty, bid validity, and complete specifications;

c) Brochure/s (Original);

d) Proof of payment of a non-refundable fee of \$\mathbb{P}\$500.00; otherwise, bids shall not be opened

e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;

-For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.

-For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;

f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);

g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Created by

Ma. Luisa C Tenedero

Date Created

18/04/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2023 DBM Procurement Service, All rights reserved.

Help | Contact Us | Sitemap



BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No.	ADM-PUR-F003		
Revision Date	February 15, 2020		
Pavisian Na	01		

REQUEST FOR BIDS/QUOTATION (RQ)

То:		RQ No.: 03 - 0	49P
	(Name of Supplier)	PR / JO No.: 049P	
Contact Person:		Date of RQ: March	27, 2023
Address:		Purpose of RQ:	
		Spare submersible pun	np and motor
Contact no.:			

	RICE VAL	RED MUST BE FILLED IDITY, TERMS, WARAI ALL MEAN OUTRIGHT	NTY PER	OD AND	DELIVERY PERI		
	Qty.	ALL WILAR CORNIGITI	Descript		OIT OI BIDS	U-Price	Total
			<u> </u>				
VALIDITY DATE:	1 set	Submersible Pump					
40		Capacity	:	150	gpm		
day day 30 days minimum)		TDH	:	200	ft		
30 days milliminum)		Eff. @ Rated Capacity	<i>'</i> :		ess than 70%		
		Speed (Nominal)	:	3600	•		
DELIVERY:		Discharge Nipple wit	h :	12" Sch	edule 80, BI		
working days		coupling					
calendar days		Diameter of Nipple a	nd Coupl	ing will d	epend on the		
FOB warehouse		discharge port					
		Coupled to: Submer	rsible Mo				
WARRANTY		Rating	:	10	Нр		
calendar days		Nominal Voltage	:	460	V		
pon acceptance.		Number of Phase	:	3	Phase		
		Frequency	:	60	Hz		
TERMS:		(please refer to attached for complete specifications)					
		*Supplier to provide manufacturer pump test result					
	upon delivery *Supplier to provide brochure with full specification				specification		
		and pump curve of o			·		
		Approved Budget Co			•		
		pp.coca zaagot co		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
			xxxx	Х			
		This is a two (2) envelope system:					
		Envelope "A" to cont					
		a) A refundable l			· ·		
		_		•	uivalent to 2% or		
		surety bond c			•		
		Insurance Cor			y certified by the		
				•	quired for a total		
			_		0.00 and above.		
		·			days from the		
		date of openi	-		•		
		Declaration re					
		b) Terms of payr	nent, deliv	ery, warra	anty, bid validity		
		and complete	•	tions;			
		c) Brochure/s (O	-				
		d) Proof of paym					
		₱500.00; othe			•		
		e) Certificate of A			•		
		· ·	-	•	I Supplier to the		
		participating i	nuuei (Wl	urreu IID	bon) if none has		





BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003

Revision Date February 15, 2020

Revision No.

REQUEST FOR BIDS/QUOTATION (RQ)

-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.

-For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;

- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

 $\mathsf{X} \ \mathsf{X} \ \mathsf{X} \ \mathsf{X} \ \mathsf{X} \ \mathsf{X} \ \mathsf{X} \ \mathsf{X}$

By: Supplier or Authorized Representative:(sign over printed name)					
Deadline of su	bmission of bids: _		May 03, 2023	Opening/of bids: 1:30 pm	
	Snew	Noted by: <u>ATTY. MA.</u>	Inhal	dyw Jayw	
Prepared by:	M G Lamangan	Noted by: <u>ATTY. MA.</u>	LUISA C. TENEDERO	ENGIR. REYNALDO C. JAYCO	
- -	PURCHASING	- ,	C IN-HOUSE	BAC-TECHNICAL	

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184

Telefax No. (074) 442-4858 (Purchasing) / 444-7246