



Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 9832365
Procuring Entity BAGUIO WATER DISTRICT - BAGUIO CITY
Title 2 pieces 3" Ø Pressure Reducing Valve with Strainer and 1 piece 2" Ø Pressure Reducing Valve with Strainer
Area of Delivery Benguet

Solicitation Number: 06-102P-E	Status	Pending
Trade Agreement: Implementing Rules and Regulations		
Procurement Mode: Public Bidding	Associated Components	1
Classification: Goods		
Category: Industrial pumps and compressors	Bid Supplements	0
Approved Budget for the Contract: PHP 581,220.00		
Delivery Period:	Document Request List	0
Client Agency:		
Contact Person: Ma. Luisa C Tenedero Chairperson, Bids and Awards Committee BWD Compound, Utility Road Baguio City Benguet Philippines 2600 63-74-4424858 63-74-4424858 purchasing.bwd2014@gmail.com	Date Published	09/06/2023
	Last Updated / Time	08/06/2023 08:00 AM
	Closing Date / Time	21/06/2023 01:00 AM

Description

2 pieces 3"Ø Pressure Reducing Valve with strainer complete with companion flanges and BNG
Approved Budget Cost: ₱218,230.00 / pc

1 piece 2"Ø Pressure Reducing Valve with strainer complete with companion flanges and BNG
Approved Budget Cost: ₱144,760.00 / set

Pressure Reducing Valve Specifications:

Pressure Rating: Up to 25 bar (375 psi) Minimum system pressure 1.5 bar (22 psi)
Standard downstream pressure setting range: For 2" to 10" diameter: 30-165 psi
End Connection: Flanged ISO- P10, ISO-PN-16 & PN□25

Materials:

Valve Body: Ductile Iron A-536 65-45-12 and/or Cast Steel WBC A-216
Inline control strainer: SST316
Pressure Gauge: SST
Pressure Reducing Pilot Valve: SST316
Indicator Rod: SST316
Coating: High built fusion bonded epoxy (FBE)
Protection: External Polyester / Polyurethane

Maintenance, disassembly and reassembly of all the valve's component shall be made possible on site and in-line, without the need to remove the valve from the line.
Simple field-adjustment pressure setting, requiring no special tools and with no system downtime

PRV Dimensions and Weight (Approx.):

PRV Size / Diameter Length (mm) Weight (kg)

2" (50mm) 230 12

3" (80mm) 310 22

Note: Required length and weight should not be less than the specified measure

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:



- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;
- b) Terms of payment, delivery, warranty, bid validity, and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of ₱1,000.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
-For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
-For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Created by Ma. Luisa C Tenedero

Date Created 08/06/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)	Revision Date	February 15, 2020
		Revision No.	01

To: _____
(Name of Supplier)

Contact Person: _____


Address: _____

Contact no.: _____

RQ No.: **06 – 102P-E**
PR / JO No.: **102P**
Date of RQ: **June 5, 2023**
Purpose of RQ:
Proposed repiping of the existing water distribution line of Richgate Square Phase-3 Subdivision (installation of 3"Ø x 630M & 2"Ø x 705M PVC Distribution Lines)

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARRANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS				
	Qty.	Description	U-Price	Total
VALIDITY DATE: _____ day (30 days minimum)	2 pcs	3"Ø Pressure Reducing Valve with strainer complete with companion flanges and BNG Approved Budget Cost: ₱218,230.00 / pc		
	1 pc	2"Ø Pressure Reducing Valve with strainer complete with companion flanges and BNG Approved Budget Cost: ₱144,760.00 / set		
DELIVERY : _____ working days _____ calendar days _____ FOB warehouse		Pressure Reducing Valve Specifications:		
		Pressure Rating: Up to 25 bar (375 psi) Minimum system pressure 1.5 bar (22 psi)		
WARRANTY _____ calendar days upon acceptance.		Standard downstream pressure setting range: For 2" to 10" diameter: 30-165 psi		
		End Connection: Flanged ISO- P10, ISO-PN-16 & PN-25		
TERMS:		Materials:		
		Valve Body: Ductile Iron A-536 65-45-12 and/or Cast Steel WBC A-216		
		Inline control strainer SST316		
		Pressure Gauge SST		
		Pressure Reducing Pilot Valve SST316		
		Indicator Rod SST316		
		Coating High built fusion bonded epoxy (FBE)		
		Protection External Polyester / Polyurethane		
		Maintenance, dissassembly and reassembly of all the valve's component shall be made possible on site and in-line, without the need to remove the valve from the line.		
		Simple field-adjustment pressure setting, requiring no special tools and with no system downtime		
		PRV Dimensions and Weight (Approx.):		
		PRV Size / Diameter Length (mm) Weight (kg)		
	2" (50mm) 230 12			
	3" (80mm) 310 22			
	Note: Required length and weight should not be less than the specified measure.			

Sm

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)	Revision Date	February 15, 2020
		Revision No.	01

		<p style="text-align: center;">X X X X X</p> <p>Note: not to be awarded on a one (1) lot basis.</p> <p>This is a two (2) envelope system:</p> <p>Envelope "A" to contain the following; among others:</p> <ul style="list-style-type: none">a) A refundable bid bond in the form of cash, Manager's, or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid;b) Terms of payment, delivery, warranty, bid validity and complete specifications;c) Brochure/s (Original);d) Proof of payment of a non-refundable fee of ₱1,000.00; otherwise, bids shall not be openede) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation; <p>-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.</p> <p>-For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;</p> <ul style="list-style-type: none">f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);g) International Certificate of Warranty. <p>Envelope "B" to contain the bid cost per unit.</p>		
--	--	---	--	--

By: Supplier or Authorized Representative: _____ (sign over printed name)

Deadline of submission of bids: June 21, 2023 Opening of bids: 1:30 pm

Prepared by: <u>MGLamangan</u> PURCHASING	Noted by: <u>ATTY. MA LUISA C. TENEDERO</u> BAC IN-HOUSE	<u>ENGR. REYNALDO C. JAYCO</u> BAC-TECHNICAL
--	---	---

**BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING
PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184**
Telefax No. (074) 442-4858 (Purchasing) / 444-7246