



# PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for  
Philippine Government  
Procurement Opportunities

## Bid Notice Abstract

### Invitation to Bid (ITB)

**Reference Number** 9911747  
**Procuring Entity** BAGUIO WATER DISTRICT - BAGUIO CITY  
**Title** various water service connection fittings  
**Area of Delivery** Benguet

<b>Solicitation Number:</b> 06-107P-B	<b>Status</b>	<b>Pending</b>
<b>Trade Agreement:</b> Implementing Rules and Regulations		
<b>Procurement Mode:</b> Public Bidding	<b>Associated Components</b>	1
<b>Classification:</b> Goods		
<b>Category:</b> Water Service Connection Materials/Fittings	<b>Bid Supplements</b>	0
<b>Approved Budget for the Contract:</b> PHP 2,101,147.00		
<b>Delivery Period:</b>	<b>Document Request List</b>	0
<b>Client Agency:</b>		
<b>Contact Person:</b> Ma. Luisa C Tenedero Chairperson, Bids and Awards Committee BWD Compound, Utility Road Baguio City Benguet Philippines 2600 63-74-4424858 63-74-4424858 purchasing.bwd2014@gmail.com	<b>Date Published</b>	06/07/2023
	<b>Last Updated / Time</b>	05/07/2023 09:14 AM
	<b>Closing Date / Time</b>	31/07/2023 13:30 PM

#### Description

500 pieces 1/2"Ø Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded)  
(please see complete specifications below)  
Approved Budget Cost: P580.00 / pc

5 pieces 1" Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded)  
(please see complete specifications below)  
Approved Budget Cost: P1,138.00 / pc

10 pieces 1 1/2"Ø Check Valve, Screwed Cap, swing type disc, Threaded ends, WOG  
(please see complete specifications below)  
Approved Budget Cost: P2,225.00 / pc

345 pieces 1"Ø Gate Valve, Threaded Type Class 125  
(please see complete specifications below)  
Approved Budget Cost: P846.00 / pc

10 pieces 1 1/2"Ø Gate Valve, threaded type  
(please see complete specifications below)  
Approved Budget Cost: P1,714.00 / pc

5 pieces 2"Ø Gate Valve, threaded type



(please see complete specifications below)

Approved Budget Cost: ₱2,642.00 / pc

4 pieces 2"Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts

(please see complete specifications below)

Approved Budget Cost: ₱11,600.00 / pc

3 pieces 3"Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts

(please see complete specifications below)

Approved Budget Cost: ₱17,270.00 / pc

4 pieces 4"Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts

(please see complete specifications below)

Approved Budget Cost: ₱22,075.00 / pc

2 pieces 6"Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts

(please see complete specifications below)

Approved Budget Cost: ₱38,945.00 / pc

2 pieces 8"Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts

(please see complete specifications below)

Approved Budget Cost: ₱54,570.00 / pc

2 pieces 10"Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts

(please see complete specifications below)

Approved Budget Cost: ₱82,036.00 / pc

2 pieces 12"Ø Gate Valve, flanged type with combination flanges sealing ring and bolts & nuts

(please see complete specifications below)

Approved Budget Cost: ₱105,820.00 / pc

10 pieces 4"Ø Gate Valve, flanged type with companion steel flanges (weldable) and BNG

(please see complete specifications below)

Approved Budget Cost: ₱30,665.00 / pc

50 pieces 1/2"Ø HDPE Coupling

Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱246.00 / pc

10 pieces 3/4"Ø HDPE Coupling

Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱207.50 / pc

50 pieces 1" HDPE Coupling

Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱372.00 / pc

20 pieces 2" HDPE Coupling

Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱1,070.00 / pc

1,392 pieces 1/2"Ø HDPE Male Coupling Adapter

Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱186.00 / pc

27 pieces 3/4"Ø HDPE Male Coupling Adapter

Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱132.00 / pc

229 pieces 1"Ø HDPE Male Coupling Adapter

Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR



Approved Budget Cost: P148.00 / pc

9 pieces 1 1/2"Ø HDPE Male Coupling Adapter  
Body: Polypropylene, high grade copolymer  
Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;  
Seal: Nitrile Rubber NBR

Approved Budget Cost: P564.00 / pc

51 pieces 2"Ø HDPE Male Coupling Adapter  
Body: Polypropylene, high grade copolymer  
Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;  
Seal: Nitrile Rubber NBR

Approved Budget Cost: P966.00 / pc

x x x x x

#### BALL VALVE SPECIFICATIONS:

-Elements of the valve should be free from dirt, and there should not be any dirt, chip, burrs, and flakes etc. before assembling.

-The threaded parts of the socket should be coated with sealing glue.

-The valve should not present block to the circulation of closing and opening, and it should be flexible.

-When the valve is fully open, the degree of the body axis and ball axis should be less than 3 degrees.

-Seal test should be carried and testing pressure should not be less than 0.6Mpa.

-The valve should be turned off during delivery.

#### Materials

Body: CW617N ; Bonnet: CW617N

Ball: Hpb57-3 ; Ball Seat: PTFE SM031

Stem: Hpb57-3 ; Handle: Hpb57-3

Elastic Cylindrical Pin: Stainless Steel

#### 1 1/2" Check Valve, Class 125

Screwed Cap, swing type disc, Threaded ends, WOG, Non-Shock, 1.38Mpa (200 psi), Saturated steam pressure (SSP),

#### Specifications:

Nominal pressure: Non-shock working pressure

Max working pressure 150 psi

Fitting to withstand min. working pressure of 1.00 Thread shall be NPT

Water way shall unobstructed when fully opened

#### Material List

Handwheel: Alloy / Packing Nut: Brass

Bonnet: Brass / Stem: Brass Rod

Wedge: Brass / Body: Brass

Bonnet Gasket: Plastic / Packing: Teflon

#### GATE VALVE FLANGED TYPE SPECIFICATIONS:

Design Code: Hydraulic test to BS 5163 (DIN3230 /

DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163

Maximum Pressure: PN16 or 16 bar

Temperature Range: -20 to 160 degree centigrade

Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163

End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16

Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755

#### Materials:

Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron

Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874

Wedge Nut: Brass or Dezincification Resistant Brass

Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass

Bonnet Gasket: EPDM Rubber or EPDM / NBR

Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt

O-Ring: NBR or EPDM / NBR

Stem Collar: Brass

Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50)

Dustproof Ring: NBR or EPDM / NBR

Handwheel: Ductile Iron (DI)

Hex Nut: Cast Iron

#### Overall Dimensions:

Size / DN Length (L)mm Height (H)mm Width or Dmm Weight kgs

DN50 (2") 178 300-241 160-165 13-14

DN80 (3") 203 297-390 200 20-23

DN100 (4") 229 334-430 200-220 26-28

DN150 (6") 267 448-565 260-285 51-52

DN200 (8") 292 62-680 320-340 77-83

DN250 (10") 330 664-820 400 127-132



DN300 (12") 356 740-930 400-455 176-187

Note: not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;
- b) Terms of payment, delivery, warranty, bid validity, and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of ₱5,000.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;  
-For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.  
-For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.




#### Pre-bid Conference

Date	Time	Venue
19/07/2023	9:30:00 AM	Pre-bid conference: July 19, 2023 9:30am via Zoom Application Meeting ID: 452 718 8447 Password: 9Buvqr

**Created by** Ma. Luisa C Tenedero

**Date Created** 05/07/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

  	<b>BAGUIO WATER DISTRICT</b> <b>BWD Compound, Utility Road, Baguio City 2600</b>	Document No.	ADM-PUR-F003
	<b>REQUEST FOR BIDS/QUOTATION (RQ)</b>	Revision Date	February 15, 2020
		Revision No.	01

To: \_\_\_\_\_  
(Name of Supplier)

Contact Person: \_\_\_\_\_

Address: \_\_\_\_\_

Contact no.: \_\_\_\_\_

RQ No.: **06 – 107P-B**




PR / JO No.: **107P**

Date of RQ: **June 19, 2023**




Purpose of RQ:  
2023 3<sup>rd</sup> Quarter Consolidated  
Supplies and Materials

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARRANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS				
	Qty.	Description	U-Price	Total
VALIDITY DATE: _____ day (30 days minimum)	500 pcs	1/2"Ø Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded) (please see complete specifications below) Approved Budget Cost: ₱580.00 / pc		
DELIVERY : _____ working days _____ calendar days _____ FOB warehouse	5 pcs	1" Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded) (please see complete specifications below) Approved Budget Cost: ₱1,138.00 / pc		
WARRANTY _____ calendar days upon acceptance.	10 pcs.	1 1/2"Ø Check Valve, Screwed Cap, swing type disc, Threaded ends, WOG (please see complete specifications below) Approved Budget Cost: ₱2,225.00 / pc		
TERMS:	345 pcs	1"Ø Gate Valve, Threaded Type Class 125 (please see complete specifications below) Approved Budget Cost: ₱846.00 / pc		
	10 pcs	1 1/2"Ø Gate Valve, threaded type (please see complete specifications below) Approved Budget Cost: ₱1,714.00 / pc		
	5 pcs	2"Ø Gate Valve, threaded type (please see complete specifications below) Approved Budget Cost: ₱2,642.00 / pc		
	4 pcs	2"Ø Gate Valve, flanged type with combination Flanges, sealing ring and bolts & nuts (please see complete specifications below) Approved Budget Cost: ₱11,600.00 / pc		
	3 pcs	3"Ø Gate Valve, flanged type with combination Flanges, sealing ring and bolts & nuts (please see complete specifications below) Approved Budget Cost: ₱17,270.00 / pc		
	4 pcs	4"Ø Gate Valve, flanged type with combination Flanges, sealing ring and bolts & nuts (please see complete specifications below) Approved Budget Cost: ₱22,075.00 / pc		




*Smr*

<div><div></div><div></div><div></div></div>			<div><div>BAGUIO WATER DISTRICT</div><div>BWD Compound, Utility Road, Baguio City 2600</div></div>		Document No.	ADM-PUR-F003
			REQUEST FOR BIDS/QUOTATION (RQ)			
			Revision Date	February 15, 2020		
			Revision No.	01		
	2 pcs	<div><div>6"Ø Gate Valve, flanged type with combination Flanges, sealing ring and bolts &amp; nuts</div><div>(please see complete specifications below)</div><div>Approved Budget Cost: ₱38,945.00 / pc</div></div>				
	2 pcs	<div><div>8"Ø Gate Valve, flanged type with combination Flanges, sealing ring and bolts &amp; nuts</div><div>(please see complete specifications below)</div><div>Approved Budget Cost: ₱54,570.00 / pc</div></div>				
	2 pcs	<div><div>10"Ø Gate Valve, flanged type with combination Flanges, sealing ring and bolts &amp; nuts</div><div>(please see complete specifications below)</div><div>Approved Budget Cost: ₱82,036.00 / pc</div></div>				
	2 pcs	<div><div>12"Ø Gate Valve, flanged type with combination Flanges sealing ring and bolts &amp; nuts</div><div>(please see complete specifications below)</div><div>Approved Budget Cost: ₱105,820.00 / pc</div></div>				
	10 pcs	<div><div>4"Ø Gate Valve, flanged type with companion steel flanges (weldable) and BNG</div><div>(please see complete specifications below)</div><div>Approved Budget Cost: ₱30,665.00 / pc</div></div>				
	50 pcs	<div><div>1/2"Ø HDPE Coupling</div><div>Body: Polypropylene, high grade copolymer</div><div>Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;</div><div>Seal: Nitrile Rubber NBR</div><div>Approved Budget Cost: ₱246.00 / pc</div></div>				
	10 pcs	<div><div>3/4"Ø HDPE Coupling</div><div>Body: Polypropylene, high grade copolymer</div><div>Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;</div><div>Seal: Nitrile Rubber NBR</div><div>Approved Budget Cost: ₱207.50 / pc</div></div>				
	50 pcs	<div><div>1" HDPE Coupling</div><div>Body: Polypropylene, high grade copolymer</div><div>Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;</div><div>Seal: Nitrile Rubber NBR</div><div>Approved Budget Cost: ₱372.00 / pc</div></div>				
	20 pcs	<div><div>2" HDPE Coupling</div><div>Body: Polypropylene, high grade copolymer</div><div>Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;</div><div>Seal: Nitrile Rubber NBR</div><div>Approved Budget Cost: ₱1,070.00 / pc</div></div>				
	1,392 pcs	<div><div>1/2"Ø HDPE Male Coupling Adapter</div><div>Body: Polypropylene, high grade copolymer</div><div>Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;</div><div>Seal: Nitrile Rubber NBR</div><div>Approved Budget Cost: ₱186.00 / pc</div></div>				



<div></div>		<div><b>BAGUIO WATER DISTRICT</b> <b>BWD Compound, Utility Road, Baguio City 2600</b></div>		Document No.	ADM-PUR-F003
<div><b>REQUEST FOR BIDS/QUOTATION (RQ)</b></div>				Revision Date	February 15, 2020
				Revision No.	01
	<div><div><div>27 pcs</div><div>3/4"Ø HDPE Male Coupling Adapter</div><div>Body: Polypropylene, high grade copolymer</div><div>Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;</div><div>Seal: Nitrile Rubber NBR</div><div>Approved Budget Cost: ₱132.00 / pc</div></div><div><div>229 pcs</div><div>1"Ø HDPE Male Coupling Adapter</div><div>Body: Polypropylene, high grade copolymer</div><div>Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;</div><div>Seal: Nitrile Rubber NBR</div><div>Approved Budget Cost: ₱148.00 / pc</div></div><div><div>9 pcs</div><div>1 1/2"Ø HDPE Male Coupling Adapter</div><div>Body: Polypropylene, high grade copolymer</div><div>Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;</div><div>Seal: Nitrile Rubber NBR</div><div>Approved Budget Cost: ₱564.00 / pc</div></div><div><div>51 pcs</div><div>2"Ø HDPE Male Coupling Adapter</div><div>Body: Polypropylene, high grade copolymer</div><div>Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;</div><div>Seal: Nitrile Rubber NBR</div><div>Approved Budget Cost: ₱966.00 / pc</div></div></div>				
	<div><div><div>X X X X X</div><div><b>BALL VALVE SPECIFICATIONS:</b></div><div>-Elements of the valve should be free from dirt, and there should not be any dirt, chip, burrs, and flakes etc. before assembling.</div><div>-The threaded parts of the socket should be coated with sealing glue.</div><div>-The valve should not present block to the circulation of closing and opening, and it should be flexible.</div><div>-When the valve is fully open, the degree of the body axis and ball axis should be less than 3 degrees.</div><div>-Seal test should be carried and testing pressure should not be less than 0.6Mpa.</div><div>-The valve should be turned off during delivery.</div><div>Materials</div><div>Body: CW617N ; Bonnet: CW617N</div><div>Ball: Hpb57-3 ; Ball Seat: PTFE SM031</div><div>Stem: Hpb57-3 ; Handle: Hpb57-3</div><div>Elastic Cylindrical Pin: Stainless Steel</div><div><b>1 1/2" Check Valve, Class 125</b></div><div>Screwed Cap, swing type disc, Threaded ends, WOG, Non-Shock, 1.38Mpa (200 psi), Saturated steam pressure (SSP), 0.86Mpa (125 psi)</div><div>Materials:</div><div>Body: bronze / brass; Cap: brass / bronze;</div><div>Hinge pin: brass / stainless steel; Disc: brass</div><div><b>GATE VALVE (THREADED) SPECIFICATIONS:</b></div><div>Features: Brass Body, Non-Rising stem, Screw-over bonnet,</div><div>Threaded ends</div></div></div>				




*Smr*

  	<b>BAGUIO WATER DISTRICT</b> <b>BWD Compound, Utility Road, Baguio City 2600</b>		Document No.	ADM-PUR-F003																																								
	<b>REQUEST FOR BIDS/QUOTATION (RQ)</b>		Revision Date	February 15, 2020																																								
			Revision No.	01																																								
<div> <div>Specifications:</div> <div> Nominal pressure: Non-shock working pressure  Max working pressure 150 psi  Fitting to withstand min. working pressure of 1.00  Thread shall be NPT  Water way shall unobstructed when fully opened  Material List  Handwheel: Alloy / Packing Nut: Brass  Bonnet: Brass / Stem: Brass Rod  Wedge: Brass / Body: Brass  Bonnet Gasket: Plastic / Packing: Teflon </div> </div> <div> <b>GATE VALVE FLANGED TYPE SPECIFICATIONS:</b>  Design Code: Hydraulic test to BS 5163 (DIN3230 / DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163  Maximum Pressure: PN16 or 16 bar  Temperature Range: -20 to 160 degree centigrade  Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163  End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16  Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755  Materials:  Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron  Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874  Wedge Nut: Brass or Dezincification Resistant Brass  Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass  Bonnet Gasket: EPDM Rubber or EPDM / NBR  Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt  O-Ring: NBR or EPDM / NBR  Stem Collar: Brass  Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50)  Dustproof Ring: NBR or EPDM / NBR  Handwheel: Ductile Iron (DI)  Hex Nut: Cast Iron  Overall Dimensions: <table border="1"> <thead> <tr> <th>Size / DN</th> <th>Length (L) mm</th> <th>Height (H) mm</th> <th>Width or D mm</th> <th>Weight kgs</th> </tr> </thead> <tbody> <tr> <td>DN50 (2")</td> <td>178</td> <td>300-241</td> <td>160-165</td> <td>13-14</td> </tr> <tr> <td>DN80 (3")</td> <td>203</td> <td>297-390</td> <td>200</td> <td>20-23</td> </tr> <tr> <td>DN100 (4")</td> <td>229</td> <td>334-430</td> <td>200-220</td> <td>26-28</td> </tr> <tr> <td>DN150 (6")</td> <td>267</td> <td>448-565</td> <td>260-285</td> <td>51-52</td> </tr> <tr> <td>DN200 (8")</td> <td>292</td> <td>62-680</td> <td>320-340</td> <td>77-83</td> </tr> <tr> <td>DN250 (10")</td> <td>330</td> <td>664-820</td> <td>400</td> <td>127-132</td> </tr> <tr> <td>DN300 (12")</td> <td>356</td> <td>740-930</td> <td>400-455</td> <td>176-187</td> </tr> </tbody> </table> </div>					Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs	DN50 (2")	178	300-241	160-165	13-14	DN80 (3")	203	297-390	200	20-23	DN100 (4")	229	334-430	200-220	26-28	DN150 (6")	267	448-565	260-285	51-52	DN200 (8")	292	62-680	320-340	77-83	DN250 (10")	330	664-820	400	127-132	DN300 (12")	356	740-930	400-455	176-187
Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs																																								
DN50 (2")	178	300-241	160-165	13-14																																								
DN80 (3")	203	297-390	200	20-23																																								
DN100 (4")	229	334-430	200-220	26-28																																								
DN150 (6")	267	448-565	260-285	51-52																																								
DN200 (8")	292	62-680	320-340	77-83																																								
DN250 (10")	330	664-820	400	127-132																																								
DN300 (12")	356	740-930	400-455	176-187																																								

Note: not to be awarded on a one (1) lot basis.





  	<b>BAGUIO WATER DISTRICT</b> <b>BWD Compound, Utility Road, Baguio City 2600</b>	Document No.	ADM-PUR-F003
	<b>REQUEST FOR BIDS/QUOTATION (RQ)</b>	Revision Date	February 15, 2020
		Revision No.	01

	<p><b>This is a two (2) envelope system:</b></p> <p>Envelope "A" to contain the following; among others:</p> <ul style="list-style-type: none"><li>a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid;</li><li>b) Terms of payment, delivery, warranty, bid validity and complete specifications;</li><li>c) Brochure/s (Original);</li><li>d) Proof of payment of a non-refundable fee of <b>₱5,000.00</b>; otherwise, bids shall not be opened</li><li>e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;</li></ul> <p>-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.</p> <p>-For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;</p> <ul style="list-style-type: none"><li>f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);</li><li>g) International Certificate of Warranty.</li></ul> <p><b>Envelope "B" to contain the bid cost per unit.</b></p> <p><b>Pre-bid conference: July 19, 2023</b> <b>9:30am via Zoom Application</b> <b>Meeting ID: 452 718 8447</b> <b>Password: 9Buvqr</b></p>		
--	--	--	--

By: Supplier or Authorized Representative: \_\_\_\_\_ ( sign over printed name )

Deadline of submission of bids: \_\_\_\_\_ **July 31, 2023** Opening of bids: **1:30 pm**

Prepared by:  <b>MGLamangan</b> PURCHASING	Noted by:  <b>ATTY. MA. LUISA C. TENEDERO</b> BAC IN-HOUSE	 <b>ENGR. REYNALDO C. JAYCO</b> BAC-TECHNICAL
---	---	--

<b>BWD RESERVES THE RIGHT TO REJECT BIDS &amp;/OR DECLARE A FAILURE OF BIDDING</b> <b>PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184</b> <b>Telefax No. (074) 442-4858 (Purchasing) / 444-7246</b>
---