printableBidNoticeAbstract





IIGEPS

Philippine Government Electronic Procurement System

Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Invitation to Bid (ITB)

Title	BAGUIO WATER DISTRICT - BAGUIO CITY Various Variable Frequency Drive				
Area of Delivery	Benguet				
Solicitation Number:	07-051P-R	Status	Pending		
Trade Agreement:	Implementing Rules and Regulations				
Procurement Mode:	Public Bidding	Associated Components			
Classification:	Goods				
Category:	Industrial Machinery and Equipment	Bid Supplements	i		
Approved Budget for the Contract:	PHP 2,830,000.00				
Delivery Period:		Document Request List	(
Client Agency:					
		Date Published	12/07/2023		
Contact Person:	Ma. Luisa C Tenedero Chairperson, Bids and Awards				
	Committee BWD Compound, Utility Road Baguio City	Last Updated / Time	11/07/2023 10:30 AM		
	Benguet Philippines 2600 63-74-4424858 63-74-4424858 purchasing.bwd2014@gmail.com	Closing Date / Time	07/08/2023 13:30 PM		
Description 1 unit Variable Frequenc Capacity of Pressure Tra (please see complete sp Approved Budget Cost:	ecifications below)	3phase, 60Hz Submersible Moto	r		
1 unit Variable Frequence Capacity of Pressure Tra (please see complete sp Approved Budget Cost:	ecifications below)	/, 3phase, 60Hz Submersible Mot	or		
1 unit Variable Frequenc Capacity of Pressure Tra (please see complete sp Approved Budget Cost:	ecifications below)	/, 3phase, 60Hz Submersible Mot	or		
	cy Drive adaptable to 150Hp - min	iimum, 460V, 3phase, 60Hz Subr	nersible Motor		

C

1 MAIN SUPPLY (L1, L2, L3) Supply Voltage: 3 x 380-480V AC or as specified by end-user Supply Frequency: 60 Hz Displacement Power Factor: > 0.98 True Power Factor: 0.9 Switching on Input Supply L1, L2, L3: 1 - 2 times /minute

2 OUTPUT DATA (U, V, W) Output Voltage: 0 - 100% Switching on Output: Unlimited Ramp Times: 0.1 - 3600 seconds Maximum Output Frequency: 590 Hz

3 DIGITAL INPUTS Programmable Digital Inputs: 6 Logic: PNP Voltage Level: 0 – 24V DC

4 ANALOGUE INPUTS Number of Analogue Inputs: 2 Modes: Current Voltage Level: - 10 to +10 (scaleable) Current Level: 0/4 to 20mA (scaleable)

5 PULSE INPUTS Programmable Pulse Inputs: 2 Voltage Level: 0-24V DC (PNP positive logic) Pulse Input Accuracy: Max. error: 0.1% of full scale

6 ANALOGUE OUTPUT Programmable Analogue Outputs: 1 Current Range at Analogue Output: 0-4 - 20mA

7 RELAY OUTPUTS Programmable Relay Outputs: 2

8 FIELDBUS COMMUNICATION: Ethernet IP 9 AMBIENT TEMPERATURE: Up to 55°C 10 HARDWARE SPECIFICATIONS: IP 55 Enclosure 11 OTHER ACCESSORIES Pressure Transmitter Bars

Note: Supplier to submit sole / exclusive distributorship certificate.

Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of P 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;

b) Terms of payment, delivery, warranty, bid validity, and complete specifications;

c) Brochure/s (Original);

d) Proof of payment of a non-refundable fee of P5,000.00; otherwise, bids shall not be opened

e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;

-For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.

-For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;

 f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
 g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Pre-bid Conference

Venue

7/11/23, 1	0:31 AM	1	pr	intableBidNoticeAbstract		
	25/07/2023	° 9:3	0:00 AM			
	Created by	Ma. Luisa C Ten	nedero			
¢,	Date Created	11/07/2023			•	

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2023 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap

]	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio Ci	ity 2600	Document No.	ADM-PUR-F003
1975 CERTIFICATION INTERNATIONAL ISO 9001:2015 MACredited Accredited Accredited Accredited MACredited Accredited MACREDITED MACREDIN	REC	QUEST FOR BIDS/QUOTATI	ON (RQ)	Revision Date	February 15, 2020
				Revision No.	01
То:			RQ No	· 07 –	051P-R
	()	lame of Supplier)	-) No.: 051P	
Contact Person:	(7)		Date o		3, 2023
Address:			Purpose		5, 2025
			•		ols of 1. Lagma
Contact no.:					Amparo 3 DW
			4. Ampa	ro 4 DW	·
NOTE: DA	TA REQUI	RED MUST BE FILLED UP COMPLETELY.	FAILURE TO	INDICATE T	HE
Р	RICE VAL	IDITY, TERMS, WARANTY PERIOD AND	DELIVERY PI	ERIOD	
		ALL MEAN OUTRIGHT DISQUALIFICATI	ON OF BIDS		
	Qty.	Description		U-Price	Total
	1 unit	Variable Frequency Drive adaptable to 7	754p 460V		
	i unit	3phase, 60Hz Submersible Motor	7 SHP, 400 V,		
day		Capacity of Pressure Transmitter: 0 – 25	bars		
(30 days minimum)		(please see complete specifications below			
		Approved Budget Cost: ₱500,000.00 / u			
DELIVERY :					
working days	1 unit	Variable Frequency Drive adaptable to	125Hp, 460V,		
calendar days		3phase, 60Hz Submersible Motor			
FOB warehouse		Capacity of Pressure Transmitter: 0 – 25			
		(please see complete specifications below			
WARRANTY		Approved Budget Cost: ₱690,000.00 / u	init		
calendar days	1 unit	Variable Frequency Drive adaptable to	150Hp 460V		
upon acceptance.	i unit	3phase, 60Hz Submersible Motor	150110, 400 V,		
		Capacity of Pressure Transmitter: 25 bar	rs		
TERMS:		(please see complete specifications belo			
		Approved Budget Cost: ₱820,000.00 / u	ınit		
	1 unit	Variable Frequency Drive adaptable to	•		
		minimum, 460V, 3phase, 60Hz Submers			
		Capacity of Pressure Transmitter: 25 bar			
		(please see complete specifications below Approved Budget Cost: ₱820,000.00 / u			
		Approved Budget Cost. P820,000.00 / d	iiiit		
		Standard Specifications for Variable	Frequency		
		Drive			
		1 MAIN SUPPLY (L1, L2, L3)			
		115 5	(380-480V AC		
			as specified b	у	
			d-user		
		11,5 1 5	Hz		
		Displacement Power Factor > True Power Factor 0.9	0.98		
			, - 2 times /		
			nute		
		2 OUTPUT DATA (U, V, W)			
			100%		
		5 1	limited		
		•	- 3600		
			conds		
		Maximum Output Frequency 59	0 Hz		

Provention REQUEST FOR BIDS/QUOTATION (RQ) Programmable Digital Inputs Autor National Stream (Note: 10) Programmable Digital Inputs Programmable Digital Inputs Programmable Digital Inputs ANALOGUE INPUTS Number of Analogue Inputs Putse Input Accuracy Notige Level O-24V DC (PNP Positive logic) Putse Input Accuracy Max error 0.1% offul scale ANALOGUE OUTPUT Programmable Analogue O-4 - 20mA Outputs Pregrammable Analogue O-4 - 20mA Outputs Pregrammable Analogue O-4 - 20mA Outputs Programmable Analogue O-4 - 20mA Output Programmable Analogue O-4 - 20mA Outputs Pregrammable Analogue O-4 - 20mA Outputs Programmable Analogue O-4 - 20mA Output Presure Transmitter Presure Information Presure Information Presure Information Note: Not to be awarded on a one (1) lot basis. X x x X This is a two (2) emelope system: Envelope 'X' to contain the following; among others: Intellowed Content of P 50,000.00 and above. Validity of the surely bond is 120 days from the date of peringe of bid QB Bd Securing Declaration regardes of amount of P 50,000 and above. Validity of the surely fond is 20 days from the date of peringo is 04 dB Bd Securing Declaration	\mathbb{T}	BAGUIO WATER DISTRIC BWD Compound, Utility Road, Bagui		Document No.	ADM-PUR-F003
	1975 BY INTERNATIONAL ISO YOUZOIS ISO YOUZOIS ISO YOUZOIS			Revision Date	February 15, 2020
Programmable Digital Inputs 6 Logic PNP Voltage Level 0 - 24V DC 4 ANALOGUE INPUTS Number of Analogue Inputs 2 Modes Current Voltage Level -10 to +10 (caleable) (caleable) Current Level 0/4 to 20mA (scaleable) 5 Programmable Pulse Inputs 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max. error.0.1% off ful scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 2 Current Range at Analogue 0-4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBLENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS IP Prossure Transmitter				Revision No.	01
Logic PNP Voltage Level 0–24V DC 4 ANALOGUE INPUTS Number of Analogue Inputs 2 Modes Current Voltage Level -10 to +10 (scaleable) Current Level 0/4 to 20mA (scaleable) 5 PULSE INPUTS Programmable Pulse Inputs 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max_error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs Current Range at Analogue 0-4 - 20mA Outputs 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure TransmitterBars Note: Not to be awarded on a one (1) lot basis. XXXXX This is a two (2) envelope system: Envelope "A" to contain the following; among others: a A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 5% of the total approved budget cost is reguired for a total purchase bid amount of ₱50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bid. 2@ Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warrandy, bid validity and complete specifications; e Brochureys (Original); e Brochureys (Original); e Brochureys (Original); e Prode of payment of a non-refundable fee of			6		
Voltage Level 0 - 24V DC ANALOGUE INPUTS 2 Modes Current Voltage Level -10 to + 10 (scaleable) 0/4 to 20mA (scaleable) 0/4 to 20mA (scaleable) 0/24V DC (PNP positive logic) Pulse Inputs 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max.error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs Current Range at Analogue 0-4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethermet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure Transmitter		u			
4 ANALGOUE INPUTS Number of Analogue Inputs 2 Modes Current Voltage Level -10 to +10 (scaleable) Current Level 0/4 to 20mA (scaleable) 5 PULSE INPUTS Programmable Pulse Inputs 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max. error: 0.1% Outputs 0-44 - 20mA Outputs 0-44 - 20mA Outputs 1 Current Range at Analogue 0-4 - 20mA Outputs 2 Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION 10 HARDWARE Up to 55°C 11 OTHER ACCESSORIES Presumantiter Presuper Transmitter Bars		_			
Number of Analogue Inputs 2 Modes Current Voltage Level -10 to +10 (scaleable) Current Level O/4 to 20mA (scaleable) S PULSE INPUTS Programmable Pulse Inputs Programmable Pulse Inputs 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max. error: 0.1% off full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 1 Current Range at Analogue 0-4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HAR MOWARE IP 55 Enclosure SPECIFICATIONS 11 THER ACCESSORIES Pressure Transmitter		-	0 240 DC		
Modes Current Voltage Level -10 to +10 (ccaleable) O/4 to 20mA Current Level 0/4 to 20mA (ccaleable) S PULSE INPUTS 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max.error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs Current Range at Analogue 0-4 - 20mA Output5 2 8 Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS IP 55 Enclosure SPECIFICATIONS IP 55 Enclosure 11 OTHER ACCESSORIES Pressure Transmitter Pressure Transmitter			2		
Voltage Level -10 to +10 (scaleable) Current Level 0/4 to 20mA (scaleable) 5 PULSE INPUTS Programmable Pulse Inputs 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max. error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 0-4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE IP ESE Enclosure SPECIFICATIONS Up to 55°C 10 HARDWARE IP ESE Social So		-			
Current Level (ccaleable) Current Level 0/4 to 20mA (ccaleable) 5 Programmable Pulse Inputs 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max. error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 0.4 - 20mA Outputs Current Range at Analogue 0.4 - 20mA Outputs 2 8 7 RELAV OUTPUTS Programmable Relay Outputs 2 8 FIELIDBUS COMMUNICATION Etherment IP 9 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure Transmitter Bars Note: Not to be awarded on a one (1) lot basis. XXXXX This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or survety bond callable on demand issued by a survety bond callable o					
Current Level 0/4 to 20mA (scaleable) 5 PULSE INPUTS Programmable Pulse Inputs 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max.error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 0.4 - 20mA Current Range at Analogue 0.4 - 20mA Output 7 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. XXXX This is a two (2) envelope system: Envelope 'A' to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond caliable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of F 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>QB</u> Bid Securing Declaration regardless of amount of		voltage Level			
s PULSE INPUTS Programmable Pulse Inputs 2 Voltage Level 0-24V DC (PVP positive logic) Pulse Input Accuracy Max. error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 0utputs Current Range at Analogue 0-4 - 20mA Output Programmable Relay Outputs 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERTURE Up to 55°C 10 HAROWARE IP 55 Enclosure SPECIFICATIONS I SPRESORIES Pressure Transmitter Bars Note: Not to be awarded on a one (1) lot basis. X X X X This is a two (2) envelope system: Envelope 'A' to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the total approved budget cost is requivalent to 5% of the total approved budget c		Current Level	. ,		
5 PULSE INPUTS Programmable Pulse Inputs 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max.error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 0-4 - 20mA Current Range at Analogue 0-4 - 20mA Output 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 5 Fressure Transmitter Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. INT ST A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bord calable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 2% of the total approved budget cost is required for a total purchase bid amount of P 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids QB Bid Securing Declaration regardless of amount of bid. b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Terms of payment, delivery, warranty, bid validity and complete specifications;		Current Level			
Programmable Pulse Inputs 2 Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max.error: 0.1% 0 of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 0-4 - 20mA Current Range at Analogue 0-4 - 20mA Output 7 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure Transmitter			(Scaleable)		
Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max. error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 0.4 - 20mA Current Range at Analogue 0-4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE IP 55 Enclosure Up to 55°C 10 HARDWARE IP 55 Enclosure Bars SPECIFICATIONS 11 OTHER ACCESSORIES Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. XXXXX This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of bid; b) Terms of payment, delivery, warranty, bid validity and compilet specifications; Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and compilet specifications; b) Proof of payment of a non-refundable fiee of					
Voltage Level 0-24V DC (PNP positive logic) Pulse Input Accuracy Max. error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 0-4 - 20mA Current Range at Analogue 0-4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE IP 55 Enclosure Up to 55°C 10 HARDWARE Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Bars Note: Not to be awarded on a one (1) lot basis. XXXXX This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of bids QB Bid Securing Declaration regardless of amount of bids; b) Terms of payment, delivery, warranty, bid validity and compilet specifications; c) Brochure/s (Criginal); d) Proof of payment of a non-refundable fee of		Programmable Pulse Inputs	2		
positive logic) Pulse Input Accuracy Max. error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs Current Range at Analogue 0.4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE Pressure Transmitter Pressure Transmitter Pressure Transmitter X X X X This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the Insurance Commission equivalent to 10; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure? (Criginal); d) Proof of payment of a non-refundable fee of					
Pulse Input Accuracy Max. error: 0.1% of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 0utput 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. XX X X This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of P 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids QB Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Terms of payment of a non-refundable fee of		voltage Level	•		
<pre>of full scale 6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs Current Range at Analogue 0-4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure TransmitterBars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. XXXXX This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety or insurance commany duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of P 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure(k) (Original); d) Proof of payment of a non-refundable fee of</pre>		Pulse Input Accuracy			
6 ANALOGUE OUTPUT Programmable Analogue 1 Outputs 0utput 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBLENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS I1 OTHER ACCESSORIES Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. x × x × This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amout of ₱ 50,00.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of		i also input / tecaracy			
Programmable Analogue 1 Outputs Current Range at Analogue 0-4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. X × X × This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance commany duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>QR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of Proof of payment of a non-refundable fee of		6 ANALOGUE OUTPUT			
Outputs Current Range at Analogue 0-4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. XXXXX This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of			1		
Current Range at Analogue 0-4 - 20mA Output 7 RELAY OUTPUTS Programmable Relay Outputs Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS I OTHER ACCESSORIES Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. xxxxx This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids QR Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of			-		
Output 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS II OTHER ACCESSORIES Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. xxxxx This is a two (2) envelope system: Envelope 'Ar' to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of		•	0-4 - 20mA		
 7 RELAY OUTPUTS Programmable Relay Outputs 2 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure TransmitterBars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. X X X X This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure's (Original); d) Proof of payment of a non-refundable fee of 					
 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure TransmitterBars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. X X X X This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/S (Original); d) Proof of payment of a non-refundable fee of 		•			
 8 FIELDBUS COMMUNICATION Ethernet IP 9 AMBIENT TEMPERATURE Up to 55°C 10 HARDWARE IP 55 Enclosure SPECIFICATIONS 11 OTHER ACCESSORIES Pressure TransmitterBars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. X X X X This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/S (Original); d) Proof of payment of a non-refundable fee of 		Programmable Relay Outputs	2		
10 HARDWARE IP 55 Enclosure SPECIFICATIONS II 11 OTHER ACCESSORIES Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. x × x x This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of		u			
SPECIFICATIONS 11 OTHER ACCESSORIES Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. xxxxx This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of		9 AMBIENT TEMPERATURE	Up to 55°C		
11 OTHER ACCESSORIES Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. xxxxx This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of			•		
Pressure Transmitter Bars Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. xxxxx This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of		SPECIFICATIONS			
 Note: Supplier to submit sole / exclusive distributorship certificate. Note: Not to be awarded on a one (1) lot basis. X X X X This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 		11 OTHER ACCESSORIES			
certificate. Note: Not to be awarded on a one (1) lot basis. XXXXX This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of		Pressure Transmitter	Bars		
 X X X X This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 			usive distributorsh	nip	
This is a two (2) envelope system: Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of		Note: Not to be awarded on a one	e (1) lot basis.		
 Envelope "A" to contain the following; among others: a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 		x x x x x			
 a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 		This is a two (2) envelope system:			
 a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 		Envelope "A" to contain the follow	ving; among		
 Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 		others:			
 surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 		-			
 surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 		-	•	or	
 the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 					
 the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 					
 total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 			•		
 above. Validity of the surety bond is 120 days from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 			•	t	
from the date of opening of bids <u>OR</u> Bid Securing Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of					
Declaration regardless of amount of bid; b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of				ng	
 b) Terms of payment, delivery, warranty, bid validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of 				'δ	
validity and complete specifications; c) Brochure/s (Original); d) Proof of payment of a non-refundable fee of		_			
c) Brochure/s (Original);d) Proof of payment of a non-refundable fee of			•		
d) Proof of payment of a non-refundable fee of					
		_	efundable fee of		
		Page 2 of 3 of RQ 07 – 051P dated July 3,		٨٠٠٠	uct 07 2022

BAGUO A

	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No.	ADM-PUR-F003
CERTIFICATION ACCORDING NOT	REQUEST FOR BIDS/QUOTATION (RQ)	Revision Date	February 15, 2020
ISO 9001:2015 MSA-001		Revision No.	01
	 P5,000.00; otherwise, bids shall not be opende e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation; For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non- contracting countries to the Apostille Convention, which still require the red ribbon requirement. For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable; f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none h been submitted to the BAC in its Accreditation g) International Certificate of Warranty. Envelope "B" to contain the bid cost per unit. Pre-bid conference: July 25, 2023 9:30am via Zoom Application Meeting ID: 452 718 8447 Password: 9Buvqr XXXXX Note: not to be awarded on a one (1) lot basis. 	f a as	

By: Supplier or Authorized Representative: ______(sign over printed name)

Deadline of su	bmission of bids: _		August 07, 2023	Opening of bids: 1:30 pm	
Prepared by:	Suev MGLamangan	Noted by: <u>ATTY. M</u>	LUISA E. TENEDERO	AND JANN ENGR. REYNALDO C. JAYCO	
	PURCHASING		AC IN-HOUSE	BAC-TECHNICAL	
BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING					

PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184 Telefax No. (074) 442-4858 (Purchasing) / 444-7246