

Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number

9990856

Procuring Entity

BAGUIO WATER DISTRICT - BAGUIO CITY

Title

2 sets Submersible Pump and Motor

Area of Delivery

Benguet

Solicitation Number:	07-047P-R	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Public Bidding	Associated Components	1
Classification:	Goods		
Category:	Industrial pumps and compressors	Bid Supplements	0
Approved Budget for the Contract:	PHP 610,000.00		
Delivery Period:		Document Request List	0
Client Agency:			
Contact Person:	Ma. Luisa C Tenedero	Date Published	29/07/2023
	Chairperson, Bids and Awards Committee BWD Compound, Utility Road Baguio City Benguet	Last Updated / Time	28/07/2023 16:39 PM
	Philippines 2600 63-74-4424858 63-74-4424858	Closing Date / Time	16/08/2023 13:30 PM

Description

1 set Submersible Pump Capacity: 70 gpm

TDH: 350 ft

Eff. @ Rated Capacity: Not less than 70%

Speed (Nominal): 3600 rpm

Discharge Nipple with coupling: 12" Schedule 80, BI

Diameter of Nipple and Coupling will depend on the discharge port

purchasing.bwd2014@gmail.com

Coupled to:

Submersible Motor Rating: 10 Hp

Nominal Voltage: 230 V Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer below for complete specifications)

*Supplier to provide manufacturer pump test result upon delivery

*Supplier to provide brochure with full specification and pump curve of offered booster pump

Approved Budget Cost: ₱ 300,000.00 / set

```
1 set Submersible Pump
Capacity: 50 gpm
TDH: 500 ft
Eff. @ Rated Capacity: Not less than 70%
Speed (Nominal): 3600 rpm
Discharge Nipple with coupling: 12" Schedule 80, BI
Diameter of Nipple and Coupling will depend on the discharge port
Coupled to:
Submersible Motor
Rating: 10 Hp
Nominal Voltage: 460 V
Number of Phase: 3 Phase
Frequency: 60 Hz
(please refer below for complete specifications)
*Supplier to provide manufacturer pump test result upon delivery
*Supplier to provide brochure with full specification and pump curve of offered booster pump
Approved Budget Cost: ₱ 310,000.00 / set
STANDARD SPECIFICATIONS FOR SUBMERSIBLE MOTOR
I. GENERAL REQUIREMENTS:
Rating:
Nominal Voltage (V):
No. of Phase : ___
Frequency:
Std. Diameter:
Lead Wire / Cables : Plug-in / Detachable
Rotor Spline: NEMA Standard
II. MATERIAL COMPONENTS:
4" STD. 6" STD. 8" STD.
End Castings: 304 SS over Iron Gray Iron Gray Iron
Stator Shell: 301 SS 301 SS 304 SS
Stator Ends: Low Carbon Steel Low Carbon Steel Low Carbon Steel
Shaft Extension: 17-4 SS 303 SS (5-30Hp)
17-4 SS (40-60Hp) 17-4 SS
Fasteners: 300 Series SS 300 & 400 Series SS 300 & 400 Series SS
Seal Cover: Acetal 304 SS & Sintered Bronze 304 SS & Sintered Bronze
Seal: Nitrile Rubber Lip Carbon Ceramic Face Sand Fighter TM SiC/SiC Seal System
Diaphragm: Nitrile Rubber Nitrile Viton
Diaphragm Plate: 304 SS 304 SS 304 SS
Diaphragm Spring: 302 SS 302 SS 302 SS
Diaphragm Cover: 304 SS 304D
Slinger: Nitrile Rubber Nitrile Viton
Lead Wire (or Cable) : XLPE XLPE 125□ C XLPO
Lead Potting: Epoxy Epoxy Epoxy
Lead Jam Nut: 300 Series SS
Filter: Delrin & Polyester Delrin & Polyester
III. Must submit authenticated certificate of dealership / distributorship with red ribbon
IV. ISO certified
STANDARD SPECIFICATIONS FOR SUBMERSIBLE PUMP
I. General Requirements:
Capacity: gpm
TDH: ft
Eff. @ Rated Capacity: %
Speed (Nominal): rpm
Std. Dia.: Not more than 6 inches
Check Valve and Strainer:
- Standard built-in stop ring to prevent upthrust damage during critical start up and stopping phase
- Capable to handle sand content from 50 to 150ppm on certain pump sizes
Coupling: NEMA std. Spline type
II. Material Components:
Valve Casing: Stainless Steel
Valve Cup: Stainless Steel
Neck ring:
For pump capacity:
```

7-14 cum/hr: TPU/PPS-FKM17-60 cum/hr: NBR-FKM-LSR77 cum & above: NBR-FKM

Bearing:

- Replaceable wear ring, bearing and neck ring for easy maintenance
- · Sealed top bearing for high resistance against sand
- · Octagonal shape bearings with sand flush channels to reduce abrasive wear

For pump capacity:
• 1-5 cum/hr: NBR
• 7-14 cum/hr: LSR-FKM
• 17-60 cum/hr: NBR-FKM
• 77 cum & above: NBR-FKM
Chamber: Stainless Steel
Impeller: Stainless Steel

Section interconnector: Cast Stainless Steel

Shaft complete: Stainless Steel Strap: Stainless Steel Cable guard: Stainless Steel

Washer for stop ring: Carbon / Graphite HY22 in PTFE mass

Strainer: Stainless Steel

Valve seat:

For pump capacity:

1-5 cum/hr: Rubber type/NBR
7-14 cum/hr: NBR-FKM
17-60 cum/hr: NBR-FKM
77 & above: NBR-FKM

III. Others

Discharge Nipple : $_$ "Øx $_$ " S-40, BI or SS Discharge Coupling : $_$ "ØS-80, BI or SS

IV. Must submit Authenticated Certificate of Dealership / Distributorship with Red Ribbon

V. ISO Certified

XXXXX

Note: not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of P 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;
- b) Terms of payment, delivery, warranty, bid validity, and complete specifications;

c) Brochure/s (Original);

- d) Proof of payment of a non-refundable fee of \$500.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
- -For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
- -For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);

g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Created by

Ma. Luisa C Tenedero

Date Created

28/07/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003 Revision Date October 29, 2019 Revision No. 02

REQUEST FOR BIDS/QUOTATION (RQ)

То:		RQ No.: 07 – 047P-R
	(Name of Supplier)	PR / JO No.: 047P
Contact Person:		Date of RQ: July 19, 2023
Address:		Purpose of RQ:
		Spare submersible pump and motor
Contact no.:		

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARANTY PERIOD AND DELIVERY PERIOD **SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS U-Price** Qty. Description Total VALIDITY DATE: 1 set Submersible Pump gpm Capacity 70 TDH 350 ft (30 days minimum) Eff. @ Rated Capacity Not less than 70% Speed (Nominal) 3600 rpm **DELIVERY:** : 12" Schedule 80, BI Discharge Nipple with coupling _ working days calendar days Diameter of Nipple and Coupling will depend on the _ FOB warehouse discharge port WARRANTY Coupled to: Submersible Motor Rating 10 Нр _ calendar days Nominal Voltage 230 upon acceptance. Number of Phase 3 Phase Frequency 60 Hz **TERMS:** (please refer to attached for complete specifications) *Supplier to provide manufacturer pump test result upon delivery *Supplier to provide brochure with full specification and pump curve of offered booster pump Approved Budget Cost: ₱ 300,000.00 / set 1 set Submersible Pump Capacity 50 gpm TDH 500 ft Eff. @ Rated Capacity Not less than 70% Speed (Nominal) 3600 rpm Discharge Nipple with : 12" Schedule 80, BI coupling Diameter of Nipple and Coupling will depend on the discharge port **Coupled to: Submersible Motor** Rating 10 Нр Nominal Voltage 460 Number of Phase 3 Phase Frequency 60 Hz (please refer to attached for complete specifications) *Supplier to provide manufacturer pump test result upon delivery







BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003

Revision Date October 29, 2019

Revision No. 02

REQUEST FOR BIDS/QUOTATION (RQ)

*Supplier to provide brochure with full specification and pump curve of offered booster pump Approved Budget Cost: ₱ 310,000.00 / set

X X X X X

Note: not to be awarded on a one (1) lot basis.

This is a two (2) envelope system: Envelope "A" to contain the following; among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids **OR** Bid Securing Declaration regardless of amount of bid;
- b) Terms of payment, delivery, warranty, bid validity and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of ₱500.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;

-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for noncontracting countries to the Apostille Convention, which still require the red ribbon requirement.

- -For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
 - f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
 - g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

By: Supplier or Authorized Representative: _______(sign over printed name)

Deadline of submission of bids:

PURCHASING

August 16, 2023 Opening of bidg

1:30 pm

Prepared by: MGLamangan

Noted by: ATTY. MALL

A. LUISA C. TENEDERO

<u>ENGR. RÉYNALDO C. JAYCO</u>

BAC-TECHNICAL

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184

BAC IN-HOUSE

Telefax No. (074) 442-4858 (Purchasing) / 444-7246