



BAGUIO WATER DISTRICT
"Serving Mankind is Serving God"

003 Purok BWD, Brgy., Marcoville, Baguio City
Tel. No. 442-4858 Fax No. 442-4858/444-7245

Document No.:	ADM-PUR-F006
Effectivity Date:	February 15, 2020
Revision No.:	00

SEP 27 2023

No. 035549

PURCHASE ORDER

Supplier	FANM ENTERPRISES, INC.	P.O. No.	35549
Tel No./ Fax No.	(02) 8932-4361	Date	September 26, 2023
Address / TIN	Batasan Hills, Quezon City	PR No./Abstract No.	09-107P-B

Gentlemen/ Madam,

Please furnish this Office the following articles subject to the terms and conditions contained herein.

Place of Delivery :	<input type="checkbox"/> Pick up <input checked="" type="checkbox"/> FOB BWD Warehouse <input type="checkbox"/> Deliver at site	P.O. Valid Until :	30 days
Date of Delivery :	<input type="checkbox"/> Working days 8-12 weeks <input type="checkbox"/> Calendar Days upon receipt of PO	Warranty :	<input type="checkbox"/> Six months <input checked="" type="checkbox"/> One year <input type="checkbox"/> Others (Pls. Specify)
Delivery Term :	<input type="checkbox"/> full <input type="checkbox"/> partial delivery allowed		<input checked="" type="checkbox"/> 1% Retention Required <input type="checkbox"/> Performance Bond Required (5% if in check/50% if GSIS surety bond) <input checked="" type="checkbox"/> Subject to testing / inspection prior to payment
		Payment Term :	<input type="checkbox"/> COD <input checked="" type="checkbox"/> 30 Days <input type="checkbox"/> Others (Pls. Specify)

Quantity	Unit	Description/Specifications	Unit Cost	Amount
1	LOT	VARIOUS MATERIALS x x x x (Please refer to the attached sheet for complete detailed specifications)		P 1,863,125.00

Usage / Requisition: For 2023 3rd Quarter Consolidated supplies and materials

Prepared by:

Checked by:

Audited by:

Recommending Approval:

Approved By:

MARCOS G. LAMANGAN
Purchasing Supervisor

ATTY. CHANELL DOLOR D. DE GUZMAN
Admin Division Manager

JUZVIMING G. RAMOS
Internal Auditor

ATTY. MA. LISA C. TENEDERO
AGM-Adm./Com./Fin.

ENGR. SALVADOR M. ROYCECA
General Manager

Conforme:

Signature over Printed Name of Supplier

Date




Funds Available:

JELYN D. PENALES
Finance Manager

Acct. :




Operating / Maintenance Expense ☐
CAPEX ☒
Other Payables ☐

9/27




  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No. ADM-PUR-F006
	PURCHASE ORDER (P.O.)	Revision Date February 15, 2020
		Revision No. 00

Supplier/Contractor	: FANM ENTERPRISES	Purchase Order No.	: 35549
Contact Number	: 02-8932-4361	Date	: September 26, 2023
Address / TIN	: Batasan Hills, Quezon City	PR No./Abstract No.	: 09-107P-B

Qty	Unit	Description	Unit Cost	Amount
500	Pcs.	1/2" Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded) Brand: Zhejiang Best & Honest Brand	580.00	290,000.00
5	Pcs.	1" Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded) Brand: Zhejiang Best & Honest Brand	1,138.00	5,690.00
		Specifications: -Elements of the valve should be free from dirt, and there should not be any dirt, chip, burrs, and flakes etc. before assembling. -The threaded parts of the socket should be coated with sealing glue. -The valve should not present block to the circulation of closing and opening, and it should be flexible. -When the valve is fully open, the degree of the body axis and ball axis should be less than 3 degrees. -Seal test should be carried and testing pressure should not be less than 0.6Mpa. -The valve should be turned off during delivery. Materials: Body: CW617N; Bonnet: CW617N; Ball: Hpb57-3; Ball Seat: PTFE SM031; Stem: Hpb57-3; Handle: Hpb57-3; Elastic Cylindrical Pin: Stainless Steel		
10	Pcs.	1 1/2" Check Valve, Class 125, Brand: "Zhejiang Best & Honest" Screwed Cap, swing type disc, threaded ends, WOG, Non-shock, 1.38Mpa (200 psi), Saturated Steam Pressure (SSP), 0.86Mpa (125 psi), Materials: Body: Bronze/Brass; Cap: Brass/Bronze; Hinge Pin: Brass/Stainless Steel; Disc: Brass	2,225.00	22,250.00
345	Pcs.	1" Ø Gate Valve, Threaded Type, Brand: "Zhejiang Best & Honest" (Please see complete specifications below)	846.00	291,870.00
10	Pcs.	1 1/2" Ø Gate Valve, Threaded Type, Brand: "Zhejiang Best & Honest" (Please see complete specifications below)	1,714.00	17,140.00
5	Pcs.	2" Ø Gate Valve, Threaded Type, Brand: "Zhejiang Best & Honest" Feature: Brass Body, Non-rising stem, screw-over bonnet, threaded ends Specifications: - Nominal Pressure: Non-shock working pressure - Max working pressure: 150 psi - Fitting to withstand a minimum working pressure of 1.00 - Thread shall be NPT - Water way shall unobstructed when fully opened Material List: - Handwheel: Alloy; Packing Nut: Brass; Bonnet: Brass; Stem: Brass Rod; Wedge: Brass; Body: Brass; Bonnet Gasket: Plastic; Packing: Teflon	2,642.00	13,210.00

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600		Document No.	ADM-PUR-F006
	PURCHASE ORDER (P.O.)		Revision Date	February 15, 2020
			Revision No.	00

Qty	Unit	Description	Unit Cost	Amount																																								
4	Pcs.	2" Ø Gate Valve, Flange Type with combination flanges, sealing ring, and bolts and nuts; Brand: KEFA	10,440.00	41,760.00																																								
3	Pcs.	3" Ø Gate Valve, Flange Type with combination flanges, sealing ring, and bolts and nuts; Brand: KEFA	14,680.00	44,040.00																																								
4	Pcs.	4" Ø Gate Valve, Flange Type with combination flanges, sealing ring, and bolts and nuts; Brand: KEFA	17,660.00	70,640.00																																								
2	Pcs.	6" Ø Gate Valve, Flange Type with combination flanges, sealing ring, and bolts and nuts; Brand: KEFA	29,990.00	59,980.00																																								
2	Pcs.	8" Ø Gate Valve, Flange Type with combination flanges, sealing ring, and bolts and nuts; Brand: KEFA	46,385.00	92,770.00																																								
2	Pcs.	10" Ø Gate Valve, Flange Type with combination flanges, sealing ring, and bolts and nuts; Brand: KEFA	77,935.00	155,870.00																																								
2	Pcs.	12" Ø Gate Valve, Flange Type with combination flanges, sealing ring, and bolts and nuts; Brand: KEFA	97,360.00	194,720.00																																								
10	Pcs.	4" Ø Gate Valve, Flange Type with companion steel flanges (weldable), and BNG; Brand: KEFA	15,810.00	158,100.00																																								
<p>GATE VALVE FLANGED TYPE SPECIFICATIONS: Design Code: Hydraulic test to BS 5163 (DIN3230 / DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163; Maximum Pressure: PN16 or 16 bar; Temperature Range: -20 to 160-degree centigrade; Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163; End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN10/16, ANSI 150#, BS4504 PN 10/16; Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755</p> <p>Materials: Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron; Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with an integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874; Wedge Nut: Brass or Dezincification Resistant Brass; Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass; Bonnet Gasket: EPDM Rubber or EPDM / NBR; Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt; O-Ring: NBR or EPDM / NBR; Stem Collar: Brass; Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50); Dustproof Ring: NBR or EPDM / NBR; Hex Nut: Cast Iron</p> <p>Overall Dimensions:</p> <table> <tr> <th>Size / DN</th><th>Length (L) mm</th><th>Height (H) mm</th><th>Width or D mm</th><th>Weight kgs</th></tr> <tr> <td>DN50 (2")</td><td>178</td><td>300-241</td><td>160-165</td><td>13-14</td></tr> <tr> <td>DN80 (3")</td><td>203</td><td>297-390</td><td>200</td><td>20-23</td></tr> <tr> <td>DN100 (4")</td><td>229</td><td>334-430</td><td>200-220</td><td>26-28</td></tr> <tr> <td>DN150 (6")</td><td>267</td><td>448-565</td><td>260-285</td><td>51-52</td></tr> <tr> <td>DN200 (8")</td><td>292</td><td>62-680</td><td>320-340</td><td>77-83</td></tr> <tr> <td>DN250 (10")</td><td>330</td><td>664-820</td><td>400</td><td>127-132</td></tr> <tr> <td>DN300 (12")</td><td>356</td><td>740-930</td><td>400-455</td><td>176-187</td></tr> </table>					Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs	DN50 (2")	178	300-241	160-165	13-14	DN80 (3")	203	297-390	200	20-23	DN100 (4")	229	334-430	200-220	26-28	DN150 (6")	267	448-565	260-285	51-52	DN200 (8")	292	62-680	320-340	77-83	DN250 (10")	330	664-820	400	127-132	DN300 (12")	356	740-930	400-455	176-187
Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs																																								
DN50 (2")	178	300-241	160-165	13-14																																								
DN80 (3")	203	297-390	200	20-23																																								
DN100 (4")	229	334-430	200-220	26-28																																								
DN150 (6")	267	448-565	260-285	51-52																																								
DN200 (8")	292	62-680	320-340	77-83																																								
DN250 (10")	330	664-820	400	127-132																																								
DN300 (12")	356	740-930	400-455	176-187																																								

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No.	ADM-PUR-F006
	PURCHASE ORDER (P.O.)	Revision Date	February 15, 2020
		Revision No.	00

Qty	Unit	Description	Unit Cost	Amount
50	Pcs.	½" Ø HDPE Coupling "Plasson" Body: Polypropylene, High-Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	246.00	12,300.00
10	Pcs.	¾" Ø HDPE Coupling "Plasson" Body: Polypropylene, High-Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	207.50	2,075.00
50	Pcs.	1" Ø HDPE Coupling "Plasson" Body: Polypropylene, High-Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	372.00	18,600.00
20	Pcs.	2" Ø HDPE Coupling "Plasson" Body: Polypropylene, High-Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	1,070.00	21,400.00
1,392	Pcs.	½" Ø HDPE Male Coupling Adapter "Plasson" Body: Polypropylene, High-Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	186.00	258,912.00
27	Pcs.	¾" Ø HDPE Male Coupling Adapter "Plasson" Body: Polypropylene, High-Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	132.00	3,564.00
229	Pcs.	1" Ø HDPE Male Coupling Adapter "Plasson" Body: Polypropylene, High-Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	148.00	33,892.00
9	Pcs.	1 ½" Ø HDPE Male Coupling Adapter "Plasson" Body: Polypropylene, High-Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	564.00	5,076.00
51	Pcs.	2" Ø HDPE Male Coupling Adapter "Plasson" Body: Polypropylene, High-Grade Copolymer Split Ring: Acetal; Liner: Acetal, O-Ring fixed inside; Seal: Nitrile Rubber (NBR)	966.00	49,266.00

Total: ₱1,863,125.00

Usage: 2023 3rd Quarter Consolidated supplies and materials


Prepared by:

Checked by:


Audited by:


Recommending
Approval:


Approved by:





M. G. Lamangan
SMPO


Atty. C.D. De Guzman
Administrative Div. Manager


L. G. Ramos
Internal Auditor


Atty. M.L.C. Tenedero
AGM Adm./Com./Fin./ICT


Engr. Salvador M. Royeca
General Manager

  	BAGUIO WATER DISTRICT		Document Code: BAC_IH
	Bids and Awards Committee		Document No. BAC_IH_F002
	(In-house)		Effective Date: 16 March 2020
	RESOLUTION		Revision No. 00

BIDS AND AWARDS COMMITTEE
RESOLUTION NO. 066-2023
(RQ No. 06-107P-B: Water Connection Fittings)

WHEREAS, the Baguio Water District-Bids and Awards Committee (BWD-BAC), in accordance with the provisions of Republic Act (RA) No. 9184, conducted the bidding for the procurement of the following, all with required specifications under Request for Quotation (RQ) No. 06-107P-B dated 19 June 2023, under a two-envelope system of bidding but not to be awarded on a one (1) lot basis and with approved budget unit costs of:

	Quantity	Description	ABC (per piece)
1	500 pcs	½" Ø Ball Valve/ Stop Cock Ball Type-Lock Wing (Threaded)	Php580.00
2	5 pcs	1" Ball Valve/ Stop Cock Ball Type-Lock Wing (Threaded)	Php1,138.00
3	10 pcs	1½" Ø Check Valve, Screwed Cap, swing type disc, Threaded ends, WOG	Php2,225.00
4	345 pcs	1" Ø Gate Valve, Threaded Type Class 125	Php846.00
5	10 pcs	1½" Ø Gate Valve, Threaded Type	Php1,714.00
6	5 pcs	2" Ø Gate Valve, Threaded Type	Php2,642.00
7	4 pcs	2" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php11,600.00
8	3 pcs	3" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php17,270.00
9	4 pcs	4" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php22,075.00
10	2 pcs	6" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php38,945.00
11	2 pcs	8" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php54,570.00
12	2 pcs	10" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php82,036.00
13	2 pcs	12" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php105,820.00
14	10 pcs	4" Ø Gate Valve, flanged type with companion steel flanges (weldable) and BNG	Php30,665.00
15	50 pcs	½" Ø HDPE Coupling	Php246.00
16	10 pcs	¾" Ø HDPE Coupling	Php207.50
17	50 pcs	1" HDPE Coupling	Php372.00
18	20 pcs	2" HDPE Coupling	Php1,070.00
19	1,392 pc	½" Ø HDPE Male Coupling Adapter	Php186.00
20	27 pcs	¾" Ø HDPE Male Coupling Adapter	Php132.00
21	229 pcs	1" Ø HDPE Male Coupling Adapter	Php148.00
22	9 pcs	1½" Ø HDPE Male Coupling Adapter	Php564.00
23	51 pcs	2" Ø HDPE Male Coupling Adapter	Php966.00

WHEREAS, FANM ENTERPRISES, INC. and AVK PHILIPPINES, INC. submitted their bids, and during the opening of the technical bids on 31 July 2023, it was determined that both bidders submitted complete documentary requirements; thus, their bids were subjected to Technical Working Group (TWG) evaluation;

WHEREAS, upon evaluation by the TWG of the offers of both bidders, it was determined that all items offered by FANM ENTERPRISES, INC. and AVK PHILIPPINES, INC. were all complying;

[Handwritten signatures of committee members]

WHEREAS, the financial bids of the bidders were opened and the bids as read and calculated are as follows:

	NAME OF BIDDER	BID AS READ AND CALCULATED (pc/set)	% VARIANCE FROM ABC	ABC (pc/set)
AVK PHILIPPINES, INC.				
7	2" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php10,669.72	8.02%	Php11,600.00
8	3" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php14,739.74	14.65%	Php17,270.00
9	4" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php17,997.27	18.47%	Php22,075.00
10	6" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php30,016.96	22.92%	Php38,945.00
11	8" Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php46,864.56	14.12%	Php54,570.00
12	10"Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php78,112.50	4.78%	Php82,036.00
13	12"Ø Gate Valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php98,662.31	6.76%	Php105,820.00
14	4" Ø Gate Valve, flanged type with companion steel flanges (weldable) and BNG	Php15,993.20	47.84%	Php30,665.00
FANM ENTERPRISES, INC.				
1	½" Ø Ball valve/stop cock ball type-lock wing (threaded)	Php580.00	-0-	Php580.00
2	1" Ball valve/ stop cock ball type-lock wing (threaded)	Php1,138.00	-0-	Php1,138.00
3	1½" Ø Check valve, screwed cap, swing type disc, threaded ends, WOG	Php2,225.00	-0-	Php2,225.00
4	1"Ø Gate valve, threaded type class 125	Php846.00	-0-	Php846.00
5	1 ½"Ø Gate valve, threaded type	Php1,714.00	-0-	Php1,714.00
6	2"Ø Gate valve, threaded type	Php2,642.00	-0-	Php2,642.00
7	2"Ø Gate valve, flange type with combination flanges, sealing ring and bolts & nuts	Php10,440.00	10%	Php11,600.00
8	3"Ø Gate valve, flange type with combination flanges, sealing ring and bolts & nuts	Php14,680.00	14.99%	Php17,270.00
9	4"Ø Gate valve, flange type with combination flanges, sealing ring and bolts & nuts	Php17,660.00	20%	Php22,075.00
10	6"Ø Gate valve, flange type with combination flanges, sealing ring and bolts & nuts	Php29,990.00	22.99%	Php38,945.00
11	8" Ø Gate valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php46,385.00	14.99%	Php54,570.00

[Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones on the right.]

	NAME OF BIDDER	BID AS READ AND CALCULATED (pc/set)	% VARIANCE FROM ABC	ABC (pc/set)
12	10" Ø Gate valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php77,935.00	4.99%	Php82,036.00
13	12" Ø Gate valve, flanged type with combination flanges, sealing ring and bolts & nuts	Php97,360.00	7.99%	Php105,820.00
14	4" Ø Gate valve, flanged type with companion steel flanges (weldable) and BNG	Php15,810.00	48.44%	Php30,665.00
15	½"Ø HDPE coupling	Php246.00	-0-	Php246.00
16	¾"Ø HDPE coupling	Php207.50	-0-	Php207.50
17	1" HDPE coupling	Php372.00	-0-	Php372.00
18	2" HDPE coupling	Php1,070.00	-0-	Php1,070.00
19	½"Ø HDPE male coupling adapter	Php186.00	-0-	Php186.00
20	¾"Ø HDPE male coupling adapter	Php132.00	-0-	Php132.00
21	1"Ø HDPE male coupling adapter	Php148.00	-0-	Php148.00
22	1½"Ø HDPE male coupling adapter	Php564.00	-0-	Php564.00
23	2"Ø HDPE male coupling adapter	Php966.00	-0-	Php966.00

WHEREAS, upon qualification and careful examination, validation, and verification of all the documents submitted by and of the financial bids of the complying bidders, it has been determined that the financial bids of **FANM ENTERPRISES, INC.**, for items no. 1-6 and 15-23 were determined to be the lone calculated responsive bids and the financial bids for items no. 7-14 were determined to be the lowest calculated responsive bids;

NOW THEREFORE, on motion duly seconded, be it

RESOLVED, as it is hereby resolved, to recommend to the Head of Procuring Entity (HoPE) the awarding of the procurement of items no. 1-23 to **FANM ENTERPRISES, INC.** with the offered brands and specifications for being the lone/lowest calculated responsive bidder.

UNANIMOUSLY APPROVED (04 September 2023)

Engr. Noriel C. Calpito
Vice-Chairperson

Romeo S. Adriano
Member

Rodrigo O. De Venecia, Jr.
Member

Engr. Dominic T. Agusdan
Member

Atty. Ma. Lurza C. Tenedero
Chairperson

Engr. Shayne Margie S. Abellera
Member

Atty. Frances Louise E. Gener
Member

Attested by:

Apple Jane P. Aviles
Secretariat

Approved by:

Engr. Salvador M. Boyeca
General Manager

Sharlene M. Durante
Secretariat