

entral Portal for

### Philippine Government Electronic Procurement System

### **Bid Notice Abstract**

### Invitation to Bid (ITB)

Reference Number

10343767

**Procuring Entity** 

BAGUIO WATER DISTRICT - BAGUIO CITY

Title

12 units Soft Starter Motor Controller

**Area of Delivery** 

Benguet

Solicitation Number:	11-203P	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Public Bidding	Associated Components	1
Classification:	Goods		
Category:	Automation Equipment	Bid Supplements	0
Approved Budget for the Contract:	PHP 1,690,000.00		
Delivery Period:		Document Request List	
Client Agency:			
Contact Person:	Ma. Luisa C Tenedero Chairperson, Bids and Awards	Date Published	22/11/2023
	Committee BWD Compound, Utility Road Baguio City Benguet	Last Updated / Time	21/11/2023 10:38 AM
	Philippines 2600 63-74-4424858 63-74-4424858 purchasing.bwd2014@gmail.com	Closing Date / Time	18/12/2023 13:30 PM

### Description

4 units Soft Starter Motor Controller

Capacity of Motor to be Controlled by the Soft Starter

Motor rating: 20 HP

Motor voltage rating: 460V nominal

Supply frequency: 60 Hz

Number of Phase: 3

Speed (nominal): 3600 rpm nominal Approved Budget Cost: ₱120,000.00 / unit

2 units Soft Starter Motor Controller

Capacity of Motor to be Controlled by the Soft Starter

Motor rating: 30 HP

Motor voltage rating: 460V nominal

Supply frequency: 60 Hz Number of Phase: 3

Speed (nominal): 3600 rpm nominal Approved Budget Cost: ₱135,000.00 / unit

4 units Soft Starter Motor Controller

Capacity of Motor to be Controlled by the Soft Starter

Motor rating: 40 HP

Motor voltage rating: 460V nominal

Supply frequency: 60 Hz Number of Phase: 3

Speed (nominal): 3600 rpm nominal Approved Budget Cost: P150,000.00 / unit

2 units Soft Starter Motor Controller

Capacity of Motor to be Controlled by the Soft Starter

Motor rating: 60 HP

Motor voltage rating: 460V nominal

Supply frequency: 60 Hz Number of Phase: 3

Speed (nominal): 3600 rpm nominal Approved Budget Cost: ₱170,000.00 / unit

Soft Starter Specifications:

1. Main Voltage L1, L2, L3: 200VAC - 300VAC (+/- 10%) 2. Control Voltage (A4, A6): 220-240VAC (+10% /- 15%)

Main Frequency: 60Hz (+/- 10%)

Rated insulation voltage to earth: 600 VAC Rated impulse withstands voltage: 4kV

3. Short Circuit Capability Coordination: Semi-conductor fuses

Prospective current 65kA

4. Outputs Relay outputs: 10A @ 250VAC resistive Programmable outputs 1 (NC), 1 (NO), 1 (CO)

Analogue outputs: 4-20 mA

Maximum load:  $600\Omega$  (12VDC @ 20mA accuracy +/-5%) 24VDC output, maximum load: 200mA (accuracy +/-10%) 5. Environmental Protection: IP20, NEMA, and UL indoor

Operating temperature: type 1

Storage temperature: -10°C to 60°C; -25°C to 60°C 6. Heat Dissipation During start: 4.5 watts per ampere

- Soft Starter should be equipped with SCADA-ready device
- Bidder to submit certificate of sole distributorship
- Supplier to be present during testing or commissioning

XXXXX

Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

- a) A refundable bid bond in the form of cash, a manager's or cashier's check equivalent to 2%, or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of P 50,000.00 and above. The validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing declaration, regardless of the amount of bid.
- b) Terms of payment, delivery, warranty, bid validity, and complete specifications;

c) Brochure(s) (Original);

- d) Proof of payment of a non-refundable fee of ₱5,000.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship or Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
- -For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship or Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship or Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
- -For locally produced or manufactured products, only a certificate of Authorized Distributorship or Dealership without a red ribbon is required, if applicable.
- f) ISO Certificate issued to the principal supplier or participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty

Envelope "B" to contain the bid cost per unit.

#### **Pre-bid Conference**

Date

Time

Venue

04/12/2023

9:30:00 AM

Pre-bid conference: December 4, 2023 9:30am via Zoom Application Meeting ID: 452 718 8447

Password: 9Buvqr

Created by

<sup>3</sup> Ma. Luisa C Tenedero

**Date Created** 

21/11/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004,2004-2023 DBM Procurement Service. All rights reserved.,DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap



# **BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600**

## **REQUEST FOR BIDS/QUOTATION (RQ)**

Document No.	ADM-PUR-F003	
Revision Date	October 29, 2019	
Revision No.	02	

То:		RQ No.:	11 – 203P	
	(Name of Supplier)	PR / JO No.:	203P	
Contact Person:		Date of RQ:	November 18, 2023	
Address:		Purpose of R	Q:	
Contact no.:		To upgrade o submersible	of controls of pumps	

# NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS

	Qty. Description U-P		U-Price	Total
VALIDITY DATE:	4 units	Soft Starter Motor Controller Capacity of Motor to be Controlled by the Soft Starter		
(30 days minimum)		Motor rating: 20HP Motor voltage rating: 460V nominal		
DELIVERY:		Supply frequency: 60Hz Number of Phase: 3		
working days calendar days FOB warehouse		Speed (nominal): 3600 rpm nominal  Approved Budget Cost: ₱120,000.00 / unit		
WARRANTY	2 units	Soft Starter Motor Controller Capacity of Motor to be Controlled by the Soft Starter		
calendar days upon acceptance.		Motor rating: 30HP Motor voltage rating: 460V nominal Supply frequency: 60Hz		
TERMS:		Number of Phase: 3 Speed (nominal): 3600 rpm nominal Approved Budget Cost: ₱135,000.00 / unit		
	4 units	Soft Starter Motor Controller Capacity of Motor to be Controlled by the Soft Starter Motor rating: 40HP Motor voltage rating: 460V nominal Supply frequency: 60Hz Number of Phase: 3 Speed (nominal): 3600 rpm nominal Approved Budget Cost: ₱150,000.00 / unit		
	2 units	Soft Starter Motor Controller Capacity of Motor to be Controlled by the Soft Starter Motor rating: 60HP Motor voltage rating: 460V nominal Supply frequency: 60Hz Number of Phase: 3	<b>/</b>	

Sme Jayer Jayer

December 18, 2023



### **BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600**

### ADM-PUR-F003 Document No October 29, 2019 Revision Date Revision No.

## REQUEST FOR BIDS/QUOTATION (RQ)

Speed (nominal): 3600 rpm nominal

Approved Budget Cost: ₱170,000.00 / unit

**Soft Starter Specifications:** 

1. Main Voltage L1, L2, L3 200VAC - 300VAC (+/-

10%)

2. Control Voltage (A4, A6) 220-240VAC (+10% / -

15%)

Main Frequency 60Hz (+/- 10%)

Rated insulation voltage 600VAC

to earth

Rated impulse withstands

4kV

voltage

3. Short Circuit Capability

Semi-conductor fuses

Coordination

Prospective current

65kA

4. Outputs Relay outputs 10A @ 250VAC

resistive

Programmable outputs

1 (NC), 1 (NO), 1 (CO)

Analogue outputs

4-20mA

Maximum load

600Ω (12VDC @ 20mA

24VDC output, maximum

accuracy +/-5%)

load

200mA (accuracy +/-

10%)

5. Environmental

IP20 & NEMA, UL

Protection Operating temperature indoor type 1

Storage temperature

-10°C to 60°C

-25°C to 60°C

6. Heat Dissipation During

4.5 watts per ampere

start

Soft Starter should be equipped with SCADA ready device

- Bidder to submit certificate of sole distributorship
- Supplier to be present during testing / commissioning

X X X X X

Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system: Envelope "A" to contain the following; among others:

a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission

Sm Jayw

Decembe





# BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

## **REQUEST FOR BIDS/QUOTATION (RQ)**

Document No. ADM-PUR-F003

Revision Date October 29, 2019

Revision No. 02

	equivalent to 5% of the total approved budget cost is		
	required for a total purchase bid amount of		
	₱50,000.00 and above. Validity of the surety bond is		
	120 days from the date of opening of bids OR Bid		
	Securing Declaration regardless of the amount of bid;		
b)	Terms of payment, delivery, warranty, bid validity, and		
	complete specifications;		
c)	Brochure/s (Original);		
d)	Proof of payment of a non-refundable fee of		
	₱5,000.00; otherwise, bids shall not be opened		
e)	Certificate of Authorized Distributorship / Dealership		
,	issued by the Principal Supplier to the participating		
	bidder (with red ribbon) if none has been submitted		
	to the BAC in its Accreditation;		
	-For bidders who have principal foreign suppliers, the		
	BWD-BAC shall accept an Apostilled Certificate of		
	Authorized Distributorship / Dealership issued by a		
	competent authority of the host government in lieu of	:	
	the Certificate of Authorized Distributorship /		
	Dealership (with red ribbon), except for non-		
	contracting countries to the Apostille Convention,		
	which still require the red ribbon requirement.		
	-For locally produced/manufactured products, only a		
	certificate of Authorized Distributorship / Dealership		
	w/o red ribbon is required if applicable;		
f)	ISO Certificate issued to the principal		
.,	supplier/participating bidder for the offered material		
	or equipment brand name (if none has been		
	submitted to the BAC in its Accreditation);		
g)	International Certificate of Warranty.		
9)	meeriational certificate of warranty.		
Env	velope "B" to contain the bid cost per unit.		
Pre	e-bid conference: December 04, 2023		
	0am via Zoom Application		
	eting ID: <b>452 718 8447</b>		
	sword: <b>9Buvqr</b>		
	-	1	1

ited name)	( sign over printed r		esentative:	Authorized Repre	By: Supplier o	
1:30 pm	Opening of bids: 1:30	<b>December 18, 2023</b>		Deadline of submission of bids:		
W	Xuy Jayw	11 0	Noted by: ATT	Su-	Prenared hv	
	ENGR. REYNALDO	MA. LUISA C. TENEDERO	Noted by: ATT	McLamangan	Prepared by:	

PURCHASING BAC IN-HOUSE BAC-TECHNICAL

O DESERVES THE DIGHT TO DEJECT RIDS 8/OP DECLARE A FAILURE OF RIDDING

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184

Telefax No. (074) 442-4858 (Purchasing) / 444-7246