



PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

[Help](#)

Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 10429357
Procuring Entity BAGUIO WATER DISTRICT - BAGUIO CITY
Title Various water service connection fittings
Area of Delivery Benguet

Solicitation Number:	12-229P-F/230P-F/231P-G/232P-G	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Public Bidding	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Water Service Connection Materials/Fittings	Date Published	16/12/2023
Approved Budget for the Contract:	PHP 5,597,651.00	Last Updated / Time	15/12/2023 11:34 AM
Delivery Period:		Closing Date / Time	10/01/2024 13:30 PM
Client Agency:			
Contact Person:	Ma. Luisa C Tenedero Chairperson, Bids and Awards Committee BWD Compound, Utility Road Baguio City Benguet Philippines 2600 63-74-4424858 63-74-4424858 purchasing.bwd2014@gmail.com		

Description

15 units 4" Ø Check Valve, Non-slam 100mm
Connections: Flanged ISO 7005 or ANSI B16;
Pressure Range: Model 31, 32:7-360 psi
Max. water Temp.: 80oC or 180oF
Body and Cover: Ductile iron GGG50 (ASTM A-536)
Main valve
Internal: SST, Bronze and coated steel
Diaphragm: Nylon fabric reinforced EPDM
Seals: NBR
Approved Budget Cost: ₱282,700.00 / pc

4 units 3" Ø Check Valve, Non-slam 75mm
Connections: Flanged ISO 7005 or ANSI B16;
Pressure Range: Model 31, 32:7-360 psi
Max. water Temp.: 80°C or 180°F
Body and Cover: Ductile iron GGG50 (ASTM A-536)
Main valve
Internal: SST, Bronze and coated steel
Diaphragm: Nylon fabric reinforced EPDM
Seals: NBR

Approved Budget Cost: ₱213,840.00 / pc

1 unit 6" Ø Gate Valve, Flanged type with Companion flanges, and BNG, working pressure capable up to 250 psi
(Please see complete specification below)

Approved Budget Cost: ₱36,965.00 / piece

12 units 4" Ø Gate Valve, Flanged type with Companion flanges, and BNG, working pressure capable up to 250 psi
(Please see complete specification below)

Approved Budget Cost: ₱16,048.00 / piece

Design Standard:

Design Code: Hydraulic test to BS 5163

Maximum Pressure: PN25

Inspection and Test STD.: ISO5208-1982 or ACS Certificate 18

ACC NY 369

Face to Face: EN 558 or BS5163

Flange Drilling: EN1092 or EN1092-2, ISO 7005-2

Materials:

Body: Ductile Iron GJS-500-7 or GGG50

Wedge Core: Ductile Iron (DI)

Wedge Rubber: EPDM rubber

Wedge Nut: Brass

Stem: Stainless Steel 420

Bonnet Bolt: Steel, zinc plated or Q235A

Bonnet: Ductile Iron (DI)

O-Ring: NBR Rubber

Thrust Collar: Brass

Handwheel/Stem Cap: Ductile Iron (DI)

Size / DN Length (L) mm Height (H) mm Width or D mm Weight kgs

DN100 (4") 229 320-324 235 21-29

DN150 (6") 267 400-429 300 35-51

11 pieces 2" Ø Air Release Valve PN16

- The valve shall consist of two floats (the bottom and the upper float), the bottom float drops and allowing the trapped air to be vented through the small nozzle at the center of the top float.

- The float shall have a float guide on two sides.

- The valve shall be made of Cast Iron/ Ductile Iron with Glass Reinforced Plastic (GRP) inner body.

- Float body shall be made of Polypropylene and it should be cylindrical/ trapezoid in design.

Description Materials

Base Brass

O-ring NBR

Automatic Float Foamed Polypropylene

Automatic Seal EPDM

Bonnet PA6+30GF

Drainage Polypropylene

ID Plate AL

Metallic Cover Cast Iron

Dimensions and Weight 2" Ø

Height (H) 259.50 mm

Width (W) 214 mm

Thread (D) 2" (BSP / NPT)

Nozzle Area (A) 12.85mm²

Total Width (L) -

Drainage Diameter (E) 1 ½" BSP

Kinetic Nozzle Area (K) 908 mm

Flange ISO16/25 / ANSI150

Weight 9 kgs.

Approved Budget Cost: ₱24,750.00 / pc

x x x x x

Note: Not to be purchased on a one (1) lot basis

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

a) A refundable bid bond in the form of cash, a manager's or cashier's check equivalent to 2%, or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. The validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing declaration, regardless of the amount of bid.

b) Terms of payment, delivery, warranty, bid validity, and complete specifications;

c) Brochure(s) (Original);

d) Proof of payment of a non-refundable fee of ₱10,000.00; otherwise, bids shall not be opened

- e) Certificate of Authorized Distributorship or Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
-For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship or Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship or Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
-For locally produced or manufactured products, only a certificate of Authorized Distributorship or Dealership without a red ribbon is required, if applicable.
- f) ISO Certificate issued to the principal supplier or participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty

Envelope "B" to contain the bid cost per unit.



Pre-bid Conference

Date	Time	Venue
29/12/2023	9:30:00 AM	Pre-bid conference: December 29, 2023 9:30am via Zoom Application Meeting ID: 452 718 8447 Password: 9Buvqr

Created by Ma. Luisa C Tenedero

Date Created 15/12/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

 	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)	Revision Date	October 29, 2019
		Revision No.	02

To: _____

 (Name of Supplier)

Contact Person: _____

Address: _____

Contact no.: _____

RQ No.: **12 – 229P-F/ 230P-F/ 231P-G/ 232P-G**

PR / JO No.: **229P/230P/231P/232P**


Date of RQ: **December 13, 2023**

Purpose of RQ:
 For commissioning of ongoing
 Richview, Sourthdrive, Balacbac,
 Ramsey, Montinola and Burnham DW
 drilling c/o Engr. JBPamaylaon

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARRANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS

	Qty.	Description	U-Price	Total
VALIDITY DATE: _____ day (30 days minimum) DELIVERY: _____ working days _____ calendar days _____ FOB warehouse WARRANTY _____ calendar days upon acceptance. TERMS:	15 units	4" Ø Check Valve, Non-slam 100mm Connections: Flanged ISO 7005 or ANSI B16; Pressure Range: Model 31, 32:7-360 psi Max. water Temp.: 80oC or 180oF Body and Cover: Ductile iron GGG50 (ASTM A-536) Main valve Internal: SST, Bronze and coated steel Diaphragm: Nylon fabric reinforced EPDM Seals: NBR Approved Budget Cost: ₱282,700.00 / pc		
	4 units	3" Ø Check Valve, Non-slam 75mm Connections: Flanged ISO 7005 or ANSI B16; Pressure Range: Model 31, 32:7-360 psi Max. water Temp.: 80°C or 180°F Body and Cover: Ductile iron GGG50 (ASTM A-536) Main valve Internal: SST, Bronze and coated steel Diaphragm: Nylon fabric reinforced EPDM Seals: NBR Approved Budget Cost: ₱213,840.00 / pc		
	1 unit	6" Ø Gate Valve, Flanged type with Companion flanges, and BNG, working pressure capable up to 250 psi (Please see complete specification below) Approved Budget Cost: ₱36,965.00 / piece		
	12 unit	4" Ø Gate Valve, Flanged type with Companion flanges, and BNG, working pressure capable up to 250 psi (Please see complete specification below) Approved Budget Cost: ₱16,048.00 / piece Design Standard: Design Code: Hydraulic test to BS 5163 Maximum Pressure: PN25 Inspection and Test STD.: ISO5208-1982 or ACS Certificate 18 ACC NY 369		

Ph


January 10, 2024



BAGUIO WATER DISTRICT
BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003

Revision Date October 29, 2019

Revision No. 02

REQUEST FOR BIDS/QUOTATION (RQ)

Face to Face: **EN 558 or BS5163**

Flange Drilling: **EN1092 or EN1092-2, ISO 7005-2**

Materials:

Body: Ductile Iron GJS-500-7 or GGG50

Wedge Core: Ductile Iron (DI)

Wedge Rubber: EPDM rubber

Wedge Nut: Brass

Stem: Stainless Steel 420

Bonnet Bolt: Steel, zinc plated or Q235A

Bonnet: Ductile Iron (DI)

O-Ring: NBR Rubber

Thrust Collar: Brass

Handwheel/Stem Cap: Ductile Iron (DI)

Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs
DN100 (4")	229	320-324	235	21-29
DN150 (6")	267	400-429	300	35-51

11 pieces

2" Ø Air Release Valve PN16

- The valve shall consist of two floats (the bottom and the upper float), the bottom float drops and allowing the trapped air to be vented through the small nozzle at the center of the top float.

- The float shall have a float guide on two sides.

- The valve shall be made of Cast Iron/ Ductile Iron with Glass Reinforced Plastic (GRP) inner body.

- Float body shall be made of Polypropylene and it should be cylindrical/ trapezoid in design.

Description	Materials
Base	Brass
Oring	NBR
Automatic Float	Foamed Polypropylene
Automatic Seal	EPDM
Bonnet	PA6+30GF
Drainage	Polypropylene
ID Plate	AL
Metallic Cover	Cast Iron




Dimensions and Weight	2" Ø
Height (H)	259.50 mm
Width (W)	214 mm
Thread (D)	2" (BSP / NPT)
Nozzle Area (A)	12.85mm ²
Total Width (L)	-
Drainage Diameter (E)	1 ½" BSP
Kinetic Nozzle Area (K)	908 mm
Flange	ISO16/25 / ANSI150
Weight	9 kgs.

Approved Budget Cost: ₱24,750.00 / pc

x x x x x

Note: Not to be purchased on a one (1) lot basis




January 10, 2024

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600 REQUEST FOR BIDS/QUOTATION (RQ)	Document No.	ADM-PUR-F003
		Revision Date	October 29, 2019
		Revision No.	02

	<p>This is a two (2) envelope system:</p> <p>Envelope "A" to contain the following; among others:</p> <p>A.) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid;</p> <p>B.) Terms of payment, delivery, warranty, bid validity and complete specifications;</p> <p>C.) Brochure/s (Original);</p> <p>D.) Proof of payment of a non-refundable fee of ₱10,000.00; otherwise, bids shall not be opened</p> <p>E.) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;</p> <p>-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.</p> <p>-For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;</p> <p>F.) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);</p> <p>G.) International Certificate of Warranty.</p> <p>Envelope "B" to contain the bid cost per unit.</p> <p>Pre-bid conference: December 29, 2023 9:30am via Zoom Application Meeting ID: 452 718 8447 Password: 9Buvqr</p>		
--	--	--	--

By: Supplier or Authorized Representative: _____ (sign over printed name)

Deadline of submission of bids: January 10, 2024 **Opening of bids:** 1:30 pm

For:  **Noted by:**  
Prepared by: MGLAMANGAN **BAC IN-HOUSE** **ENGR. REYNALDO C. JAYCO**
PURCHASING BAC-TECHNICAL

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING
PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184

Telefax No. (074) 442-4858 (Purchasing) / 444-7246