



PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 10437505

Procuring Entity BAGUIO WATER DISTRICT - BAGUIO CITY

Title 1 piece 4" Ø Gate Valve, Flange Type with companion flanges, and BNG and 2 pieces 4" Ø Gate Valve, Flanged type with combi-flanges and BNG

Area of Delivery Benguet

Solicitation Number: 12-224P-C	Status	Pending
Trade Agreement: Implementing Rules and Regulations		
Procurement Mode: Public Bidding	Associated Components	1
Classification: Goods		
Category: Water Service Connection Materials/Fittings	Bid Supplements	0
Approved Budget for the Contract: PHP 58,681.60		
Delivery Period:	Document Request List	0
Client Agency:		
Contact Person: Ma. Luisa C Tenedero Chairperson, Bids and Awards Committee BWD Compound, Utility Road Baguio City Benguet Philippines 2600 63-74-4424858 63-74-4424858 purchasing.bwd2014@gmail.com	Date Published	20/12/2023
	Last Updated / Time	19/12/2023 16:08 PM
	Closing Date / Time	05/01/2024 13:30 PM

Description

1 piece 4" Ø Gate Valve, Flanged type with Companion flanges, and BNG
 Design Code: Hydraulic test to BS 5163 (DIN3230 / DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163
 Maximum Pressure: PN16 or 16 bar
 Temperature Range: -20 to 160 degrees centigrade
 Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163
 End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16
 Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755
 Materials:
 Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron
 Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874
 Wedge Nut: Brass or Dezincification Resistant Brass
 Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass
 Bonnet Gasket: EPDM Rubber or EPDM / NBR
 Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt
 O-Ring: NBR or EPDM / NBR
 Stem Collar: Brass
 Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50)
 Dustproof Ring: NBR or EPDM / NBR
 Hex Nut: Cast Iron

Overall Dimensions:

Size / DN Length (L) mm Height (H) mm Width or D mm Weight kgs
 DN100 (4") 229 334-430 200-220 26-28

Approved Budget Cost: ₱22,075.00 / set

2 pieces 4" Ø Gate Valve, Flanged type with Combi-flanges, and BNG

Design Code: Hydraulic test to BS 5163 (DIN3230 /DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163

Maximum Pressure: PN16 or 16 bar

Temperature Range: -20 to 160 degrees centigrade

Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163

End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16 Tightness

Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755

Materials:

Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron

Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874

Wedge Nut: Brass or Dezincification Resistant Brass

Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass

Bonnet Gasket: EPDM Rubber or EPDM / NBR

Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt

O-Ring: NBR or EPDM / NBR

Stem Collar: Brass

Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50)

Dustproof Ring: NBR or EPDM / NBR

Hex Nut: Cast Iron

Overall Dimensions:

Size / DN Length (L) mm Height (H) mm Width or D mm Weight kgs

DN100 (4") 229 334-430 200-220 26-28

Approved Budget Cost: ₱18,303.30 / set

x x x x x

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:



- a) A refundable bid bond in the form of cash, a manager's or cashier's check equivalent to 2%, or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. The validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing declaration, regardless of the amount of bid.
- b) Terms of payment, delivery, warranty, bid validity, and complete specifications;
- c) Brochure(s) (Original);
- d) Proof of payment of a non-refundable fee of ₱500.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship or Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
 -For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship or Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship or Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
 -For locally produced or manufactured products, only a certificate of Authorized Distributorship or Dealership without a red ribbon is required, if applicable.
- f) ISO Certificate issued to the principal supplier or participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty

Envelope "B" to contain the bid cost per unit.

Created by Ma. Luisa C Tenedero

Date Created 19/12/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

 	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)	Revision Date	October 29, 2019
		Revision No.	02

To: _____

 (Name of Supplier)
Contact Person: _____
Address: _____

Contact no.: _____

RQ No.: 12 – 224P-C
PR / JO No.: 224P
Date of RQ: December 11, 2023
Purpose of RQ:
 Proposed installation of 4" Ø x 255m
 PVC Transmission Line along
 Richwood Square Subdivision

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARRANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS

	Qty.	Description	U-Price	Total										
VALIDITY DATE: _____ day (30 days minimum) DELIVERY: _____ working days _____ calendar days _____ FOB warehouse WARRANTY _____ calendar days upon acceptance. TERMS:	1 piece	4" Ø Gate Valve, Flanged type with Companion flanges, and BNG Design Code: Hydraulic test to BS 5163 (DIN3230 / DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163 Maximum Pressure: PN16 or 16 bar Temperature Range: -20 to 160 degrees centigrade Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163 End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16 Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755 Materials: Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874 Wedge Nut: Brass or Dezincification Resistant Brass Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass Bonnet Gasket: EPDM Rubber or EPDM / NBR Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt O-Ring: NBR or EPDM / NBR Stem Collar: Brass Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50) Dustproof Ring: NBR or EPDM / NBR Hex Nut: Cast Iron Overall Dimensions: <table border="1"> <tr> <td>Size / DN</td><td>Length (L) mm</td><td>Height (H) mm</td><td>Width or D mm</td><td>Weight kgs</td></tr> <tr> <td>DN100 (4")</td><td>229</td><td>334-430</td><td>200-220</td><td>26-28</td></tr> </table>	Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs	DN100 (4")	229	334-430	200-220	26-28		
Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs										
DN100 (4")	229	334-430	200-220	26-28										


January 05, 2024



BAGUIO WATER DISTRICT
BWD Compound, Utility Road, Baguio City 2600

Document No.

ADM-PUR-F003

Revision Date

October 29, 2019

Revision No.

02

REQUEST FOR BIDS/QUOTATION (RQ)

2 pieces

Approved Budget Cost: ₱22,075.00 / set

4" Ø Gate Valve, Flanged type with Combi-flanges, and BNG

Design Code: Hydraulic test to BS 5163 (DIN3230 / DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163

Maximum Pressure: PN16 or 16 bar

Temperature Range: -20 to 160 degrees centigrade

Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163

End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16

Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755

Materials:

Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron

Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874

Wedge Nut: Brass or Dezincification Resistant Brass

Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass

Bonnet Gasket: EPDM Rubber or EPDM / NBR

Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt

O-Ring: NBR or EPDM / NBR

Stem Collar: Brass

Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50)

Dustproof Ring: NBR or EPDM / NBR

Hex Nut: Cast Iron

Overall Dimensions:

Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs
DN100 (4")	229	334-430	200-220	26-28

Approved Budget Cost: ₱18,303.30 / set




X X X X X

This is a two (2) envelope system:

Envelope "A" to contain the following; among others:

A.) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is

January 05, 2024

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600		Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)		Revision Date	October 29, 2019
			Revision No.	02

	<p>required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid;</p> <p>B.) Terms of payment, delivery, warranty, bid validity and complete specifications;</p> <p>C.) Brochure/s (Original);</p> <p>D.) Proof of payment of a non-refundable fee of ₱500.00; otherwise, bids shall not be opened</p> <p>E.) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;</p> <p>-For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.</p> <p>-For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;</p> <p>F.) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);</p> <p>G.) International Certificate of Warranty.</p> <p>Envelope "B" to contain the bid cost per unit.</p>	
--	--	--

By: Supplier or Authorized Representative: _____ (sign over printed name)

Deadline of submission of bids: January 05, 2024 Opening of bids: 1:30 pm

Prepared by: MGLAMANGAN Noted by: ATTY. MA. LUISA C. TENEDERO ENGR. REYNALDO C. JAYCO
PURCHASING BAC IN-HOUSE BAC-TECHNICAL

**BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING
PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184
Telefax No. (074) 442-4858 (Purchasing) / 444-7246**