



Nº 035799

PURCHASE ORDER

Supplier: KEYLARGO INDUSTRIAL SALES	P.O. No.: 35799
Tel No./ Fax No.: 02-284-2856 / 961-52-60 local 218	Date: February 24, 2024
Address / TIN: 1471 Quezon Ave. West Triangle Q.C.	PR No./Abstract No.: 02-221P

Gentlemen/ Madam,

Please furnish this Office the following articles subject to the terms and conditions contained herein.

Place of Delivery : <input type="checkbox"/> Pick up <input checked="" type="checkbox"/> FOB BWD Warehouse 10-25 WAYS <input type="checkbox"/> Deliver at site	P.O. Valid Until : 30 W DAYS Warranty : <input type="checkbox"/> Six months <input checked="" type="checkbox"/> One year <input type="checkbox"/> Others (Pls. Specify)
Date of Delivery : <input type="checkbox"/> Working days <input type="checkbox"/> Calendar Days upon receipt of PO	<input checked="" type="checkbox"/> 1% Retention Required <input type="checkbox"/> Performance Bond Required (5% if in check/50% if GSIS surety bond)
Delivery Term : <input type="checkbox"/> full <input type="checkbox"/> partial delivery allowed	<input checked="" type="checkbox"/> Subject to testing / inspection prior to payment Payment Term : <input type="checkbox"/> COD <input type="checkbox"/> 30 Days <input checked="" type="checkbox"/> Others (Pls. Specify) 60 DAYS

Quantity	Unit	Description/Specifications	Unit Cost	Amount
1	set	"Grundfos" (Denmark) Vertical Multistage Cenrifugal Pump 350 USGPM x 500ft, Model: CR95-4-E-F-A-E-HQQE coupled and aligned with Heavy Duty Mounting Base to: Induction Motor 75HP, 460V, 60Hz, 3600 RPM, 3 Phase, 93.6% efficiency at full load Complete with Motor Control: "Danfoss" (Denmark) Variable Frequency Drive adaptable to 100HP, 460V, 3 Phase, 60Hz., Vertical Motor Model: FC202P75KT4 x x x x (Please refer to the attached sheet for complete detailed specifiactions)	1,800,000.00 ₱	1,800,000.00



EMAILED
2/29/24




Usage / Requisitioner **Spare booster for Irisan 2 PS.**

Prepared by: MARCOS G. LAMANGAN Purchasing Supervisor	Checked by: ATTY. CHANELL DOLOR B. DE GUZMAN Admin Division Manager	Audited by: LUZVIMIN G. RAMOS Internal Auditor	Recommending Approval: ATTY. MA. LUISA C. TENEDERO AGM-Adm./Com./Fin.	Approved By: ENGR. SALVADOR M. ROYCECA General Manager
---	---	--	---	--

Conforme: **8/22/24**

Signature over Printed Name of Supplier _____ Date _____

Funds Available: JELYN D. PENALES Finance Manager	Acct. : Operating / Maintenance Expense <input type="checkbox"/> CAPEX <input checked="" type="checkbox"/> Other Payables <input type="checkbox"/>
---	---

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No.	ADM-PUR-F006
	PURCHASE ORDER (P.O)	Revision Date	February 15, 2020
		Revision No.	00




Supplier/Contractor	: KEYLARGO INDUSTRIAL SALES	Purchase Order No.	: 35799
Contact Number	: 02-248-2856/961-52-60 local 218	Date	: February 23, 2024
Address / TIN	: 1471 Quezon Ave. West Triangle Quezon City	PR No./Abstract No.	: 05-023P 02-231P

Qty	Unit	Description	Unit Cost	Amount
1	set	"GRUNDFOS" (Denmark) Vertical Multistage Centrifugal Pump and Motor with suction and discharge ports on the same level (In-line) enabling installation in a horizontal one-pipe system Model: CR95-4-E-F-A-E-HQQE Motor Specifications: - Type: Induction - HP Rating: 75HP - Nominal Voltage: 460V - Supply Frequency: 60Hz - Nominal Speed: 3600 RPM - Number of Phase: 3Φ - Insulation Class: F - Efficiency at full load: 93.6% - Enclose Class: TEFC Coupled and aligned with Heavy Duty Mounting Base to: Pump Requirement: - Capacity: 350 USGPM - TDH: 500ft Construction Material: Shaft Seal: Cartridge Type Shaft Seal Material: HQQE Pump Head: Stainless Steel 316 CAST IRON Pump Shaft: Stainless Steel Impeller: Stainless Steel Chamber: Stainless Steel Outer Sleeve: Stainless Steel Base: Cast iron Neck Ring: Polyetheretherketone PEEK Support Bearing: PTFE Bearing Rings: Silicon Carbide Pump Efficiency: 75.6% Complete with Motor Control: "Danfoss" (Denmark) Variable Frequency Drive adaptable to 100HP, 460V, 3 phase, 60Hz, Vertical motor model FC202P75KT4	1,800,000.00	1,800,000.00



EMAILED






2/23/24




  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No. ADM-PUR-F006
	PURCHASE ORDER (P.O)	Revision Date February 15, 2020
		Revision No. 00

Qty	Unit	Description	Unit Cost	Amount
		Standard Specifications for Variable Frequency Drive		
		1. MAIN SUPPLY (L1, L2, L3)		
		Supply Voltage 3 x 380-480V AC		
		Supply Frequency 60 Hz		
		Displacement Power Factor > 0.98		
		True Power Factor 0.9		
		Switching on Input Supply L1, L2, L3 1 – 2 times / minute		
		2. OUTPUT DATA (U, V, W)		
		Output Voltage 0 – 100%		
		Switching on Output Unlimited		
		Ramp Times 0.1 – 3600 seconds		
		Maximum Output Frequency 590 Hz		
		3. DIGITAL INPUTS		
		Programmable Digital Inputs 6		
		Logic PNP		
		Voltage Level 0 – 24V DC		
		4. ANALOGUE INPUTS		
		Number of Analogue Inputs 2		
		Modes Current		
		Voltage Level - 10 to +10 (scaleable)		
		Current Level 0/4 to 20mA (scaleable)		
		5. PULSE INPUTS		
		Programmable Pulse Inputs 2		
		Voltage Level 0 – 24V DC (PNP positive logic)		
		Pulse Input Accuracy Max. error 0.1% of full scale		
		6. ANALOGUE OUTPUT		
		Programmable Analogue Outputs 1		
		Current Range at Analogue Output 0/4 – 20mA		
		7. RELAY OUTPUTS		
		Programmable Relay Outputs 2		
		8. FIELDBUS COMMUNICATION Ethernet IP		
		9. AMBIENT TEMPERATURE Up to 55°C		
		10. HARDWARE SPECIFICATIONS IP66 Enclosure		
		11. OTHER ACCESSORIES		
		Pressure Transmitter 0-25 Bars		

Total: ₱1,800,000.00

Usage: Spare booster pump for Irisan 2 PS

Prepared by:  M. G. Lamangan SMPO	Checked by:  Atty. C.D. De Guzman Administrative Div. Manager	Audited by:  L. G. Ramos Internal Auditor	Recommending Approval:  Atty. M.L.C. Tenedero AGM Adm./Com./Fin./ICT	Approved by:  Engr. Salvador M. Royeca General Manager
---	---	---	---	--

  	BAGUIO WATER DISTRICT	Document Code: BAC_IH
	Bids and Awards Committee	Document No. BAC_IH_F002
	(In-house)	Effective Date: 16 March 2020
	RESOLUTION	Revision No. 00

BIDS AND AWARDS COMMITTEE
RESOLUTION NO. 023-2024
Request for Quotation (RQ) No. 11-221P:
Vertical Centrifugal Pump and Motor

WHEREAS, the Baguio Water District-Bids and Awards Committee (BWD-BAC), in accordance with the provisions of Republic Act (RA) No. 9184, conducted the bidding for the procurement of one (1) set of Vertical Centrifugal Pump and Motor, with the required specifications under Request for Quotation (RQ) No. 11-221P, dated 29 November 2023, under a two-envelope system of bidding;

WHEREAS, the approved budget cost is Php1,800,000.00/set;

WHEREAS, only **KEYLARGO INDUSTRIAL SALES** submitted its bids and during the opening of the technical bids on 05 January 2024, it was determined that the lone bidder submitted complete documentary requirements thus, the bidder was rated “passed;”

WHEREAS, the bidder’s technical proposal was endorsed to the Technical Working Group (TWG) for evaluation and on 24 January 2024, the technical bids of **KEYLARGO INDUSTRIAL SALES** were rated by the TWG as “complying”;

WHEREAS, on 26 January 2024, the financial bid of the lone complying bidder was opened and the bid as read and calculated is as follows:


NAME OF BIDDER	BID PRICE (per set)	% VARIANCE FROM ABC	ABC (per set)
KEYLARGO INDUSTRIAL SALES	Php1,800,000.00	-0-	Php1,800,000.00


WHEREAS, upon post-qualification, careful examination, validation, and verification of all the documents submitted by and of the financial bid of the lone complying bidder, it has been determined that **KEYLARGO INDUSTRIAL SALES** submitted complete documents and its financial bid is determined to be responsive;


NOW THEREFORE, on motion duly seconded, be it


RESOLVED, as it is hereby resolved, to recommend to the Head of the Procuring Entity (HoPE) awarding the procurement of one (1) set of vertical centrifugal pump and motor to **KEYLARGO INDUSTRIAL SALES** with the offered brand and specifications for being the lone calculated responsive bidder.


UNANIMOUSLY APPROVED (30 January 2024)



Engr. Noriel C. Calpito
Vice-Chairperson



Rodrigo O. De Venecia, Jr
Member


Engr. Shayne Margie S. Abellera
Member



Romeo S. Adriano
Member



Engr. Dominic T. Agusdan
Member


Atty. Frances Louise E. Gener
Member



Atty. Ma. Luisa C. Tenedero
Chairperson

Attested by:


Apple Jane P. Aviles
Secretariat


Sharlene M. Durante
Secretariat

Approved by:


Engr. Salvador M. Royeca
General Manager