

BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003 Revision Date October 29, 2019 Revision No. 02

REQUEST FOR BIDS/QUOTATION (RQ)

To:		RQ No.:	02 – 043P-B / 045P-C
	(Name of Supplier)	PR / JO No.:	043P / 045P
Contact Person:		Date of RQ:	February 29, 2024
Address:		Purpose of RC	Q:
		- Additional n	naterials for the project
Contact no.:		installation B\	WD Pipeline along
		Mangitit Road	d, Camp 7 to supply
		Richgate Squa	are Phase 3-Subdivision
		- Commission	ing of Underground
		Water Harves	ter and Sump Tank

		Water Harvest	er and Sump	Tank
NOTE: DA	ATA REQ	UIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INC		
	PRICE VA	ALIDITY, TERMS, WARANTY PERIOD AND DELIVERY PERIO	OD	
	SI	HALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS		
	Qty.	Description	U-Price	Total
VALIDITY DATE:	1 set	4" Ø Gate Valve, flanged type with companion steel		
مام		flanges and BNG, PN 25		
day (30 days minimum)		(Please see complete specifications below)		
(50 days minimum)		Approved Budget Cost: ₱30,082.00 / pc		
DELIVERY:	2 pcs	1" Air Release Valve, PN 25		
working days	- 6-23	(Please see complete specifications below)		
working days		Approved Budget Cost: ₱14,272.00 / pc		
FOB warehouse		xxxx		
		CATE VALVE ELANCED TYPE CRECIFICATIONI		
WARRANTY		GATE VALVE FLANGED TYPE SPECIFICATION:		
calendar days		Design Code: Hydraulic test to BS 5163 (DIN3230 / DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163		
ipon acceptance.		Temperature Range: -20 to 160 degrees centigrade		
		Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-		
TERMS:		F4, ANSI B16.10, BS 5163		
		End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN		
		2533 PN 10/16, ANSI 150#, BS4504 PN 10/16		
		Tightness Test: Operating Torque Test or JIS B2003, DIN 3230,		
		AWWA C509, BS 6755		
		Materials:		
		Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-		
		7) or Ductile Iron		
		Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core		
		fully encapsulated with EPDM rubber with integral wedge nut		
		of dezincification resistant brass, CZ 132 to BS 2874		
		Wedge Nut: Brass or Dezincification Resistant Brass		
		Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass		
		Bonnet Gasket: EPDM Rubber or EPDM / NBR		
		Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot	/	
		melt		



BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No.	ADM-PUR-F003
Revision Date	October 29, 2019
Revision No.	02

REQUEST FOR BIDS/QUOTATION (RQ)

O-Ring: NBR or EPDM / NBR

Stem Collar: Brass

Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-

50)

Dustproof Ring: NBR or EPDM / NBR

Hex Nut: Cast Iron
Overall Dimensions:

Size / DN	Length (L)	Height (H)	Width or D	Weight
	mm	mm	mm	kgs
DN100 (4")	229	334-430	200-220	26-28

Air Release Valve Specifications:

- The valve shall consist of two floats (the bottom and the upper float), the bottom float drops and allowing the trapped air to be vented through the small nozzle at the center of the top float.
- The float shall have a float guide on two sides.
- The valve shall be made of Cast Iron / Ductile Iron with Glass Reinforced Plastic (GRP) inner body Float body shall be made of Polypropylene and it should be cylindrical / trapezoid in design

Description	Material
Base	Brass
O-ring	NBR
Automatic Float	Foamed Polypropylene
Automatic Seal	EPDM
Bonnet	PA6+30GF
Drainage Elbow	Polypropylene
ID Plate	AL
Metallic Cover	Cast Iron

Dimensions & Weights:	1" Ø
Height (H)	137 mm
Width (W)	99.5 mm
Thread (D)	1" (BSP/NPT)
Nozzle Area (A)	12.85 mm2
Total Width (L)	116.5 mm
Drainage Diameter (E)	1/4" BSP
Kinetic Nozzle Area (K)	-
Flange	-
Weight	2 kgs.

X X X X X

Note: Not to be awarded on a one (1) lot basis.









BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003

Revision Date October 29, 2019

Revision No. 02

REQUEST FOR BIDS/QUOTATION (RQ)

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;
- b) Terms of payment, delivery, warranty, bid validity, and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of ₱500.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
 - i. For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for noncontracting countries to the Apostille Convention, which still require the red ribbon requirement.
 - For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

By: Supplier or Authorized Representative: _______(sign over printed name)

Deadline of submission of bids: March 27,2024 Opening of bids: 1:30 pm

For: / h

Prepared by: MGLamangan Noted by: ATTY. MA. LUISA C. TENEDERO ENGR. REYNALDO C. JAYO

PURCHASING BAC IN-HOUSE BAC-TECHNICAL

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184

BWD DOES NOT ENGAGE IN SOLICITATION OF FUNDS FROM ANY INDIVIDUALS OR ENTITIES, AND WE STRONGLY ADVISE AGAINST RESPONDING TO ANY UNAUTHORIZED REQUESTS CLAIMING ASSOCIATION WITH OUR ORGANIZATION.