



**BAGUIO WATER DISTRICT**  
"Serving Mankind is Serving God"  
003 Purok BWD, Brgy., Marcoville, Baguio City  
Tel. No. 442-4858 Fax No. 442-4858/444-7245

Document No.:	ADM-PUR-F006
Effectivity Date:	February 15, 2020
Revision No.:	00

**Nº 036015**

**PURCHASE ORDER**

Supplier : <b>AVK PHILIPPINES, INC.</b>	P.O. No. : <b>36015</b>
Tel No./ Fax No. : <b>(02) 376-6400 to 01</b>	Date : <b>May 16, 2024</b>
Address / TIN : <b>70 West Ave. Brgy. West Triangle Q.C</b>	PR No./Abstract No. : <b>05-030P-B/031P-B</b>

Gentlemen/ Madam,

Please furnish this Office the following articles subject to the terms and conditions contained herein.

Place of Delivery : <input type="checkbox"/> Pick up <input checked="" type="checkbox"/> FOB BWD Warehouse <input type="checkbox"/> Deliver at site	P.O. Valid Until : <b>30 DAYS</b> Warranty : <input type="checkbox"/> Six months <input checked="" type="checkbox"/> One year <input type="checkbox"/> Others(Pls. Specify)
Date of Delivery : <input checked="" type="checkbox"/> 90 Working days <input type="checkbox"/> Calendar Days upon receipt of PO	<input checked="" type="checkbox"/> 1% Retention Required <input type="checkbox"/> Performance Bond Required (5% if in check/50% if GSIS surety bond) <input checked="" type="checkbox"/> Subject to testing / inspection prior to payment
Delivery Term : <input type="checkbox"/> full <input type="checkbox"/> partial delivery allowed	Payment Term : <input type="checkbox"/> COD <input checked="" type="checkbox"/> 30 Days <input type="checkbox"/> Others(Pls. Specify)

Quantity	Unit	Description/Specifications	Unit Cost	Amount
2	sets	6"Ø Gate Valve, flanged type with companion steel flanges and BNG, PN 25 "AVK Brand"	52,700.87 ₱	105,401.74
1	set	4"Ø Gate Valve, flanged type with companion steel flanges and BNG, PN 25 "AVK Brand"	28,612.07	28,612.07
1	set	4"Ø Gate Valve, flanged type with companion steel flanges and BNG, PN 16 "AVK Brand"	18,046.80	18,046.80
X X X X X				<b>₱ 152,060.61</b>




(Please refer to the attached sheet for complete detailed specifications)

Usage / Requisitioner : **-Interconnection of South Drive Deep Well 2 to Existing 6" HDPE TouWa Line**  
**-Proposed upsizing of existing 2" Distribution line along Camia Street, Fairview Village, Baguio City (installation of 4" x 220LM PVC Mainline)**

Prepared by: <b>signed</b> <b>PAUL TRAJANO</b> Purchasing Supervisor	Checked by: <b>signed</b> <b>ATTY. CHANEL DOLOR D. DE GUZMAN-BITAO</b> Admin Division Manager	Audited by: <b>signed</b> <b>LUZVIMIN G. RAMOS</b> Internal Auditor	Recommending Approval: <b>signed</b> <b>ATTY. MA. LUISA C. TENEDERO</b> AGM-Adm./Com./Fin.	Approved By: <b>signed</b> <b>ENGR. SALVADOR M. ROYCE</b> General Manager
--	---	---	--	---

Conforme:	
Signature over Printed Name of Supplier	Date
Funds Available: <b>signed</b> <b>JELYN J. PENALES</b> Finance Manager	Acct. : Operating / Maintenance Expense <input type="checkbox"/> CAPEX <input type="checkbox"/> Other Payables <input type="checkbox"/>








  	<b>BAGUIO WATER DISTRICT</b> <b>BWD Compound, Utility Road, Baguio City 2600</b>	Document No.	ADM-PUR-F006
	<b>PURCHASE ORDER (P.O)</b>	Revision Date	February 15, 2020
		Revision No.	00



Supplier/Contractor	: AVK PHILIPPINES, INC.	Purchase Order No.	: 36015
Contact Number	: 02-376-6400 to 01	Date	: May 16, 2024
Address / TIN	: 70 West Ave. Brgy. West Triangle, Q.C	PR No./Abstract No.	: 05-030P-B/031P-B

Qty	Unit	Description	Unit Cost	Amount																				
2	sets	6"Ø Gate Valve, flanged type with companion steel flanges and BNG, PN 25 "AVK Brand"	52,700.87	105,401.74																				
1	set	4"Ø Gate Valve, flanged type with companion steel flanges and BNG, PN 25 "AVK Brand"	28,612.07	28,612.07																				
1	set	4"Ø Gate Valve, flanged type with companion steel flanges and BNG, PN 16 "AVK Brand"	18,046.80	18,046.80																				
		<b>GATE VALVE FLANGED TYPE SPECIFICATIONS:</b> Design Code: Hydraulic test to BS 5163 (DIN3230 / DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163 ; Maximum Pressure: PN16 or 16 bar ; Temperature Range: -20 to 160 degrees centigrade ; Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163 ; End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16 ; Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755 ; Materials: Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron ; Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874 ; Wedge Nut: Brass or Dezincification Resistant Brass ; Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass ; Bonnet Gasket: EPDM Rubber or EPDM / NBR Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt O-Ring: NBR or EPDM / NBR; Stem Collar: Brass ; Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50) ; Dustproof Ring: NBR or EPDM / NBR Hex Nut: Cast Iron  Overall Dimensions: <table><tr><th>Size / DN</th><th>Length (L) mm</th><th>Height (H) mm</th><th>Width (D) mm</th><th>Weight (kgs.)</th></tr><tr><td>4"/DN100</td><td>229</td><td>334</td><td>220</td><td>26</td></tr><tr><td>4"/DN150</td><td>229</td><td>234</td><td>235</td><td>29</td></tr><tr><td>6"/DN150</td><td>267</td><td>429</td><td>300</td><td>51</td></tr></table>	Size / DN	Length (L) mm	Height (H) mm	Width (D) mm	Weight (kgs.)	4"/DN100	229	334	220	26	4"/DN150	229	234	235	29	6"/DN150	267	429	300	51		
Size / DN	Length (L) mm	Height (H) mm	Width (D) mm	Weight (kgs.)																				
4"/DN100	229	334	220	26																				
4"/DN150	229	234	235	29																				
6"/DN150	267	429	300	51																				

Total: ₱152,060.61

Usage: -Interconnection of South Drive Deep Well 2 to Existing 6" HDPE TouWa Line  
-Proposed upsizing of existing 2" Distribution line along Camia Street, Fairview Village, Baguio City (installation of 4" x 220LM PVC Mainline

Prepared by:	Checked by:	Audited by:	Recommending Approval:	Approved by:
 <u>P.A. Trajano</u> OIC-SMPO	 <u>Atty. C.D. De Guzman-Bitao</u> Administrative Div. Manager	 <u>L. G. Ramos</u> Internal Auditor	 <u>Atty. M.C. Tenedero</u> AGM Adm./Com./Fin./ICT	 <u>Engr. Salvador M. Royeca</u> General Manager

  	<b>BAGUIO WATER DISTRICT</b>		Document Code: BAC_IH
	<b>Bids and Awards Committee</b>		Document No. BAC_IH_F002
	<b>(In-house)</b>		Effective Date: 16 March 2020
	<b>RESOLUTION</b>		Revision No. 00

**BIDS AND AWARDS COMMITTEE**  
**RESOLUTION NO. 074-2024**  
Request for Quotation (RQ) No. 02-030P-B/ 031P-B:  
Gate Valves

WHEREAS, the Baguio Water District-Bids and Awards Committee (BWD-BAC), in accordance with the provisions of Republic Act (RA) No. 9184, conducted the bidding for the procurement of the following, all with required specifications under RQ No. 02-030P-B/ 031P-B, dated 12 February 2024, under a two-envelope system of bidding but not to be awarded on a one lot basis and with approved budget unit costs of:

Quantity	Description	ABC (per set)
2 sets	6" Ø Gate valve, flanged type with companion steel flanges and BNG, PN 25	Php53,105.00
1 set	4" Ø Gate valve, flanged type with companion steel flanges and BNG, PN 25	Php30,082.00
1 set	4" Ø Gate valve, flanged type with companion steel flanges and BNG, PN 16	Php30,665.00
2 sets	2" Ø Gate valve, flanged type with combination flanges and sealing ring and bolts & nuts, PN 16	Php11,600.00
5 sets	1" Ø Gate valve, Threaded Type Class 125 Features: brass body, non-rising system, screw-over bonnet, threaded ends	Php846.00

WHEREAS, AVK PHILIPPINES, INC. and FANM ENTERPRISES, INC. submitted their bids and during the opening of the technical bids on 06 March 2024, it was determined that both bidders submitted complete documentary requirements thus, their bids were rated “passed”;

WHEREAS, the technical proposals of the bidders were endorsed to the Technical Working Group (TWG) for evaluation, and on 15 March 2024 their offers were rated by the TWG as “complying”;

WHEREAS, the financial bids of the complying bidders were opened and the bids as read and calculated are as follows:

DESCRIPTION	BID PRICE (per set)	% VARIANCE FROM ABC	ABC (per set)
AVK PHILIPPINES, INC.			
6" Ø Gate valve, flanged type with companion steel flanges and BNG, PN 25	52,700.87	0.76%	Php53,105.00
4" Ø Gate valve, flanged type with companion steel flanges and BNG, PN 25	28,612.07	4.88%	Php30,082.00
4" Ø Gate valve, flanged type with companion steel flanges and BNG, PN 16	18,046.80	41.14%	Php30,665.00
2" Ø Gate valve, flanged type with combination flanges and sealing ring and bolts & nuts, PN 16	No bid	-	Php11,600.00
1" Ø Gate valve, Threaded Type Class 125 Features: brass body, non-rising system, screw-over bonnet, threaded ends	No bid	-	Php846.00
FANM ENTERPRISES, INC.			
6" Ø Gate valve, flanged type with companion steel flanges and BNG, PN 25	Php53,105.00	-0-	Php53,105.00
4" Ø Gate valve, flanged type with companion steel flanges and BNG, PN 25	Php30,082.00	-0-	Php30,082.00
4" Ø Gate valve, flanged type with companion steel flanges and BNG, PN 16	Php30,665.00	-0-	Php30,665.00
2" Ø Gate valve, flanged type with combination flanges and sealing ring and bolts & nuts, PN 16	Php11,600.00	-0-	Php11,600.00
1" Ø Gate valve, Threaded Type Class 125 Features: brass body, non-rising system, screw-over bonnet, threaded ends	Php846.00	-0-	Php846.00

**WHEREAS**, upon post-qualification, careful examination, validation, and verification of all the documents submitted by and of the financial bids of the complying bidders, it has been determined that the financial bids of **AVK PHILIPPINES, INC.** for items 1-3 are the lowest calculated responsive bid; while the financial bid of **FANM ENTERPRISES, INC.** for item 4 and 5 are determined to be the lone calculated responsive bid;

**NOW THEREFORE, on motion duly seconded, be it**

**RESOLVED**, as it is hereby resolved, to recommend to the Head of the Procuring Entity awarding the procurement of 2 sets of 6” Ø Gate valve, flanged type with companion steel flanges and BNG, PN 25, **1 set of 4” Ø Gate valve, flanged type with companion steel flanges and BNG, PN 25, and 1 set of 4” Ø Gate valve, flanged type with companion steel flanges and BNG, PN 16 to AVK PHILIPPINES, INC.** for being the lowest calculated responsive bidder and 2 sets of 2” Ø Gate valve, flanged type with combination flanges and sealing ring and bolts & nuts, PN 16 and 5 sets of 1” Ø Gate valve, Threaded Type Class 125 Features: brass body, non-rising system, screw-over bonnet, threaded ends to **FANM ENTERPRISES, INC.** for being the lone calculated responsive bidder with their offered brands, specifications, and bid prices.

**UNANIMOUSLY APPROVED (30 April 2024)**

<div>SIGNED</div> <div>Engr. Noriel C. Calpito</div> <div>Vice-Chairperson</div>	<div>SIGNED</div> <div>Rodrigo O. De Venecia, Jr</div> <div>Member</div>	<div>SIGNED</div> <div>Engr. Shayne Margie S. Abellera</div> <div>Member</div>
<div>SIGNED</div> <div>Romeo S. Adriano</div> <div>Member</div>	<div>SIGNED</div> <div>Engr. Dominic T. Agusdan</div> <div>Member</div>	<div>SIGNED</div> <div>Atty. Francess Louise E. Gener</div> <div>Member</div>
<div>SIGNED</div> <div>Atty. Ma. Luisa C. Tenedero</div> <div>Chairperson</div>		

Attested by:

SIGNED

Apple Jane P. Aviles

Secretariat

SIGNED

Sharlene M. Durante

Secretariat

Approved by:

SIGNED

Engr. Salvador M. Royeca

General Manager