Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 11304718

Procuring Entity BAGUIO WATER DISTRICT - BAGUIO CITY

Title various Submersible Pumps & Motors

Area of Delivery Benguet

Solicitation Number:	09-183P	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Public Bidding	Associated Components	1
Classification:	Goods		
Category:	Industrial pumps and compressors	Bid Supplements	0
Approved Budget for the Contract:	PHP 8,676,000.00		
Delivery Period:		Document Request List	0
Client Agency:			
		Date Published	01/10/2024
Contact Person:	Ma. Luisa C Tenedero Chairperson, Bids and		
	Awards Committee BWD Compound, Utility Road Baguio City Benguet	Last Updated / Time	30/09/2024 14:54 PM
	Philippines 2600 63-74-4423456 63-74-4424858 bwd.bac2021@gmail.com	Closing Date / Time	23/10/2024 13:30 PM

Description

1 set (For City Camp Barrel)

Submersible Pump Capacity: 80 gpm TDH: 400 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 10 Hp

Nominal Voltage: 460 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 15hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱513,000.00 / set

1 set (For Woodsville DW)

Submersible Pump Capacity: 50 gpm TDH: 500 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 10 Hp

Nominal Voltage: 460 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 15hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱310,000.00 / set

1 set (For BWD DW) Submersible Pump Capacity: 30 gpm TDH: 500 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 7.5 Hp

Nominal Voltage: 230 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 4 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 10hp, 230v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱398,000.00 / set

1 set (Asin / Shangrila DW)

Submersible Pump Capacity: 30 gpm TDH: 550 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 7.5 Hp

Nominal Voltage: 230 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 4 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 10hp, 230v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱398,000.00 / set

1 set (For Pinesville DW #2)

Submersible Pump Capacity: 80 gpm TDH: 450 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 15 Hp

Nominal Voltage: 460 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 20hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱400,000.00 / set

1 set (for BGH DW) Submersible Pump Capacity: 60 gpm TDH: 550 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 15 Hp

Nominal Voltage: 460 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 20hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱547,000.00 / set

1 set (For Idisan DW) Submersible Pump Capacity: 60 gpm TDH: 600 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 15 Hp

Nominal Voltage : 460 V nominal Number of Phase : 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 20hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱372,000.00 / set

1 set (For CBL DW) Submersible Pump Capacity: 80 gpm TDH: 450 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 15 Hp

Nominal Voltage: 460 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 20hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱400,000.00 / set

1 set (For Dominican Barrel)

Submersible Pump Capacity: 100 gpm

TDH: 450 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 20 Hp

Nominal Voltage: 460 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 25hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱425,000.00 / set

2 sets (1 set City Camp DW; 1 set City Camp Lagoon DW)

Submersible Pump Capacity: 80 gpm TDH: 600 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 20 Hp

Nominal Voltage: 460 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 25hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱400,000.00 / set

1 set (For Skating Rink DW)

Submersible Pump Capacity: 60 gpm TDH: 700 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 20 Hp

Nominal Voltage: 460 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 25hp, 460v nominal,

3 phase, 60Hz submersible motor Approved Budget Cost: ₱649,000.00 / set

2 sets (For Camp 7-1 Agpaoa DW)

Submersible Pump Capacity: 110 gpm

TDH: 550 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 25 Hp

Nominal Voltage: 460 V nominal Number of Phase: 3 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 30hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱500,000.00 / set

2 sets (For Oracion / Dominguez Barrel)

Submersible Pump Capacity: 25 gpm TDH: 450 ft

Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 5 Hp

Nominal Voltage: 230 V nominal Number of Phase: 1 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 4 inches

With Complete Motor Control and capacitor starter

Approved Budget Cost: ₱616,000.00 / set

2 sets (For Celestial and BSTP)

Submersible Pump Capacity: 20 gpm TDH: 600 ft Eff. @ Rated Capacity: Not less than 60% Speed (Nominal): 3600 rpm nominal

Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating: 5 Hp

Nominal Voltage: 230 V nominal Number of Phase: 1 Phase

Frequency: 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 4 inches

With Complete Motor Control and capacitor starter

Approved Budget Cost: ₱616,000.00 / set

- * Supplier to provide manufacturer pump test result upon delivery
- * Supplier to provide brochure with full specification and pump curve of offered booster pump
- * Supplier to be present during testing commissioning

X X X X X

Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following; among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid;
- b) Terms of payment, delivery, warranty, bid validity and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of ₱10,000.00; otherwise bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
- For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the

Apostille Convention, which still require the red ribbon requirement.

- For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.Envelope "B" to contain the bid cost per unit.

Pre-bid Conference

Date Time Venue

11/10/2024 9:30:00 AM Pre-bid conference:

9:30am via Zoom Application Meeting ID: 452 718 8447

Password: 9Buvqr

Created by Ma. Luisa C Tenedero

Date Created 30/09/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



ADM-PUR-F003 Document No. Revision Date February 1, 2024 Revision No.

REQUEST FOR BIDS/QUOTATION (RQ)

То:	(Name of Supplier)			RQ No.: PR / JO No	09 – 183 D.: 183P	3P
Contact Person:	,	, ,,		Date of RO		ber 27, 2024
Address:			_	Purpose of F	•	
			_	For spares of		pumps and
Contact no.:			_	motors for va	arious pumpi	ng stations
NOTE: DA	TA REOUI	RED MUST BE FILLED UP C	OMPLETELY.	FAILURE TO INC	ICATE THE	
	_	DITY, TERMS, WARRANTY I				
	SHA	ALL MEAN OUTRIGHT DISQ	UALIFICATIO	ON OF BIDS		
	Qty.	Des	cription		U-Price	Total
VALIDITY DATE:						
VALIDITY DATE:	4 .	(For City Camp Barrel)				
day	1 set	Submersible Pump				
(30 days minimum)		Capacity	: 80	gpm		
(50 days minimum)		TDH	: 400			
DEL 11/201/		Eff. @ Rated Capacity		ss than 60%		
DELIVERY :		Speed (Nominal)		rpm nominal		
working days		Discharge Nipple with cou				
calendar days		Diameter of Nipple and Co	oupling will de	epend on the		
FOB warehouse		discharge port				
		Coupled to: Submersible				
WARRANTY		Rating :	10	Нр		
calendar days		Nominal Voltage :	460	V nominal		
upon acceptance.		Number of Phase :	3	Phase		
		Frequency :	60	Hz		
TERMS:		(please refer to attached for	or complete s	pecifications)		
			_			
		*Maximum Diameter: 6 inc	hes			
		With Complete Motor Con	trol			
		Cast Stantage				
		Soft Starter	Thus 400			
		Soft Starter Adaptable to 1	•	ominai,		
		3 phase, 60Hz submersible	motor			
		Approved Budget Cost: #	513,000.00	/ set		
		(For Woodsville DW)			-	
	1 set	Submersible Pump				
		Capacity	: 50	gpm		
		TDH	: 500			
		Eff. @ Rated Capacity		ss than 60%		
		Speed (Nominal)		rpm nominal		
		Discharge Nipple with cou		•		
		Diameter of Nipple and Co	_			
		discharge port				
	Coupled to: Submersible Motor					
		Rating :	10	Нр		
		Nominal Voltage :	460	V nominal		

(please refer to attached for complete specifications)

3

60

Phase

Hz

Number of Phase

Frequency





ADM-PUR-F003 February 1, 2024 Revision Date

REQUEST FOR BIDS/QUOTATION (RQ)

MSA-001	KL	QUEST FOR BIDS/QUOTATION (RQ) Revision No. 03	
		*Maximum Diameter: 6 inches	
		With Complete Motor Control	
		Soft Starter	
		Soft Starter Adaptable to 15hp, 460v nominal,	
		3 phase, 60Hz submersible motor	
		Approved Budget Cost: ₱310,000.00 / set	
		(Far BM/D DM)	
1	set	(For BWD DW)	
'	set	Submersible Pump	
		Capacity : 30 gpm TDH : 500 ft	
		Eff. @ Rated Capacity : Not less than 60% Speed (Nominal) : 3600 rpm nominal	
		Discharge Nipple with coupling: 12" Schedule 80, BI	
		Diameter of Nipple and Coupling will depend on the	
		discharge port	
		Coupled to: Submersible Motor	
		Rating : 7.5 Hp	
		Nominal Voltage : 230 V nominal	
		Number of Phase : 3 Phase	
		Frequency : 60 Hz	
		(please refer to attached for complete specifications)	
		*Maximum Diameter: 4 inches	
		With Complete Motor Control	
		Soft Starter	
		Soft Starter Adaptable to 10hp, 230v nominal,	
		3 phase, 60Hz submersible motor	
		Approved Budget Cost: ₱398,000.00 / set	
		(Asin / Shangrila DW)	
1	set	Submersible Pump	
		Capacity : 30 gpm	
		TDH : 550 ft	
		Eff. @ Rated Capacity : Not less than 60%	
		Speed (Nominal) : 3600 rpm nominal	
		Discharge Nipple with coupling: 12" Schedule 80, BI	
		Diameter of Nipple and Coupling will depend on the	
		discharge port	
		Coupled to: Submersible Motor	
		Rating : 7.5 Hp	
		Nominal Voltage : 230 V nominal	
		Number of Phase : 3 Phase	
		Frequency : 60 Hz	
		(please refer to attached for complete specifications)	
		*Maximum Diameter: 4 inches	

With Complete Motor Control





Document No. ADM-PUR-F003

Revision Date February 1, 2024

REQUEST FOR BIDS/QUOTATION (RQ)

Revision No. Soft Starter Soft Starter Adaptable to 10hp, 230v nominal, 3 phase, 60Hz submersible motor Approved Budget Cost: ₱398,000.00 / set 1 set (For Pinesville DW #2) **Submersible Pump** Capacity 80 gpm TDH : 450 ft Eff. @ Rated Capacity : Not less than 60% : 3600 rpm nominal Speed (Nominal) Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the discharge port Coupled to: Submersible Motor Rating Ηр Nominal Voltage 460 V nominal Number of Phase 3 Phase Frequency 60 Hz (please refer to attached for complete specifications) *Maximum Diameter: 6 inches With Complete Motor Control Soft Starter Soft Starter Adaptable to 20hp, 460v nominal, 3 phase, 60Hz submersible motor Approved Budget Cost: ₱400,000.00 / set (for BGH DW) 1 set Submersible Pump Capacity 60 gpm TDH : 550 ft Eff. @ Rated Capacity : Not less than 60% Speed (Nominal) : 3600 rpm nominal Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the discharge port Coupled to: Submersible Motor Rating : 15 Ηр Nominal Voltage 460 V nominal Number of Phase 3 Phase 60 Frequency

Maximum Diameter: 6 inches

With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 20hp, 460v nominal,

(please refer to attached for complete specifications)





Document No. ADM-PUR-F003

Revision Date February 1, 2024

REQUEST FOR BIDS/QUOTATION (RQ)

SA-001 RE	Revision (RQ)	sion No.	
T T	3 phase, 60Hz submersible motor		
	Approved Budget Cost: ₱547,000.00 / set		
1 set	(For Idisan DW)		
. 550	Submersible Pump		
	Capacity : 60 gpm		
	TDH : 600 ft		
	Eff. @ Rated Capacity : Not less than 60%		
	Speed (Nominal) : 3600 rpm nominal		
	Discharge Nipple with coupling: 12" Schedule 80, Bl		
	Diameter of Nipple and Coupling will depend on the		
	discharge port		
	Coupled to: Submersible Motor		
	Rating : 15 Hp Nominal Voltage : 460 V nominal		
	3		
	Frequency : 60 Hz		
	(please refer to attached for complete specifications)		
	*Maximum Diameter: 6 inches		
	With Complete Motor Control		
	Soft Starter		
	Soft Starter Adaptable to 20hp, 460v nominal,		
	3 phase, 60Hz submersible motor		
	Approved Budget Cost: ₱372,000.00 / set		
1 set	(For CBL DW)		
	Submersible Pump		
	Capacity : 80 gpm		
	TDH : 450 ft		
	Eff. @ Rated Capacity : Not less than 60%		
	Speed (Nominal) : 3600 rpm nominal		
	Discharge Nipple with coupling: 12" Schedule 80, BI		
	Diameter of Nipple and Coupling will depend on the		
	discharge port		
	Coupled to: Submersible Motor		
	Rating : 15 Hp		
	Nominal Voltage : 460 V nominal		
	Number of Phase : 3 Phase		
	Frequency : 60 Hz		
	(please refer to attached for complete specifications)		
	*Maximum Diameter: 6 inches		
	With Complete Motor Control		
	With Complete Motor Control Soft Starter		
	·		

Approved Budget Cost: ₱400,000.00 / set





City 2600 Document No. ADM-PUR-F003 Revision Date February 1, 2024

Revision No.

REQUEST FOR BIDS/QUOTATION (RQ)

1 set (For Dominican Barrel) Submersible Pump Capacity : 100 gpm TDH : 450 ft	
Submersible Pump Capacity : 100 gpm	
Capacity : 100 gpm	
, ,	
TDU . 450 ft	
TDH : 450 ft	
Eff. @ Rated Capacity : Not less than 60%	
Speed (Nominal) : 3600 rpm nominal	
Discharge Nipple with coupling: 12" Schedule 80, BI	
Diameter of Nipple and Coupling will depend on the	
discharge port	
Coupled to: Submersible Motor	
Rating : 20 Hp	
Nominal Voltage : 460 V nominal	
Number of Phase : 3 Phase	
Frequency : 60 Hz	
(please refer to attached for complete specifications)	
(piease refer to attached for complete specifications)	
*Maximum Diameter: 6 inches	
The state of the s	
With Complete Motor Control	
Soft Starter	
Soft Starter Adaptable to 25hp, 460v nominal,	
3 phase, 60Hz submersible motor	
Approved Budget Cost: ₱425,000.00 / set	
2 sets (1 set City Camp DW; 1 set City Camp Lagoon DW)	
Submersible Pump	
Capacity : 80 gpm	
TDH : 600 ft	
Eff. @ Rated Capacity : Not less than 60%	
Speed (Nominal) : 3600 rpm nominal	
Discharge Nipple with coupling: 12" Schedule 80, BI	
Diameter of Nipple and Coupling will depend on the	
discharge port	
Coupled to: Submersible Motor	
Rating : 20 Hp	
Nominal Voltage : 460 V nominal	
Number of Phase : 3 Phase	
Frequency : 60 Hz	
(please refer to attached for complete specifications)	
*Maximum Diameter: 6 inches	
With Complete Motor Control	
Soft Starter	
Soft Starter Adaptable to 25hp, 460v nominal,	
3 phase, 60Hz submersible motor	
Approved Budget Cost: ₱400,000.00 / set	
(For Skating Rink DW)	
1 set Submersible Pump	





Document No. ADM-PUR-F003

Revision Date February 1, 2024

Revision No.

REQUEST FOR BIDS/QUOTATION (RQ)

Capacity : 60 gpm
TDH : 700 ft

Eff. @ Rated Capacity : Not less than 60% Speed (Nominal) : 3600 rpm nominal Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating : 20 Hp
Nominal Voltage : 460 V nominal
Number of Phase : 3 Phase
Frequency : 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches

With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 25hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱649,000.00 / set

2 sets (For Camp 7-1 Agpaoa DW)

Submersible Pump

Capacity : 110 gpm TDH : 550 ft

Eff. @ Rated Capacity : Not less than 60% Speed (Nominal) : 3600 rpm nominal Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the

discharge port

Coupled to: Submersible Motor

Rating : 25 Hp Nominal Voltage : 460 V n

Nominal Voltage : 460 V nominal Number of Phase : 3 Phase Frequency : 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 6 inches

With Complete Motor Control

Soft Starter

Soft Starter Adaptable to 30hp, 460v nominal,

3 phase, 60Hz submersible motor

Approved Budget Cost: ₱500,000.00 / set

(For Oracion / Dominguez Barrel)

2 sets **Submersible Pump**

Capacity : 25 gpm TDH : 450 ft

Eff. @ Rated Capacity : Not less than 60%





Document No. ADM-PUR-F003 Revision Date February 1, 2024

Revision No.

REQUEST FOR BIDS/QUOTATION (RQ)

Speed (Nominal) : 3600 rpm nominal Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the discharge port

Coupled to: Submersible Motor

Rating : 5 Hp
Nominal Voltage : 230 V nominal
Number of Phase : 1 Phase
Frequency : 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 4 inches

With Complete Motor Control and capacitor starter

Approved Budget Cost: ₱616,000.00 / set

2 sets

(For Celestial and BSTP) **Submersible Pump**

Capacity : 20 gpm TDH : 600 ft

Eff. @ Rated Capacity : Not less than 60% Speed (Nominal) : 3600 rpm nominal Discharge Nipple with coupling: 12" Schedule 80, BI Diameter of Nipple and Coupling will depend on the discharge port

Coupled to: Submersible Motor

Rating : 5 Hp Nominal Voltage : 230 V nominal Number of Phase : 1 Phase

Frequency : 60 Hz

(please refer to attached for complete specifications)

*Maximum Diameter: 4 inches

With Complete Motor Control and capacitor starter

Approved Budget Cost: ₱616,000.00 / set

- * Supplier to provide manufacturer pump test result upon delivery
- * Supplier to provide brochure with full specification and pump curve of offered booster pump
- * Supplier to be present during testing commissioning $x \times x \times x$

Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following; among others:

a) A refundable bid bond in the form of cash,
 Manager's or Cashier's check equivalent to 2% or





Document No. ADM-PUR-F003

Revision Date February 1, 2024

Revision No. 03

REQUEST FOR BIDS/QUOTATION (RQ)

surety bond callable on demand issued by a surety
or insurance company duly certified by the
Insurance Commission equivalent to 5% of the
total approved budget cost is required for a total
purchase bid amount of ₱ 50,000.00 and above.
Validity of the surety bond is 120 days from the
date of opening of bids OR Bid Securing
Declaration regardless of amount of bid;

- b) Terms of payment, delivery, warranty, bid validity and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of **₱10,000.00**; otherwise bids shall not be opened
- e) Certificate of Authorized Distributorship /
 Dealership issued by the Principal Supplier to the
 participating bidder (with red ribbon) if none has
 been submitted to the BAC in its Accreditation;
 - For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
 - For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Pre-bid conference: October 11, 2024
9:30am via Zoom Application
Meeting ID: 452 718 8447

Password: 9Buvqr

Prepared by: signed signed signed signed signed once the paulitrajano oic - purchasing bac in-house bac in-house bac-technical

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184

BWD DOES NOT ENGAGE IN SOLICITATION OF FUNDS FROM ANY INDIVIDUALS OR ENTITIES, AND WE STRONGLY ADVISE AGAINST RESPONDING TO ANY UNAUTHORIZED REQUESTS CLAIMING ASSOCIATION WITH OUR ORGANIZATION.