

BAGUIO WATER DISTRICT

BWD Compound, Utility Road, Baguio City 2600

PURCHASE ORDER (P.O)

Nº 036360

Address / TIN : 70 West Ave. Brgy. West Triangle Q.C PR No. / Abstract No. : 10-038P-C-N Gentlemen / Madam, Please furnish this Office the following articles subject to the terms and conditions contained herein. Please of Delivery : Pick-up	ntact Number	: AVK PHILIPPINES, INC	Date	chase Order No.	:	36360 ctober 18, 2024
Please furnish this Office the following articles subject to the terms and conditions contained herein. acce of Delivery Pick-up		70 West Ave. Brgy. West Triangle Q.C			•	10-038P-C-N
Peese furnish this Office the following articles subject to the terms and conditions contained herein.			FILE	10. / Abstract No.		
Puchase Order (PO) Valid Unit: \$20 Par\$ Part of Delivery at Site: \$20 Part of Delivery at Subject to testing / Inspection prior to payment Payment Term: \$20 Payment P		the following articles subject to the tar	ms and conditions cont	ained housin		
Six Months One Year Others (please specify)	ce of Delivery : Pi	k-un			***	
Deliver at Site: Working Days Deliver at Site: Working Days Deliver at Site: Working Days Deliver at Site: Deli						so specify)
te of Delivery Calendar Days Calendar Days upon receipt of PO Calendar Days upon	Contract of the Contract of th		TVarianty Six ivior	idis	U Others (pied:	se specify)
Calendar Days upon receipt of PO Performance Bond Required (swiftin cheex / 50% if GSS surety bond) Subject to testing / inspection prior to payment Subject to testing / inspection prior to payment Payment Term: COD 30 Days Others (please specify) Subject to testing / inspection prior to payment Payment Term: COD 30 Days Others (please specify) Others (please specify) Others (please specify) Payment Term: COD 30 Days Others (please specify) Others (please specifications below) Others (please specificatio			1% Retention Rec	uired		
Subject to testing / inspection prior to payment Partial Delivery allowed Partial Delivery allow		Calendar Days upon receipt of PO			heck / 50% if GSIS sure	ty bond)
Junity Unit Description / Specifications Unit Cost Amour 3	-					
3 pcs "AVK Brand" Universal Tapper 8" x 2" (please see complete specifications below) (please specifications below)	livery Term : Fu	Partial Delivery allowed	Payment Term: CC	DD 30 Days	Others (pleas	se specify)
3 pcs "AVK Brand" Universal Tapper 8" x 2" (please see complete specifications below) (please specifications)						
(please see complete specifications below) AVK Brand" Universal Tapper 10" x 2" (please see complete specifications below) 3 pcs "AVK Brand" Universal Tapper 10" x 2" (please see complete specifications below) WINVERSAL TAPPING SADDLE SPECIFICATIONS: For all kinds of pipe and sizes except PE Pipe Tapping on PA adaptor internally threaded Threading to SP5 "x", x", and 1" Use: for water and neutral liquids to max. 70" C. Maximum working pressure: 16 bar , Materials: Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (85 2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2: Coating: Electro-statically applied epoxy resin to DIN 30677 – internally and externally . Stirrup Bushing: Stainless Steel A3; Adaptor: Plank (No hole): Stirrup (lower part): Ductile Iron, GGG-50, to DIN 1693 (85 2789 grade 500-7) with rubber liner . Stirrup Bushing: Stainless Steel A3; Adaptor: Plank (No hole): Stirrup (lower part): other brand size / 100mm band width . ********************************** 2 5 OCT 2024 sage / Requisitioner: 1st Quarter 2024 Consolidated Supplies and Materials ATT: **pur lapsa C TENEDERO ATT: **CHANELL DOLORY TO Supplier Admin E. **Supplies*** Admin E. **Supplies*** Art: **pur lapsa C TENEDERO **ATT: **pur lapsa C TENEDERO **Admin E. **Signature over Printed Name of Supplier **Date **Act:** **Operating / Maintenance Epopese** **CAPEX** **Operating	uantity Unit	Description / Sp	ecifications		Unit Cost	Amount
3 pcs "AVK Brand" Universal Tapper 10" x 2" 8,469.14 25,407 (please see complete specifications below) 3 pcs "AVK Brand" Universal Tapper 12" x 2" 8,685.31 26,055 (please see complete specifications below) WINVERSAL TAPPING SADDLE SPECIFICATIONS: For all kinds of pipe and sizes except PP Pipe Tapping on PA adaptor internally threaded Threading to BSP ½", ½", and 1" Use: for water and neutral liquids to max. 70°C Maximum working pressure: 16 bar Materials: Saddle upper part: Ductile iron, GGG-50, to DIN 1693 (BS 2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2: Coating: Bectro-statically applied epoxy resin to DIN 30677 – internally and externally Stirrup Bushing: Stainless Steel A2: Washer: Stainless Steel A2: Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A2: Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width ***********************************	3 pcs	"AVK Brand" Universal Tapper 8" x 2",			8,031.01 🕈	24,093.03
(please see complete specifications below) "AVK Brand" Universal Tapper 12" x 2", specifications below) (please see complete specifications below) (please specifications) (p	1	(please see complete specifications below)				
3. pcs "AVK Brand" Universal Tapper 12" x 2" 8,685.31 26,055 (please see complete specifications below) 75,556 (please see complete specifications) 80,556 (please see complete specifications) 80,556 (please see complete specifications below) 75,556 (please see complete specifications) 80,556 (please see complete specifications below) 70,556 (please see complete specifications) 70,556 (please sp	3 pcs				8,469.14	25,407.42
(please see complete specifications below) UNIVERSAL TAPPING SADDLE SPECIFICATIONS: For all kinds of pipe and sizes except PE Pipe Tapping on PA adaptor internally threaded Threading to BSP ½, ¼, ¾, and 1° Use: for water and neutral liquids to max, 70°C Maximum working pressure: 16 Bar , Materials: Saddle upper part: Dutille Iron, GGG-50, to DIN 1693 (85 2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2 . Coating: Electro-statically applied epoxy resin to DIN 30677 – internally and externally , Stirrup Bushing: Stainless Steel 303, Adaptor: Polyamide PA-11GF Rubber Gasket: NRR, Rubber Lining: NRR, Bolts: Stainless Steel A2 . Washer: Stainless Steel A2; Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole): Stirrup (lower part): other brand size / 100mm band width **X*X*X*X*X*X*X*X*X*X*X*X*X*X*X*X*X*X						•
(please see complete specifications below) UNIVERSAL TAPPING SADDLE SPECIFICATIONS: For all kinds of pipe and sizes except PE Pipe Tapping on PA adaptor internally threaded Threading to BSP ½, ¼, ¾, and 1* Use: for water and neutral liquids to max, 70°C Maximum working pressure: 16 bar , Materials: Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (85 2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2 . Coating: Bectro-statically applied epoxy resin to DIN 30677 – internally and externally , Stirrup Bushing: Stainless Steel 303, Adaptor: Polyamide PA-11GF Rubber Gasket: NRR, Rubber Lining NRR, Bolts: Stainless Steel A2 . Washer: Stainless Steel A2; Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole): Stirrup (lower part): other brand size / 100mm band width **X*X*X*X*X*X*X*X*X*X*X*X*X*X*X*X*X*X	3 pcs				8,685.31	26,055.93
For all kinds of pipe and sizes except PE Pipe Tapping on PA adaptor internally threaded Threading to BSP ½", ½", and 1" Use: for water and neutral liquids to max. 70°C Maximum working pressure: 16 bar , Materials: Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (BS 2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2 . Coating: Electro- statically applied epoxy resin to DIN 30677 – internally and externally Stirrup Bushing: Stainless Steel A2; Polyamide PA-11GF Rubber Gasket: NBR, Rubber Lining: NBR, Boltes: Stainless Steel A2 . Washer: Stainless Steel A2; Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width ************************ **********			•		P	75,556.38
Threading to BSP 1/2", 1/4", and 1" Use: for water and neutral liquids to max. 70°C Maximum working pressure: 16 bar, Materials: Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (BS 2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel Ac; Acaptor: Polyamide PA-11GF Rubber Gasket: NBR, Rubber Lining: NBR, Bolts: Stainless Steel Ac; Washer: Stainless Steel Ac; Adaptor: Polyamide PA-11GF Rubber Gasket: NBR, Rubber Lining: NBR, Bolts: Stainless Steel Ac; Washer: Stainless Steel Ac; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width ***X**X**X**X**X**X**X**X**X**X**X**X*						
Use: for water and neutral liquids to max. 70°C Maximum working pressure: 16 bar Maximum working pressure: 18 addle upper part: Ductile Iron, GGG-50, to DIN 1693 (BS 2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2			oping on PA adaptor internal	ly threaded		
Maximum working pressure: 16 bar Materials: Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (BS 2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2 Coating: Electro-statically applied epoxy resin to DIN 30677 – internally and externally . Stirrup Bushing: Stainless Steel 32; Adaptor: Polyamide PA-11GF Rubber Gasket: NBR; Rubber Lining: NBR; Bolts: Stainless Steel A2. Washer: Stainless Steel A2; Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width . x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x						
Materials: Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (BS 2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2 Coating: Electro-statically applied epoxy resin to DIN 30677 – internally and externally Stirrup Bushing: Stainless Steel 303; Adaptor: Polyamide PA-11GF Rubber Gasket: NBR; Rubber Lining: NBR; Bolts: Stainless Steel A2 Washer: Stainless Steel A2; Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x						
Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (85 2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2 - Coating: Electro-statically applied epoxy resin to DIN 30677 – internally and externally Stirrup Bushing: Stainless Steel 303; Adaptor: Polyamide PA-11GF Rubber Gasket: NBR; Rubber Lining: NBR; Bolts: Stainless Steel A2 . Washer: Stainless Steel A2; Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x						
Stirrup (lower part): Stainless Steel A2 . Coating: Electro-statically applied epoxy resin to DIN 30677 – internally and externally . Stirrup Bushing: Stainless Steel 303; Adaptor: Polyamide PA-11GF Rubber Gasket: NBR; Rubber Lining: NBR; Bolts: Stainless Steel A2 . Washer: Stainless Steel A2; Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width . x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x			1602 (DC 2700 d- 500 7)	Cal Lib . Page		
Coating: Electro-statically applied epoxy resin to DIN 30677 – internally and externally . Stirrup Bushing: Stainless Steel 303; Adaptor: Polyamide PA-11GF . Rubber Gasket: NBR, Rubber Lining: NBR, Bolts: Stainless Steel A2 . Washer: Stainless Steel A2; Support Washer: PE-HD . Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); . Stirrup (lower part): other brand size / 100mm band width . x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x			1693 (BS 2789 grade 500-7) \	with rubber liner		
Stirrup Bushing: Stainless Steel 303; Adaptor: Polyamide PA-11GF Rubber Gasket: NBR; Rubber Lining: NBR; Bolts: Stainless Steel A2 . Washer: Stainless Steel A2; Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x			DIN 20677 internally and a	out a wall o		
Rubber Gasket: NBR; Rubber Lining: NBR; Bolts: Stainless Steel A2. Washer: Stainless Steel A2; Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x				externally ,	-	
Washer: Stainless Steel A2; Support Washer: PE-HD Option: Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width ***************** ****************						
Option: Bolt, Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X				To an in-	not have been produced to the second second	- Labor
Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width x-x-x-x-x-x-x-x-x 2 5 OCT 2024 sage / Requisitioner: 1st Quarter 2024 Consolidated Supplies and Materials apped by: Checked by: Addited by: Recommending Approval: Approved by: Signature over Printed Name of Supplier Date Internal Audito Date Operating / Maintenance Expense CAPEX Operating / Maintenance Expense CAPEX Operating / Maintenance Expense CAPEX				TO E	TTTT	
Stirrup (lower part): other brand size / 100mm band width x-x-x-x-x-x-x-x-x x-x-x-x-x-x-x-x-x-			No hole);		LILE	
Audited by: Checked by: Audited by: Recommending Approval: Approved by: Approved by: Approved by: Approved by: Signature over Printed Name of Supplier Acct: Operating / Maintenance Expense CAPEX Operating / Maintenance Expense				Cais >	- 00-	
Audited by: Checked by: Audited by: Recommending Approval: Approved by: Approved by: Approved by: Approved by: Signature over Printed Name of Supplier Acct: Operating / Maintenance Expense CAPEX Operating / Maintenance Expense				2	5 UCT 2024	
Approved by: Checked by: Approved by: Signed ATTY. CHANELL DOLORY. DE BUZMAN-BITAO Purchasing Supervisor Admin. D. FILIPPE Internal Audito AGM-Adm./Com./Fin. Signature over Printed Name of Supplier Date Acct.: Operating / Maintenance Expense CAPEX Operating / Maintenance Expense					2024	
Signature over Printed Name of Supplier Signature over Printed Name of Supplier Signature over Printed Name of Supplier Acct.: Operating / Maintenance Expense CAPEX Approved by:	age / Requisitioner:	1st Quarter 2024 Consolidated Supplies and M	Materials <u> </u>			
Purchysing Supervisor Admin. D. Signature over Printed Name of Supplier Acct.: Operating / Maintenance Expense CAPEX ATT. CHANELL DOLOR/S. DE JUZMAN-BITAO Internal Audito JZVIMIN S/RAMOS ATT. DA. JOSA C. TENEDERO General Manager ACCT.: Operating / Maintenance Expense CAPEX	ared by: Che	ecked by: Au	udited by: Rec	ommending Approval:	Approved	by:
ATTY. CHANELL DOLORYY. DE JUZMAN-BITAO PAULINAIN DE PRIMARIO SINGERO Admin. D. Primario Internal Audito Signature over Printed Name of Supplier Date Acct.: Operating / Maintenance Expense CAPEX		ICT 1 9 20' at and				
Signature over Printed Name of Supplier Date Acct.: Operating / Maintenance Expense CAPEX	signed		signed	signed	4	igned.
Signature over Printed Name of Supplier Date Acct.: Operating / Maintenance Expense CAPEX		A death D				ALV WUK IVI. KUYE
Acct.: Operating / Maintenance Expense CAPEX	nforme:		Thermal Addition	Adm-Adm./Com./Fil	11.	eneral Manager
Acct.: Operating / Maintenance Expense CAPEX						1/10/2
Operating / Maintenance Expense CAPEX	Signature	over Printed Name of Supplier	Date			
Operating / Maintenance Expense CAPEX	nds Available:					
JEL IN E PENALES, CAPEX	sias	red		erating / Maintenance Ext	pense	
rinance Manager Other Pavables	1	INALED	1			
	JEL DIVER					



BAGUIO WATER DISTRICT Bids and Awards Committee (In-house)

Document No. BAC IH F002

Document Code: BAC_IH

Effective Date: 16 March 2020

Revision No. 00

RESOLUTION

RESOLUTION NO. 149-2024 Request for Quotation (RQ) No. 07-038P-C-N

Universal Tapper

BIDS AND AWARDS COMMITTEE

WHEREAS, the Baguio Water District-Bids and Awards Committee (BWD-BAC), in accordance with the provisions of Republic Act (RA) No. 9184 and its Revised Implementing Rules and Regulations (IRR), conducted the bidding for the procurement of the following, all with required specifications under RQ No. 07-038P-C-N dated 24 July 2024, under a two-envelope system of bidding but not to be awarded on a one (1) lot basis, and with the respective approved budget costs (ABC) of:

Item	Quantity	Description	ABC	
			(per piece)	
1	3 pieces	Universal Tapper 8" x 2"	Php8,031.01	
2	3 pieces	Universal Tapper 10" x 2"	Php8,469.14	
3	3 pieces	Universal Tapper 12" x 2"	Php8,681.31	

WHEREAS, AVK PHILIPPINES, INC. and FANM ENTERPRISES, INC. submitted their bids and during the opening of the technical bids on 14 August 2024, both bidders submitted complete documentary requirements thus, their bids were endorsed to the Technical Working Group (TWG) for evaluation;

WHEREAS, upon evaluation by the TWG of the offers of the bidders, it was determined that AVK PHILIPPINES, INC. submitted complying offers for items 1-3. For **FANM ENTERPRISES, INC.**, its bids for items 1-3 were declared "non-complying" for failure to comply with the required BWD specifications;

WHEREAS, FANM ENTERPRISES, INC. was informed through a letter dated 16 September 2024 of its non-complying declarations and was given three (3) calendar days upon receipt of the said letter to file its request for reconsideration. However, the period granted has already lapsed and no request was received by the BWD-BAC; thus, its non-complying declarations have become final (Copy of the letter is hereto attached as Annex A);

WHEREAS, with the complying offers of AVK PHILIPPINES, INC., its financial bids were opened and the bids as read and calculated are as follows:

DESCRIPTION	QTY	BID PRICE (per piece)	% VARIANCE FROM ABC	ABC (per piece)		
AVK PHILIPPINES, INC.						
Universal Tapper 8" x 2"	3	Php8,031.01	-0-	Php8,031.31		
Universal Tapper 10" x 2"	3	Php8,469.14	-0-	Php8,469.14		
Universal Tapper 12" x 2"	3	Php8,685.31	-0-	Php8,685.31		

WHEREAS, upon post-qualification, careful examination, validation, and verification of all the documents submitted by and of the financial bids of the complying bidder, it has been determined that AVK PHILIPPINES, INC. submitted complete documents and its financial bids for items 1-3 are determined to be the lone calculated responsive bids;

NOW THEREFORE, on motion duly seconded, be it

RESOLVED, as it is hereby resolved, to recommend to the Head of the Procuring Entity (HoPE) awarding the procurement of three (3) pieces Universal Tappers 8" x 2" three (3) pieces Universal Tappers 10" x 2" and three (3) pieces Universal Tappers 12" *x* 2" to **AVK PHILIPPINES, INC.**, with the offered brand, specifications, and bid prices for being the lone calculated responsive bidder.

RESOLVED FURTHER, to direct the BAC Secretariat to return the sealed financial envelope (Envelope "B") of **FANM ENTERPRISES, INC.**

UNANIMOUSLY APPROVED (24 September 2024)

Geovani L. Piza Vice-Chairperson Joana B. Carame Member

Signed
Engr. Janel J. Balangcod
Member

Engr. Dominic T. Agusdan Member Atty. Chelsea S. De la Rosa Member

Atty. Ma. Luisa C. Tenedero Chairperson

Attested by:

Apple Jane P. Aviles
Secretariat

Sharlene M. Durante Secretariat

Approved by:

Engr. Salvador M. Royeca General Manager