### **Bid Notice Abstract**

### Invitation to Bid (ITB)

**Reference Number** 11466868

Procuring Entity BAGUIO WATER DISTRICT - BAGUIO CITY

**Title** Various Fittings for 3rd Quarter Consolidated Supplies & Materials

Area of Delivery Benguet

Solicitation Number:	11-212P-C	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Public Bidding	Associated Components	1
Classification:	Goods		
Category:	Water Service Connection Materials/Fittings	Bid Supplements	0
Approved Budget for the Contract:	PHP 1,889,783.56		
Delivery Period:		Document Request List	0
Client Agency:			
		Date Published	13/11/2024
Contact Person:	Ma. Luisa C Tenedero Chairperson, Bids and Awards Committee		
	BWD Compound, Utility Road Baguio City Benguet	Last Updated / Time	12/11/2024 11:53 AM
	Philippines 2600 63-74-4423456 63-74-4424858 bwd.bac2021@gmail.com	Closing Date / Time	04/12/2024 13:30 PM

#### **Description**

1,510 pcs ½" Ø Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded)

(Please see complete specifications below) Approved Budget Cost: ₱638.00 / pc

5 pcs 1"  $\emptyset$  Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded)

(Please see complete specifications below) Approved Budget Cost: ₱1,252.00 / pc

315 pcs 1" Ø Gate Valve, Threaded Type Class 125

(Please see complete specifications below)
Approved Budget Cost: ₱931.00 / pc

10 pcs " Ø Gate Valve, threaded type (Please see complete specifications below) Approved Budget Cost: ₱2,906.00 / pc

120 pcs 1/2" Ø HDPE Coupling

Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱278.00 / pc

40 pcs 3/4" Ø HDPE Coupling

Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱196.00 / pc

150 pcs 1" Ø HDPE Coupling

Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱420.00 / pc

13 pcs 2" Ø HDPE Female Coupling Adapter Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱1,347.00 / pc

489 pcs 1"  $\emptyset$  HDPE Male Coupling Adapter Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱167.00 / pc

126 pcs 2"  $\emptyset$  HDPE Male Coupling Adapter Body: Polypropylene, high grade copolymer

Split Ring: Acetal; Liner: Acetal, o-ring fixed inside;

Seal: Nitrile Rubber NBR

Approved Budget Cost: ₱1,089.00 / pc

530 pcs 1" Ø HDPE Poly BST Elbow Body – Polypropylene, high grade copolymer;

Split Ring – Acetal; Seal – Nitrile Rubber NBR

Approved Budget Cost: ₱381.00 / pc

3 pcs Universal Tapper 8" x 2"

(Please see complete specifications below) Approved Budget Cost: ₱5,909.90 / pc

3 pcs Universal Tapper 10" x 2"

(Please see complete specifications below) Approved Budget Cost: ₱6,144.97 / pc

3 pcs Universal Tapper 12" x 2"

(Please see complete specifications below) Approved Budget Cost: ₱6,378.65 / pc

 $x \times x \times x$ 

#### **BALL VALVE SPECIFICATIONS:**

- -Elements of the valve should be free from dirt, and there should not be any dirt, chip, burrs, and flakes etc. before assembling.
- -The threaded parts of the socket should be coated with sealing glue.
- -The valve should not present block to the circulation of closing and opening, and it should be flexible.
- -When the valve is fully open, the degree of the body axis and ball axis should be less than 3 degrees.
- -Seal test should be carried and testing pressure should not be less than 0.6Mpa.
- -The valve should be turned off during delivery.

Materials

Body: CW617N; Bonnet: CW617N Ball: Hpb57-3; Ball Seat: PTFE SM031 Stem: Hpb57-3; Handle: Hpb57-3 Elastic Cylindrical Pin: Stainless Steel

GATE VALVE (THREADED) SPECIFICATIONS:

Features: Brass Body, Non-Rising stem, Screw-over bonnet, Threaded ends

Specifications:

Nominal pressure: non-shock working pressure

Max working pressure 150 psi

Fitting to withstand min. working pressure of 1.00

Thread shall be NPT

Water way shall unobstructed when fully opened

Material List

Handwheel: Alloy / Packing Nut: Brass Bonnet: Brass / Stem: Brass Rod Wedge: Brass / Body: Brass

Bonnet Gasket: Plastic / Packing: Teflon

UNIVERSAL TAPPING SADDLE SPECIFICATIONS: For all kinds of pipe and sizes except PE Pipe Tapping on PA adaptor internally threaded

Threading to BSP 1/2", 3/4", and 1"

Use: for water and neutral liquids to max. 70°C

Maximum working pressure: 16 bar

Materials:

Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (BS

2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2

Coating: Electro-statically applied epoxy resin to DIN 30677 – internally and externally; Stirrup Bushing: Stainless Steel 303; Adaptor: Polyamide PA-11GF; Rubber Gasket: NBR; Rubber Lining: NBR; Bolts: Stainless Steel A2; Washer:

Stainless Steel A2; Support Washer: PE-HD

Option:

Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width

Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;
- b) Terms of payment, delivery, warranty, bid validity, and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of ₱5,000.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
- For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
- For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Pre-bid conference:

9:30am via Zoom Application Meeting ID: 452 718 8447

Password: 9Buvqr
Pre-bid Conference

Date Time Venue

22/11/2024 9:30:00 AM 9:30am via Zoom Application Meeting ID: 452 718 8447

Password: 9Buvqr

**Created by** Ma. Luisa C Tenedero

**Date Created** 12/11/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the

 $\ @$  2004-2024 DBM Procurement Service. All rights reserved.



# Document No. ADM-PUR-F003 Revision Date February 1, 2024 Revision No. 03

## **REQUEST FOR BIDS/QUOTATION (RQ)**

То:		RQ No.:	11 – 212P-C
	(Name of Supplier)	PR / JO No.:	212P
Contact Person:		Date of RQ:	November 8, 2024
Address:		Purpose of RC	Q:
		2024 3 <sup>rd</sup> Quar	ter Consolidated
Contact no.:		Supplies and	Materials

#### NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARRANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS Qty. **Description U-Price Total VALIDITY DATE:** 1,510 pcs 1/2" Ø Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded) day (Please see complete specifications below) (30 days minimum) Approved Budget Cost: ₱638.00 / pc **DELIVERY:** 5 pcs 1" Ø Ball Valve / Stop Cock Ball Type-Lock Wing (Threaded) working days (Please see complete specifications below) calendar days Approved Budget Cost: ₱1,252.00 / pc FOB warehouse 315 pcs 1" Ø Gate Valve, Threaded Type Class 125 **WARRANTY** (Please see complete specifications below) Approved Budget Cost: ₱931.00 / pc calendar days upon acceptance. 10 pcs 2" Ø Gate Valve, threaded type (Please see complete specifications below) **TERMS:** Approved Budget Cost: ₱2,906.00 / pc 120 pcs 1/2" Ø HDPE Coupling Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱278.00 / pc 40 pcs 3/4" Ø HDPE Coupling Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱196.00 / pc 150 pcs 1" Ø HDPE Coupling Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱420.00 / pc 13 pcs 2" Ø HDPE Female Coupling Adapter Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR



# Document No. ADM-PUR-F003 Revision Date February 1, 2024

## **REQUEST FOR BIDS/QUOTATION (RQ)**

		40-011 011-012 0, 40 0 11 11 011 (114)	Revision No.	03
		Approved Budget Cost: ₱1,347.00 / pc		
489	) pcs	1" Ø HDPE Male Coupling Adapter Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱167.00 / pc		
126	5 pcs	2" Ø HDPE Male Coupling Adapter Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, o-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱1,089.00 / pc		
530	) pcs	1" Ø HDPE Poly BST Elbow  Body – Polypropylene, high grade copolymer;  Split Ring – Acetal; Seal – Nitrile Rubber NBR  Approved Budget Cost: ₱381.00 / pc		
3	pcs	Universal Tapper 8" x 2" (Please see complete specifications below) Approved Budget Cost: ₱5,909.90 / pc		
3	pcs	Universal Tapper 10" x 2" (Please see complete specifications below) Approved Budget Cost: ₱6,144.97 / pc		
3	pcs	Universal Tapper 12" x 2" (Please see complete specifications below) Approved Budget Cost: ₱6,378.65 / pc		
		X X X X		
		BALL VALVE SPECIFICATIONS:  -Elements of the valve should be free from dirt, and ther should not be any dirt, chip, burrs, and flakes etc. before assembling.  -The threaded parts of the socket should be coated with sealing glue.  -The valve should not present block to the circulation of closing and opening, and it should be flexible.  -When the valve is fully open, the degree of the body ax and ball axis should be less than 3 degrees.  -Seal test should be carried and testing pressure should not be less than 0.6Mpa.  -The valve should be turned off during delivery.  Materials  Body: CW617N; Bonnet: CW617N  Ball: Hpb57-3; Ball Seat: PTFE SM031  Stem: Hpb57-3; Handle: Hpb57-3  Elastic Cylindrical Pin: Stainless Steel	is	
		GATE VALVE (THREADED) SPECIFICATIONS: Features: Brass Body, Non-Rising stem, Screw-over bonn	net,	



# Document No. ADM-PUR-F003 Revision Date February 1, 2024 Revision No. 03

## **REQUEST FOR BIDS/QUOTATION (RQ)**

Threaded ends Specifications:

Nominal pressure: non-shock working pressure

Max working pressure 150 psi

Fitting to withstand min. working pressure of 1.00

Thread shall be NPT

Water way shall unobstructed when fully opened

Material List

Handwheel: Alloy / Packing Nut: Brass Bonnet: Brass / Stem: Brass Rod Wedge: Brass / Body: Brass

Bonnet Gasket: Plastic / Packing: Teflon

#### **UNIVERSAL TAPPING SADDLE SPECIFICATIONS:**

For all kinds of pipe and <u>sizes</u> except PE Pipe Tapping on PA adaptor internally threaded

Threading to BSP 1/2", 3/4", and 1"

Use: for water and neutral liquids to max. 70°C

Maximum working pressure: 16 bar

Materials:

Saddle upper part: Ductile Iron, GGG-50, to DIN 1693 (BS

2789 grade 500-7) with rubber liner Stirrup (lower part): Stainless Steel A2

Coating: Electro-statically applied epoxy resin to DIN 30677 – internally and externally; Stirrup Bushing: Stainless Steel 303; Adaptor: Polyamide PA-11GF; Rubber Gasket: NBR; Rubber Lining: NBR; Bolts: Stainless Steel A2; Washer:

Stainless Steel A2; Support Washer: PE-HD

Option:

Bolt/Washer: Stainless Steel A4; Adaptor: Blank (No hole); Stirrup (lower part): other brand size / 100mm band width

Note: Not to be awarded on a one (1) lot basis.

#### This is a two (2) envelope system:

#### Envelope "A" to contain the following, among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;
- Terms of payment, delivery, warranty, bid validity, and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of **₱5,000.00**; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
  - o For bidders who have principal foreign suppliers,



Document No. ADM-PUR-F003

Revision Date February 1, 2024

## **REQUEST FOR BIDS/QUOTATION (RQ)**

Revision No. 03
the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.  For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable; f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation); International Certificate of Warranty.  Envelope "B" to contain the bid cost per unit.  Pre-bid conference: November 22, 2024 9:30am via Zoom Application Meeting ID: 452 718 8447 Password: 9Buvqr

By: Supplier or Authorized Representative:\_\_\_\_\_\_\_( sign over printed name )

Deadline of submission of bids: December 4, 2024 Opening of bids: 1:30 pm

Prepared by: PAUL TRAJANO Noted by: ATTY. MA. LUISA C. TENEDERO ENGR. REYNALDO C. JAYO

OIC - PURCHASING BAC IN-HOUSE BAC-TECHNICAL

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184

BWD DOES NOT ENGAGE IN SOLICITATION OF FUNDS FROM ANY INDIVIDUALS OR ENTITIES, AND WE STRONGLY ADVISE AGAINST RESPONDING TO ANY UNAUTHORIZED REQUESTS CLAIMING ASSOCIATION WITH OUR ORGANIZATION.