



Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 11446998
Procuring Entity BAGUIO WATER DISTRICT - BAGUIO CITY
Title Various Fittings for Projects
Area of Delivery Benguet

Solicitation Number:	11 – 208P-E / 209P-C	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Public Bidding	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Water Service Connection Materials/Fittings	Date Published	08/11/2024
Approved Budget for the Contract:	PHP 48,639.00	Last Updated / Time	07/11/2024 09:10 AM
Delivery Period:		Closing Date / Time	27/11/2024 13:30 PM
Client Agency:			
Contact Person:	Ma. Luisa C Tenedero Chairperson, Bids and Awards Committee BWD Compound, Utility Road Baguio City Benguet Philippines 2600 63-74-4423456 63-74-4424858 bwd.bac2021@gmail.com		

Description

23 pcs 1/2" Ø HDPE Coupling
Body: Polypropylene, high grade copolymer
Split Ring: Acetal; Liner: Acetal, O-ring fixed inside;
Seal: Nitrile Rubber NBR
Approved Budget Cost: ₱278.00 / pc

2 pcs 3" Ø Gate Valve, flanged type with companion steel flanges and BNG
Design Code: Hydraulic test to BS 5163 (DIN3230 / DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163
Maximum Pressure: PN16 or 16 bar
Temperature Range: -20 to 160 degrees centigrade
Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202- F4, ANSI B16.10, BS 5163
End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16
Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755
Materials:
Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron
Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874
Wedge Nut: Brass or Dezincification Resistant Brass
Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass
Bonnet Gasket: EPDM Rubber or EPDM / NBR
Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt

O-Ring: NBR or EPDM / NBR
Stem Collar: Brass

Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50)

Dustproof Ring: NBR or EPDM / NBR

Hex Nut: Cast Iron

Overall Dimensions:

Size / DN Length (L)

mm

Height (H)

mm

Width or D

mm

Weight kgs

DN80 (3") 203 297-390 200 20-23

Approved Budget Cost: ₱18,795.00 / pc

5 pcs 1" Ø Gate Valve, Threaded Type Class 125

Features: Brass Body, Non-Rising stem, Screw-over bonnet, Threaded ends

Specifications:

Nominal pressure: non-shock working pressure Max working pressure 150 psi

Fitting to withstand min. working pressure of 1.00

Thread shall be NPT

Water way shall unobstructed when fully opened Material List

Handwheel: Alloy / Packing Nut: Brass

Bonnet: Brass / Stem: Brass Rod

Wedge: Brass / Body: Brass

Bonnet Gasket: Plastic / Packing: Teflon

Approved Budget Cost: ₱931.00 / pc

x x x x x

Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid

Securing Declaration regardless of the amount of bid;

b) Terms of payment, delivery, warranty, bid validity, and complete specifications;

c) Brochure/s (Original);

d) Proof of payment of a non-refundable fee of ₱500.00; otherwise, bids shall not be opened

e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;

◦ For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.

◦ For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;

f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);

g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Created by Ma. Luisa C Tenedero

Date Created 07/11/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.






REQUEST FOR BIDS/QUOTATION (RQ)

Revision No.	03
--------------	----

RQ No.:	11 – 208P-E / 209P-C
PR / JO No.:	208P / 209P
Date of RQ:	November 5, 2024
Purpose of RQ:	
PR 208P: Proposed installation of 3" Ø x 514m Distribution Line along Purok 5, Sto. Rosario, Baguio City	
PR 209P: Proposed installation of 2" Ø x 182LM PVC Distribution Line Extension along Orchid St., UB Housing, Irisan, Baguio City	




	Qty.	Description	U-Price	Total
VALIDITY DATE: _____ day (30 days minimum)	23 pcs	1/2" Ø HDPE Coupling Body: Polypropylene, high grade copolymer Split Ring: Acetal; Liner: Acetal, O-ring fixed inside; Seal: Nitrile Rubber NBR Approved Budget Cost: ₱278.00 / pc		
DELIVERY: _____ working days _____ calendar days _____ FOB warehouse	2 pcs	3" Ø Gate Valve, flanged type with companion steel flanges and BNG Design Code: Hydraulic test to BS 5163 (DIN3230 / DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163 Maximum Pressure: PN16 or 16 bar Temperature Range: -20 to 160 degrees centigrade Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163 End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16 Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755 Materials: Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874 Wedge Nut: Brass or Dezincification Resistant Brass		
WARRANTY _____ calendar days upon acceptance.				
TERMS:				

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600		Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)		Revision Date	February 1, 2024
			Revision No.	03

	5 pcs	<p>Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass</p> <p>Bonnet Gasket: EPDM Rubber or EPDM / NBR</p> <p>Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt</p> <p>O-Ring: NBR or EPDM / NBR</p> <p>Stem Collar: Brass</p> <p>Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50)</p> <p>Dustproof Ring: NBR or EPDM / NBR</p> <p>Hex Nut: Cast Iron</p> <p>Overall Dimensions:</p> <table border="1" style="width: 100%; text-align: center;"> <tr> <th>Size / DN</th> <th>Length (L) mm</th> <th>Height (H) mm</th> <th>Width or D mm</th> <th>Weight kgs</th> </tr> <tr> <td>DN80 (3")</td> <td>203</td> <td>297-390</td> <td>200</td> <td>20-23</td> </tr> </table> <p>Approved Budget Cost: ₱18,795.00 / pc</p>	Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs	DN80 (3")	203	297-390	200	20-23		
		Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs								
DN80 (3")	203	297-390	200	20-23										
<p>1" Ø Gate Valve, Threaded Type Class 125</p> <p>Features: Brass Body, Non-Rising stem, Screw-over bonnet, Threaded ends</p> <p>Specifications:</p> <p>Nominal pressure: non-shock working pressure Max working pressure 150 psi</p> <p>Fitting to withstand min. working pressure of 1.00</p> <p>Thread shall be NPT</p> <p>Water way shall unobstructed when fully opened</p> <p>Material List</p> <p>Handwheel: Alloy / Packing Nut: Brass</p> <p>Bonnet: Brass / Stem: Brass Rod</p> <p>Wedge: Brass / Body: Brass</p> <p>Bonnet Gasket: Plastic / Packing: Teflon</p> <p>Approved Budget Cost: ₱931.00 / pc</p> <p style="text-align: center;">X X X X X</p> <p style="text-align: center;">Note: Not to be awarded on a one (1) lot basis.</p> <p>This is a two (2) envelope system:</p> <p>Envelope "A" to contain the following, among others:</p> <p>a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is</p>														

November 27, 2024

signed

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600		Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)		Revision Date	February 1, 2024
			Revision No.	03

		<p>required for a total purchase bid amount of ₱50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;</p> <p>b) Terms of payment, delivery, warranty, bid validity, and complete specifications;</p> <p>c) Brochure/s (Original);</p> <p>d) Proof of payment of a non-refundable fee of ₱500.00; otherwise, bids shall not be opened</p> <p>e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;</p> <ul style="list-style-type: none"> o For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement. o For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable; <p>f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);</p> <p>g) International Certificate of Warranty.</p> <p>Envelope "B" to contain the bid cost per unit.</p>		
--	--	--	--	--

By: Supplier or Authorized Representative: _____ (sign over printed name)

Deadline of submission of bids: **November 27, 2024** Opening of bids: **1:30 pm**

Prepared by: *signed* **PAUL TRAJANO** OIC - PURCHASING Noted by: *signed* **ATTY. MA. LUISA C. TENEDERO** BAC IN-HOUSE *signed* **ENGR. REYNALDO C. JAYCO** BAC-TECHNICAL

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING
PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184
BWD DOES NOT ENGAGE IN SOLICITATION OF FUNDS FROM ANY INDIVIDUALS OR ENTITIES, AND WE STRONGLY ADVISE
AGAINST RESPONDING TO ANY UNAUTHORIZED REQUESTS CLAIMING ASSOCIATION WITH OUR ORGANIZATION.