







## **BAGUIO WATER DISTRICT**

BWD Compound, Utility Road, Baguio City 2600

## **PURCHASE ORDER (P.O)**

Document No. ADM-PUR-F006 **Revision Date** October 29, 2019 Revision No. 02

Nº 036362,

Supplier / Contractor Contact Number Address / TIN	: AVK PHILIPPINES, INC. : (02) 376-6400 to 01 70 West Ave. Brgy. West Triangle Q.C	Date	ase Order No.	:	36362 Cottober 18, 2024
Gentlemen / Madam,	A	PR No	o. / Abstract No.	The state of the s	
	e the following articles subject to the ten	ms and conditions contain	and bessia		
lace of Delivery : Pi	ck-up	Purchase Order (PO) V	olid Until 20 20	593	
	OB BWD Warehouse	Warranty: Six Montl			.( )
	eliver at Site:	VVarianty Six IVIONU	is One year	Others (plea	ase specify)
ate of Delivery : 30		1% Retention Requ	inad		
	Calendar Days upon receipt of PO	Performance Bond			
		Subject to testing /	inspection prior to	neck / 50% if GSIS sur	rety bond)
elivery Term : Fu	III Partial Delivery allowed	Payment Term: COE		Others (plea	asa spaciful
			Z 30 Days	Others (piec	ase specify)
Quantity Unit	Description / Sp	ecifications		Unit Cost	Amount
3 units	4"Ø Gate Valve, flanged type with com		BNG \	14,954.05 ₽	44,862.15
	"AVK Brand" PHK -			1	,002.13
	Temperature Range: -20 to 160 degrees centigrade; End Flange: EN1092-2 (ISO 7005-2); Tightness Test: Materials:	Operating Torque Test			
	Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grafully encapsulated with EPDM rubber with integral with 232 to BS 2874; Wedge Nut: Dezincification Resistar or Stainless Steel / Brass; Bonnet Gasket: EPDM Rubmelt; O-Ring: NBR or EPDM / NBR Stem Collar: Brass; Gland Flange: Ductile Iron GJS-50 / NBR; Hex Nut: Cast Iron  Overall Dimensions: Size / DN Length (L) mm Height (4H) mm DN100 (4") 229 334  x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x	vedge nut of dezincification resis nt Brass ; Stem: Stainless Steel, D ber ; Bonnet: Stainless Steel A2, 00-7 (GGG-50) ; Dustproof Ring:	tant brass, CZ IN X 20 Cr 13 sealed with hot NBR or EPDM		
	fully encapsulated with EPDM rubber with integral w 132 to BS 2874; Wedge Nut: Dezincification Resistar or Stainless Steel / Brass; Bonnet Gasket: EPDM Rub melt; O-Ring: NBR or EPDM / NBR Stem Collar: Brass; Gland Flange: Ductile Iron GJS-50 / NBR; Hex Nut: Cast Iron  Overall Dimensions: Size / DN Length (L) mm Height (4H) mm DN100 (4") 229 334	wedge nut of dezincification resisnt Brass ; Stem: Stainless Steel, Diber ; Bonnet: Stainless Steel A2, 00-7 (GGG-50) ; Dustproof Ring:  Width (D) mm Weight (kg 220 26	tant brass, CZ IN X 20 Cr 13 sealed with hot NBR or EPDM	3 1 acr 2	LED 024
Jsage / Requisitioner:	fully encapsulated with EPDM rubber with integral w 132 to BS 2874; Wedge Nut: Dezincification Resistar or Stainless Steel / Brass; Bonnet Gasket: EPDM Rub melt; O-Ring: NBR or EPDM / NBR Stem Collar: Brass; Gland Flange: Ductile Iron GJS-50 / NBR; Hex Nut: Cast Iron  Overall Dimensions: Size / DN Length (L) mm Height (4H) mm DN100 (4") 229 334  x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x	wedge nut of dezincification resisnt Brass; Stem: Stainless Steel, Diber; Bonnet: Stainless Steel A2, DD-7 (GGG-50); Dustproof Ring:  Width (D) mm Weight (kg 220 26 x-x-x-x-x-x-x-x-x	tant brass, CZ IN X 20 Cr 13 sealed with hot NBR or EPDM	3 1 QCT 2	
Jsage / Requisitioner:  Che  Signed PAUX RAJANO C Purchasing Supervisor	fully encapsulated with EPDM rubber with integral w 132 to BS 2874; Wedge Nut: Dezincification Resistar or Stainless Steel / Brass; Bonnet Gasket: EPDM Rub melt; O-Ring: NBR or EPDM / NBR Stem Collar: Brass; Gland Flange: Ductile Iron GJS-50 / NBR; Hex Nut: Cast Iron  Overall Dimensions: Size / DN Length (L) mm Height (4H) mm DN100 (4") 229 334 x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-	wedge nut of dezincification resisnt Brass; Stem: Stainless Steel, Diber; Bonnet: Stainless Steel A2, 200-7 (GGG-50); Dustproof Ring:  Width (D) mm Weight (kg 220 26 x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-	tant brass, CZ IN X 20 Cr 13 sealed with hot NBR or EPDM IS.)	Approved  Approved  EV  EV  ENGR. E	aned
Dage / Requisitioner:  Dared hur Che  SIGNED  PAUX TRAJANO  C Purchasing Supervisor	fully encapsulated with EPDM rubber with integral w 132 to BS 2874; Wedge Nut: Dezincification Resistar or Stainless Steel / Brass; Bonnet Gasket: EPDM Rub melt; O-Ring: NBR or EPDM / NBR Stem Collar: Brass; Gland Flange: Ductile Iron GJS-50 / NBR; Hex Nut: Cast Iron  Overall Dimensions: Size / DN Length (L) mm Height (4H) mm DN100 (4") 229 334 x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-	wedge nut of dezincification resisnt Brass; Stem: Stainless Steel, Diber; Bonnet: Stainless Steel A2, 100-7 (GGG-50); Dustproof Ring:  Width (D) mm Weight (kg 220 26 x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-	mending Approval:	Approved  Approved  EV  EV  ENGR. E	
Dage / Requisitioner:  Dared by Che  Signed  PAUX RAJANO  Purchasing Supervisor  Conforme:	fully encapsulated with EPDM rubber with integral w 132 to BS 2874; Wedge Nut: Dezincification Resistar or Stainless Steel / Brass; Bonnet Gasket: EPDM Rub melt; O-Ring: NBR or EPDM / NBR Stem Collar: Brass; Gland Flange: Ductile Iron GJS-50 / NBR; Hex Nut: Cast Iron  Overall Dimensions: Size / DN Length (L) mm Height (4H) mm DN100 (4") 229 334 x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-	wedge nut of dezincification resisnt Brass; Stem: Stainless Steel, Diber; Bonnet: Stainless Steel A2, 100-7 (GGG-50); Dustproof Ring:  Width (D) mm Weight (kg 220 26 x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-	mending Approval:	Approved  Approved  EV  EV  ENGR. E	aned
Jsage / Requisitioner:  Che  Signud  PAUX RAJANO  C Purchasing Supervisor  Conforme:  Signature	fully encapsulated with EPDM rubber with integral w 132 to BS 2874; Wedge Nut: Dezincification Resistar or Stainless Steel / Brass; Bonnet Gasket: EPDM Rub melt; O-Ring: NBR or EPDM / NBR Stem Collar: Brass; Gland Flange: Ductile Iron GJS-50 / NBR; Hex Nut: Cast Iron  Overall Dimensions: Size / DN Length (L) mm Height (4H) mm  DN100 (4") 229 334 x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-	wedge nut of dezincification resisnt Brass; Stem: Stainless Steel, Diber; Bonnet: Stainless Steel A2, Diber; Bonnet: Bonne	mending Approval:	Approved  Approved  EV  EV  ENGR. E	and over
Dsage / Requisitioner:  Dared hur Che  Signature  Inds Available:  Usage / Requisitioner:  Che  Signature  Signature  Usage / Requisitioner:  Usage / Requisitioner:  Signature  Usage / Requisitioner:  Usage / Requisitioner:  Usage / Requisitioner:  Signature  Usage / Requisitioner:  Usage / Requisitioner:  Usage / Requisitioner:  Signature  Usage / Requisitioner:  Usage	fully encapsulated with EPDM rubber with integral w 132 to BS 2874; Wedge Nut: Dezincification Resistar or Stainless Steel / Brass; Bonnet Gasket: EPDM Rub melt; O-Ring: NBR or EPDM / NBR Stem Collar: Brass; Gland Flange: Ductile Iron GJS-50 / NBR; Hex Nut: Cast Iron  Overall Dimensions: Size / DN Length (L) mm Height (4H) mm DN100 (4") 229 334 x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-	wedge nut of dezincification resisnt Brass; Stem: Stainless Steel, Diber; Bonnet: Stainless Steel A2, Diber; Bonnet: Stainless Steel A2, Diber; Bonnet:	tant brass, CZ IN X 20 Cr 13 sealed with hot  NBR or EPDM  JS.)  mending Approval:  igned/29/2 Y. Ma. Luisa C. TENEL  AGM-Adm./Com./Fin.	Approved  Approved  ENGR E	and over
Dage / Requisitioner:  Dared by Che  Signed PAUX RAJANO PURCHASING Supervisor Onforme:  Signature	fully encapsulated with EPDM rubber with integral w 132 to BS 2874; Wedge Nut: Dezincification Resistar or Stainless Steel / Brass; Bonnet Gasket: EPDM Rub melt; O-Ring: NBR or EPDM / NBR Stem Collar: Brass; Gland Flange: Ductile Iron GJS-50 / NBR; Hex Nut: Cast Iron  Overall Dimensions: Size / DN Length (L) mm Height (4H) mm DN100 (4") 229 334 x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-	wedge nut of dezincification resist the Brass; Stem: Stainless Steel, Diber; Bonnet: Stainless Steel A2, 100-7 (GGG-50); Dustproof Ring:  Width (D) mm Weight (kg 220 26 x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-	mending Approval:	Approved  Approved  ENGR E	and over



## BAGUIO WATER DISTRICT Bids and Awards Committee (In-house)

Document No. BAC\_IH\_F002

Document Code: BAC\_IH

Effective Date: 16 March 2020

Revision No. 00

**RESOLUTION** 

## BIDS AND AWARDS COMMITTEE RESOLUTION NO. 151-2024

Request for Quotation (RQ) No. 08-154P-E Check Valve, Gate Valve and Air Release Valve

WHEREAS, the Baguio Water District-Bids and Awards Committee (BWD-BAC), in accordance with the provisions of Republic Act (RA) No. 9184 and its Revised Implementing Rules and Regulations (IRR), conducted the bidding for the procurement of the following, all with required specifications under RQ No. 08-154P-E dated 01 August 2024, under a two-envelope system of bidding but not to be awarded on a one (1) lot basis, and with the respective approved budget costs (ABC) of:

Item	Quantity	Description	ABC
			(per unit/piece)
1	2 units	4"Ø Check Valve, flange type	Php27,228.00
2	3 units	4"Ø Gate Valve, flanged type with companion steel flanges and BNG	Php27,479.00
3	2 pieces	2" Air Release Valve	Php27,527.00

WHEREAS, AVK PHILIPPINES, INC. and FANM ENTERPRISES, INC. submitted their bids and during the opening of the technical bids on 28 August 2024, both bidders submitted documentary requirement thus, their bids were endorsed to Technical Working Group (TWG) for evaluation;

**WHEREAS,** upon evaluation by the TWG of the offers of the bidders, it was determined that **AVK PHILIPPINES, INC.** submitted a complying offer for item 2 only, and its offers for items 1 and 3 were declared "non-complying" with the required BWD specifications; while **FANM ENTERPRISES, INC.** submitted complying offers for items 2 and 3, and its offer for item 1 was declared "non-complying" with the required BWD specifications;

WHEREAS, AVK PHILIPPINES, INC. and FANM ENTERPRISES, INC. were informed through letters dated on 17 September 2024 of their non-complying offers and were given three (3) calendar days upon receipt of the said letter to file their requests for reconsideration; (Copies of the letters are attached as Annex A and Annex B)

WHEREAS, AVK PHILIPPINES, INC. submitted its request for reconsideration on 17 September 2024 stating that its submitted data sheet dimension for the check valve is the latest standard and is being regularly supplied with its existing clients and its offer is complying according to EN558 Table 2 Basic Series 10; (A copy of the said letters is attached as Annex C). Upon evaluation by the BWD-BAC of its request for reconsideration, the same was denied as the BWD's standard specifications shall remain as bases for evaluation;

**WHEREAS, FANM ENTERPRISES, INC.** failed to submit its request for reconsideration within three (3) calendar days upon receipt or until 20 September 2024 thus, its "non-complying" rating has become final;

WHEREAS, the financial bids of AVK PHILIPPINES, INC. and FANM ENTERPRISES, INC. were opened and their bids, on the offers declared complying, as read and calculated are as follows:

DESCRIPTION	QTY	BID PRICE (per piece)	% VARIANCE FROM ABC	ABC (per piece)	
AVK PHILIPPINES, INC.					
4"Ø Gate Valve, flanged type with companion steel flanges and BNG	3	Php14,954.05	45.58%	Php27,479.00	
FANM ENTERPRISES, INC.					

DESCRIPTION	QTY	BID PRICE (per piece)	% VARIANCE FROM ABC	ABC (per piece)
4"Ø Gate Valve, flanged type with companion steel flanges and BNG	3	Php27,479.00	-0-	Php27,479.00
2" Air Release Valve	2	Php27,527.00	-0-	Php27,527.00

**WHEREAS,** upon post-qualification, careful examination, validation, and verification of all the documents submitted by and of the financial bids of the complying bidders, it has been determined that **AVK PHILIPPINES, INC.** submitted complete documents and its financial bid for item 2 is determined to be the lowest calculated responsive bid; while **FANM ENTERPRISES, INC.** submitted complete documents and its financial bid for item 3 is determined to be the lone calculated responsive bid;

NOW THEREFORE, on motion duly seconded, be it

**RESOLVED,** as it is hereby resolved, to declare a **FIRST FAILURE** of bidding for the procurement of two (2) units 4"Ø Check Valve, flange type as the bidders failed to submit complying offers and to conduct a **RE-BIDDING** thereof;

**RESOLVED FURTHER,** to recommend to the Head of Procuring Entity (HoPE) awarding the procurement of three (3) units 4"Ø Gate Valves, flanged type with companion steel flanges and BNG to **AVK PHILIPPINES, INC.**, with the offered brand, specifications, and bid price for being the lowest calculated responsive bidder and awarding the procurement of two (2) pieces Air Release Valves to **FANM ENTERPRISES, INC.**, with the offered brand, specifications, and bid price for being the lone calculated responsive bidder,

**UNANIMOUSLY APPROVED (25 September 2024)** 

Signed Geovani L. Piza Vice-Chairperson Joana D. Carame Member

Engr. Janel J. Balangcod Member

Engr. Dominic T. Agusdan Member Atty. Chelsea S. De la Rosa Member

Atty. Ma. Luisa C. Tenedero Chairperson

Attested by:

Apple Jane P. Aviles
Secretariat

Sharlene M. Durante Secretariat

Approved by:

Engr. Salvador M. Royeca General Manager