



Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 11595445
Procuring Entity BAGUIO WATER DISTRICT - BAGUIO CITY
Title 10 pcs 1" Air Release Valve & 10 pcs 2" Air Release Valve
Area of Delivery Benguet

Solicitation Number:	12-243P	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Public Bidding	Associated Components	1
Classification:	Goods		
Category:	Water Service Connection Materials/Fittings	Bid Supplements	0
Approved Budget for the Contract:	PHP 417,990.00		
Delivery Period:		Document Request List	0
Client Agency:			
Contact Person: Ma. Luisa C Tenedero Chairperson, Bids and Awards Committee BWD Compound, Utility Road Baguio City Benguet Philippines 2600 63-74-4423456 63-74-4424858 bwd.bac2021@gmail.com	Date Published		16/12/2024
	Last Updated / Time		10/12/2024 10:05 AM
	Closing Date / Time		03/01/2025 13:30 PM

Description

10 pcs " Air Release Valve
(Please see complete specifications below)
Approved Budget Cost: ₱14,272.00 / pc

10 pcs 2" Air Release Valve
(Please see complete specifications below)
Approved Budget Cost: ₱27,527.00 / pc

COMBINATION AIR VALVES SPECIFICATIONS:

Technical Specifications:

- The valve shall consist of two floats (the bottom and the upper float), the bottom float drops and allowing the trapped air to be vented through the small nozzle at the center of the top float.
- The float shall have a float guide on two sides.
- The valve shall be made of Cast Iron / Ductile Iron with Glass Reinforced Plastic (GRP) inner body
- Float body shall be made of Polypropylene and it should be cylindrical / trapezoid in design

I. A Parts Specification of 1" Ø Combination Air Valves:

Description

Material

Base

Brass

O-ring

NBR

Automatic Float

Foamed Polypropylene

Automatic Seal

EPDM

Bonnet

PA6+30GF

Drainage Elbow

Polypropylene

ID Plate

AL

Metallic Cover

Cast Iron

I.B Parts Specification of 2" Ø Combination Air Valves:

Description

Material

Bonnet

PA6+30GF

Cover

D.I.

Flanged Base

D.I.

Elbow

Polypropylene

Float

Foam PP

Slider

PA6+30GF

Seal

EPDM

Spacer

POM

Auto Seal

EPDM

Flat Seal

EPDM

O-ring

Nitrilic Rubber

ID Plate

Aluminum

Screw Hex

SST

Washer

SST

Dimensions & Weights:

1" Ø

2" Ø

Height (H)

137 mm

259.50 mm

Width (W)

99.5 mm

214 mm

Thread (D)

1" (BSP/NPT) 2" (BSP/NPT)

Nozzle Area (A)

12.85 mm² 12.85 mm²

Total Width (L)

116.5 mm

-

Drainage Diameter (E)

¼" BSP

1 ½" BSP

Kinetic Nozzle Area (K)

-

908 mm

Flange

-
ISO 6/25 /
ANSI 1 50
Weight
2 kg
9 kgs.
x x x x x

Note: Not to be awarded on a one (1) lot basis.

x x x x x

This is a two (2) envelope system:

Envelope "A" to contain the following; among others:




- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid;
- b) Terms of payment, delivery, warranty, bid validity and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of ₱500.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
 - For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
 - For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Created by Ma. Luisa C Tenedero




Date Created 10/12/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)	Revision Date	February 1, 2024
		Revision No.	03

To:	_____	RQ No.:	12 – 243P
	(Name of Supplier)	PR / JO No.:	243P
Contact Person:	_____	Date of RQ:	December 6, 2024
Address:	_____	Purpose of RQ:	For replenishment of fast-moving materials to be used by R & M
Contact no.:	_____		

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARRANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS																						
	Qty.	Description	U-Price	Total																		
VALIDITY DATE: _____ day (30 days minimum)	10 pcs	1" Air Release Valve (Please see complete specifications below) Approved Budget Cost: ₱14,272.00 / pc																				
	10 pcs	2" Air Release Valve (Please see complete specifications below) Approved Budget Cost: ₱27,527.00 / pc																				
DELIVERY: _____ working days _____ calendar days _____ FOB warehouse		COMBINATION AIR VALVES SPECIFICATIONS: Technical Specifications: <ul style="list-style-type: none"> The valve shall consist of two floats (the bottom and the upper float), the bottom float drops and allowing the trapped air to be vented through the small nozzle at the center of the top float. The float shall have a float guide on two sides. The valve shall be made of Cast Iron / Ductile Iron with Glass Reinforced Plastic (GRP) inner body Float body shall be made of Polypropylene and it should be cylindrical / trapezoid in design 																				
WARRANTY _____ calendar days upon acceptance.		I. A Parts Specification of 1" Ø Combination Air Valves: <table border="1"> <tr> <th>Description</th> <th>Material</th> </tr> <tr> <td>Base</td> <td>Brass</td> </tr> <tr> <td>O-ring</td> <td>NBR</td> </tr> <tr> <td>Automatic Float</td> <td>Foamed Polypropylene</td> </tr> <tr> <td>Automatic Seal</td> <td>EPDM</td> </tr> <tr> <td>Bonnet</td> <td>PA6+30GF</td> </tr> <tr> <td>Drainage Elbow</td> <td>Polypropylene</td> </tr> <tr> <td>ID Plate</td> <td>AL</td> </tr> <tr> <td>Metallic Cover</td> <td>Cast Iron</td> </tr> </table>	Description	Material	Base	Brass	O-ring	NBR	Automatic Float	Foamed Polypropylene	Automatic Seal	EPDM	Bonnet	PA6+30GF	Drainage Elbow	Polypropylene	ID Plate	AL	Metallic Cover	Cast Iron		
Description	Material																					
Base	Brass																					
O-ring	NBR																					
Automatic Float	Foamed Polypropylene																					
Automatic Seal	EPDM																					
Bonnet	PA6+30GF																					
Drainage Elbow	Polypropylene																					
ID Plate	AL																					
Metallic Cover	Cast Iron																					
TERMS:																						

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600		Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)		Revision Date	February 1, 2024
			Revision No.	03

I.B Parts Specification of 2" Ø Combination Air Valves:

Description	Material
Bonnet	PA6+30GF
Cover	D.I.
Flanged Base	D.I.
Elbow	Polypropylene
Float	Foam PP
Slider	PA6+30GF
Seal	EPDM
Spacer	POM
Auto Seal	EPDM
Flat Seal	EPDM
O-ring	Nitrilic Rubber
ID Plate	Aluminum
Screw Hex	SST
Washer	SST

Dimensions & Weights:	1" Ø	2" Ø
Height (H)	137 mm	259.50 mm
Width (W)	99.5 mm	214 mm
Thread (D)	1" (BSP/NPT)	2" (BSP/NPT)
Nozzle Area (A)	12.85 mm2	12.85 mm2
Total Width (L)	116.5 mm	-
Drainage Diameter (E)	¼" BSP	1 ½" BSP
Kinetic Nozzle Area (K)	-	908 mm
Flange	-	ISO 6/25 / ANSI 1 50
Weight	2 kg	9 kgs.

x x x x x




Note: Not to be awarded on a one (1) lot basis.

x x x x x

This is a two (2) envelope system:

Envelope "A" to contain the following; among others:

- A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600		Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)		Revision Date	February 1, 2024
			Revision No.	03
<p>120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid;</p> <p>b) Terms of payment, delivery, warranty, bid validity and complete specifications;</p> <p>c) Brochure/s (Original);</p> <p>d) Proof of payment of a non-refundable fee of ₱500.00; otherwise, bids shall not be opened</p> <p>e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;</p> <ul style="list-style-type: none"> ◦ For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement. ◦ For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable; <p>f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);</p> <p>g) International Certificate of Warranty.</p> <p>Envelope "B" to contain the bid cost per unit.</p>				

By: Supplier or Authorized Representative: _____ (sign over printed name)

Deadline of submission of bids: **January 3, 2025** Opening of bids: **1:30 pm**

Prepared by: *signed* **PAUL TRAJANO** OIC - PURCHASING Noted by: *signed* **ATTY. MA. LUISA C. TENEDERO** BAC IN-HOUSE *signed* **ENGR. REYNALDO C. JAYCO** BAC-TECHNICAL

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING
PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184
BWD DOES NOT ENGAGE IN SOLICITATION OF FUNDS FROM ANY INDIVIDUALS OR ENTITIES, AND WE STRONGLY ADVISE
AGAINST RESPONDING TO ANY UNAUTHORIZED REQUESTS CLAIMING ASSOCIATION WITH OUR ORGANIZATION.