

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No.	ADM-PUR-F006
	PURCHASE ORDER (P.O)	Revision Date	October 29, 2019
		Revision No.	02

Nº 036435

Supplier / Contractor	: KEYLARGO INDUSTRIAL SALES	Purchase Order No.	: 36435
Contact Number	: 02-284-2856 / 961-52-60 local 218	Date	: December 10, 2024
Address / TIN	: 1471 Quezon Ave. West Triangle Q.C.	PR No. / Abstract No.	: 11-17 SP

Gentlemen / Madam,

Please furnish this Office the following articles subject to the terms and conditions contained herein.




Place of Delivery : <input type="checkbox"/> Pick-up <input checked="" type="checkbox"/> FOB BWD Warehouse <input type="checkbox"/> Deliver at Site: _____	Purchase Order (PO) Valid Until: <u>30 DAYS</u> Warranty: <input type="checkbox"/> Six Months <input checked="" type="checkbox"/> One Year <input type="checkbox"/> Others (please specify) _____
Date of Delivery : _____ Working Days _____ Calendar Days upon receipt of PO <u>20-25 WORKS</u>	<input checked="" type="checkbox"/> 1% Retention Required <input type="checkbox"/> Performance Bond Required (5% if in check / 50% if GSIS surety bond) <input checked="" type="checkbox"/> Subject to testing/ inspection prior to payment
Delivery Term : <input type="checkbox"/> Full <input type="checkbox"/> Partial Delivery allowed	Payment Term: <input type="checkbox"/> COD <input type="checkbox"/> 30 Days <input checked="" type="checkbox"/> Others (please specify) <u>60 DAYS</u>

Quantity	Unit	Description/ Specifications	Unit Cost	Amount
4	sets	"Grundfos" (Denmark) Vertical Multistage Centrifugal Pump & Motor Pump Model: CRN64-4-1-E-F-A-E-HQQE, 300 USGPM, 400 feet, coupled to Induction Motor 50HP, 230V /460V, 60Hz, 3600 RPM, 2 Poles, 3-Phase, Class F Insulation, 93.0% efficiency at full load, TEFC enclose class. Complete with Motor Control: "Danfoss" (Denmark) Soft Starter Motor Controller adaptable to Vertical Multistage Centrifugal Motor model: MCD60171BT5S2X00CV2 Rating: 50HP, 240V (Nominal), 3-Phase, 60Hz Capacity of Pressure Transmitter of: 25 bars Control Body: IP20 (can be utilized as control shall be installed with in control panel) X-X-X-X-X-X-X-X-X-X-X-X (Please refer to the attached sheet for complete detailed specifiactions) - For on-site delivery - Supplier to provide high tensile mounting bolts for pump base - Supplier to provide BNG and flanges for both suction and discharge ports - Supplier to provide manufacturer pump test result upon delivery - Supplier to provide brochure with full specification and pump curve of offered booster pump	1,305,000.00 P	5,220,000.00

EMAILED
16 DEC 2024

Usage / Requisitioner: For Sofia PS and Sanggalang Booster

Prepared by:	Checked by:	Audited by:	Recommending Approval:	Approved by:
<u>signed</u> PAUL TRAJANO OIC Purchasing Supervisor	<u>signed</u> DEC 11 2024 ATTY. CHANELL DOLOR D/DE BUZMAN-BITAO Admin. Division manager	<u>signed</u> LUZVILIN G. RAMOS Internal Audit	<u>signed</u> ATTY. MA. WILSA C. MENEDERO AGM-Adm./Com./Fin.	<u>signed</u> ENGR. SAUADOR M. ROYCA General Manager
Conforme:				
Signature over Printed Name of Supplier		Date		
Funds Available:	Acct:			
<u>signed</u> JELVY D. PENALES Finance Manager	Operating / Maintenance Expense <input type="checkbox"/> CAPEX <input checked="" type="checkbox"/> Other Payables <input type="checkbox"/>			

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600		Document No.	ADM-PUR-F006
	PURCHASE ORDER (P.O)		Revision Date	February 15, 2020
			Revision No.	00




Supplier/Contractor	: KEYLARGO INDUSTRIAL SALES	Purchase Order No.	: 36435
Contact Number	: 02-248-2856/961-52-60 local 218	Date	: December 10, 2024
Address/ TIN	: 1471 Quezon Ave. West Triangle Quezon City	PR No./Abstract No.	: 11-175P

Qty	Unit	Description	Unit Cost	Amount
4	sets	"GRUNDFOS" (Denmark) Vertical Multistage Centrifugal Pump and Motor Model: CRN64-4-1-E-F-A-E-HQQE Motor Specifications: - Type: Induction - HP Rating: 50HP - Nominal Voltage: 230V/460V - Supply Frequency: 60Hz - Number of Poles: 2 Poles - Nominal Speed: 3600 RPM - Number of Phase: 3Φ - Insulation Class: F - Efficiency at full load: 93.0% - Enclose Class: TEFC Coupled and aligned with Heavy Duty Mounting Base to: Pump Requirement: - Capacity: 300 USGPM - TDH: 400ft Construction Material: Shaft Seal: Cartridge Type Shaft Seal Material: HQQE Pump Head: Cast Iron/ Stainless Steel (updated specs) Pump Shaft: Stainless Steel Impeller: Stainless Steel Chamber: Stainless Steel Outer Sleeve: Stainless Steel Base: Cast iron / Stainless Steel (updated specs) Neck Ring: Polyetheretherketone (PEEK) Support Bearing: PTFE Bearing Rings: Silicon Carbide Pump Efficiency: 76.1% Complete with Motor Control: "Danfoss" (Denmark) Soft Starter Motor Controller adaptable to 50HP, 240V (nominal), 3 phase, 60Hz, Vertical motor model MCD60171BT5S2X00CV2 Soft Starter Specifications:	1,305,000.00	5,220,000.00



EMAILED






6 DEC 2024

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600	Document No. ADM-PUR-F006
	PURCHASE ORDER (P.O)	Revision Date February 15, 2020
		Revision No. 00

Qty	Unit	Description	Unit Cost	Amount
		1. Main Voltage		
		L1, L2, L3 200VAC – 300VAC (+/- 10%)		
		2. Control Voltage		
		(A4, A6) 220-240VAC (+ 10% / -15%)		
		Main Frequency 60Hz (+/- 10%)		
		Rated insulation Voltage to earth 600VAC		
		Rated impulse withstand voltage 4kV		
		3. Short Circuit Capability		
		Coordination Semi-conductor fuses		
		Prospective current 65kA		
		4. Outputs		
		Relay outputs 10A @ 250VAC resistive		
		Programmable outputs 1(NC), 1 (NO), 1 (CO)		
		Analogue outputs 4-20mA		
		Maximum load 600Ω (12VDC @ 20mA accuracy +/-5%)		
		24VDC output, maximum load 200mA (accuracy +/- 10%)		
		5. Environmental		
		Protection IP20 & NEMA, UL indoor type 1		
		Operating temperature -10°C to 60°C		
		Storage temperature -25°C to 60°C		
		6. Heat Dissipation		
		During start 4.5 watts per ampere		

Total: ₱5,220,000.00

Usage: For Sofia PS and Sanggalang Booster

Prepared by:	Checked by:	Audited by:	Recommending Approval:	Approved by:
 P. A. Trajano JIC-SMPO	 DEC 11 Atty. C.D. De Guzman-Ritao Administrative Manager	 Internal	 Atty. M. Te edero AGMAdm./Com./Fin./ICT	 Engr. Salvador M. Royeca General Manager

BIDS AND AWARDS COMMITTEE
RESOLUTION NO. 164-2024
Request for Quotation (RQ) No. 09-175P
Vertical Centrifugal Pump and Motor with Soft Starter

WHEREAS, the Baguio Water District-Bids and Awards Committee (BWD-BAC), in accordance with the provisions of Republic Act (RA) No. 9184 and its Revised Implementing Rules and Regulations (IRR), conducted the bidding for the procurement of four (4) sets vertical centrifugal pumps and motors, 50 Hp rating, 300 USGPM with soft starter adaptable to 50HP, all with required specifications under RQ No. 09-175P dated 23 September 2024, under a two-envelope system of bidding;

WHEREAS, the approved budget cost is Php1,305,000.00/set;

WHEREAS, only **KEYLARGO INDUSTRIAL SALES** submitted its bids and during the opening of the technical bids on 23 October 2024, it was determined that the lone bidder submitted complete documentary requirements;

WHEREAS, upon evaluation by the Technical Working Group of the offer of the lone bidder, it was determined that the said bidder submitted complying offer, thus, its financial bid was opened and the bid as read and calculated is as follows:

DESCRIPTION	QUANTITY	BID PRICE (per set)	% VARIANCE FROM ABC	ABC (per set)
KEYLARGO INDUSTRIAL SALES				
vertical centrifugal pumps and motors, 300 USGPM, 50 Hp rating with soft starter adaptable to 50HP	4 sets	Php1,305,000.00	-0-	Php1,305,000.00

WHEREAS, upon post-qualification, careful examination, validation, and verification of all the documents submitted by and of the financial bid of the complying bidder, it has been determined that **KEYLARGO INDUSTRIAL SALES** submitted complete documents and its financial bid is determined to be the lone calculated responsive bid;

NOW THEREFORE, on motion duly seconded, be it

RESOLVED, as it is hereby resolved, to recommend to the Head of the Procuring Entity (HoPE) awarding the procurement of four (4) sets vertical centrifugal pumps and motors, 50 Hp rating, 300 USGPM with soft starter adaptable to 50HP to **KEYLARGO INDUSTRIAL SALES**, with the offered brand, specifications, and bid price for being the lone calculated responsive bidder.

UNANIMOUSLY APPROVED (20 November 2024)

Signed
Geovani L. Piza
Vice-Chairperson

Signed
Engr. Jake D. Bawing
Member

Signed
Joana D. Caramé
Member

Signed
Engr. Janel J. Balangcod
Member

Signed
Engr. Dominic T. Agusdan
Member

Signed
Atty. Chelsea S. De la Rosa
Member

Signed
Atty. Ma. Luisa C. Tenedero
Chairperson

Attested by:

Signed
Apple Jane P. Aviles
Secretariat

Signed
Sharlene M. Durante
Secretariat

Approved by:

Signed
Engr. Salvador M. Royeca
General Manager