



Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 11706285
Procuring Entity BAGUIO WATER DISTRICT - BAGUIO CITY
Title 15 units Distribution Transformers
Area of Delivery Benguet

Solicitation Number:	01 – 014P	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Public Bidding	Associated Components	1
Classification:	Goods		
Category:	Transmission and Distribution Lines	Bid Supplements	0
Approved Budget for the Contract:	PHP 4,338,744.00		
Delivery Period:		Document Request List	0
Client Agency:			
Contact Person: Ma. Luisa C Tenedero Chairperson, Bids and Awards Committee BWD Compound, Utility Road Baguio City Benguet Philippines 2600 63-74-4423456 63-74-4424858 bwd.bac2021@gmail.com	Date Published		31/01/2025
	Last Updated / Time		30/01/2025 11:45 AM
	Closing Date / Time		26/02/2025 13:30 PM

Description

3 units Distribution Transformer 10KVA

- Phase: 1
 - Type of installation: Overhead type, pole mounted
 - Primary Voltage Rating: 23kV
 - Tap Settings: One (1) – 2 ½% taps above and three (3) – 2 ½ taps below rated primary voltage
 - Secondary Voltage Rating: 230V / 460V
 - Frequency: 60Hz
 - kVA Rating: 10kVA
 - Cooling Class: OA or ONAN
 - Core: High-permeability, grain-oriented silicon steel or Amorphous metal
 - Coil: Copper
 - Tap Changer: Provided with an external operating handle mounted on the tank wall
 - Pressure Relief Valve: Provided with a pull ring for manually reducing pressure to atmospheric level using a standard hot-stick
- Nameplate Information
Serial Number BIL

Class Total Weight, Kgs
Number of Phase Connection Diagram
Frequency Name of Manufacturer
Voltage rating, primary and secondary

Insulation and operating
instruction reference

KVA rating 10kVA
Temperature rise, °C Type of insulation liquid
(non-PCB content)
Polarity Conductor material for each

winding

Percent impedance Equipment identification

number

Approved Budget Cost: ₱200,608.00 / unit

6 units Distribution Transformer 15KVA

- Phase: 1
- Type of installation: Overhead type, pole mounted
- Primary Voltage Rating: 23kV
- Tap Settings: One (1) – 2 ½% taps above and three (3) – 2 ½ taps below rated primary voltage
- Secondary Voltage Rating: 230V / 460V
- Frequency: 60Hz
- kVA Rating: 15kVA
- Cooling Class: OA or ONAN
- Core: High-permeability, grain-oriented silicon steel or Amorphous metal
- Coil: Copper
- Tap Changer: Provided with an external operating handle mounted on the tank wall
- Pressure Relief Valve: Provided with a pull ring for manually reducing pressure to atmospheric level using a standard hot-stick

Nameplate Information

Serial Number BIL

Class Total Weight, Kgs
Number of Phase Connection Diagram
Frequency Name of Manufacturer
Voltage rating, primary and secondary

Insulation and operating
instruction reference

KVA rating 15kVA
Temperature rise, °C Type of insulation liquid
(non-PCB content)
Polarity Conductor material for each

winding

Percent impedance Equipment identification

number

Approved Budget Cost: ₱278,342.00 / unit

6 units Distribution Transformer 25KVA

- Phase: 1
- Type of installation: Overhead type, pole mounted
- Primary Voltage Rating: 23kV
- Tap Settings: One (1) – 2 ½% taps above and three (3) – 2 ½ taps below rated primary voltage
- Secondary Voltage Rating: 230V / 460V
- Frequency: 60Hz
- kVA Rating: 25kVA
- Cooling Class: OA or ONAN
- Core: High-permeability, grain-oriented silicon

steel or Amorphous metal

- Coil: Copper
- Tap Changer: Provided with an external operating handle mounted on the tank wall
- Pressure Relief Valve: Provided with a pull ring for manually reducing pressure to atmospheric level using a standard hot-stick

Nameplate Information

Serial Number BIL

Class Total Weight, Kgs

Number of Phase Connection Diagram

Frequency Name of Manufacturer

Voltage rating, primary and secondary

Insulation and operating instruction reference

KVA rating 25kVA

Temperature rise, °C Type of insulation liquid (non-PCB content)

Polarity Conductor material for each

winding

Percent impedance Equipment identification

number

Approved Budget Cost: ₱344,478.00 / unit

x x x x x

Note: Not to be awarded on a one (1) lot basis.

THIS IS A TWO (2) ENVELOPE SYSTEM:

This is a two (2) envelope system:

Envelope "A" to contain the following; among others:

- A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of amount of bid;
 - Terms of payment, delivery, warranty, bid validity and complete specifications;
 - Brochure/s (Original);
 - Proof of payment of a non-refundable fee of ₱5,000.00; otherwise, bids shall not be opened
 - Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
 - For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
 - For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
 - ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
 - International Certificate of Warranty.
- Envelope "B" to contain the bid cost per unit.

Pre-bid Conference

Date	Time	Venue
14/02/2025	9:30:00 AM	Pre-bid conference: 9:30am via Zoom Application Meeting ID: 452 718 8447 Password: 9Buvqr

Created by Ma. Luisa C Tenedero

Date Created 30/01/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

To: _____
(Name of Supplier)

Contact Person: _____

Address: _____

Contact no.: _____

RQ No.: 01 – 014P

PR / JO No.: 014P

Date of RQ: January 28, 2025

Purpose of RQ:
For Spare Transformers

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARRANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS																								
	Qty.	Description	U-Price	Total																				
<div>VALIDITY DATE: _____ day (30 days minimum)</div> <div>DELIVERY: _____ working days _____ calendar days _____ FOB warehouse</div> <div>WARRANTY _____ calendar days upon acceptance.</div> <div>TERMS:</div>	3 units	<div>Distribution Transformer 10KVA<ul style="list-style-type: none">Phase: 1Type of installation: Overhead type, pole mountedPrimary Voltage Rating: 23kVTap Settings: One (1) – 2 1/2% taps above and three (3) – 2 1/2 taps below rated primary voltageSecondary Voltage Rating: 230V / 460VFrequency: 60HzkVA Rating: 10kVACooling Class: OA or ONANCore: High-permeability, grain-oriented silicon steel or Amorphous metalCoil: CopperTap Changer: Provided with an external operating handle mounted on the tank wallPressure Relief Valve: Provided with a pull ring for manually reducing pressure to atmospheric level using a standard hot-stick</div> <table><tr><th colspan="2">Nameplate Information</th></tr><tr><td>Serial Number</td><td>BIL</td></tr><tr><td>Class</td><td>Total Weight, Kgs</td></tr><tr><td>Number of Phase</td><td>Connection Diagram</td></tr><tr><td>Frequency</td><td>Name of Manufacturer</td></tr><tr><td>Voltage rating, primary and secondary</td><td>Insulation and operating instruction reference</td></tr><tr><td>KVA rating</td><td>10kVA</td></tr><tr><td>Temperature rise, °C</td><td>Type of insulation liquid (non-PCB content)</td></tr><tr><td>Polarity</td><td>Conductor material for each winding</td></tr><tr><td>Percent impedance</td><td>Equipment identification number</td></tr></table> <div>Approved Budget Cost: ₱200,608.00 / unit</div>	Nameplate Information		Serial Number	BIL	Class	Total Weight, Kgs	Number of Phase	Connection Diagram	Frequency	Name of Manufacturer	Voltage rating, primary and secondary	Insulation and operating instruction reference	KVA rating	10kVA	Temperature rise, °C	Type of insulation liquid (non-PCB content)	Polarity	Conductor material for each winding	Percent impedance	Equipment identification number		
Nameplate Information																								
Serial Number	BIL																							
Class	Total Weight, Kgs																							
Number of Phase	Connection Diagram																							
Frequency	Name of Manufacturer																							
Voltage rating, primary and secondary	Insulation and operating instruction reference																							
KVA rating	10kVA																							
Temperature rise, °C	Type of insulation liquid (non-PCB content)																							
Polarity	Conductor material for each winding																							
Percent impedance	Equipment identification number																							
	6 units	<div>Distribution Transformer 15KVA<ul style="list-style-type: none">Phase: 1Type of installation: Overhead type, pole mountedPrimary Voltage Rating: 23kVTap Settings: One (1) – 2 1/2% taps above and three (3) – 2 1/2 taps below rated primary voltageSecondary Voltage Rating: 230V / 460VFrequency: 60HzkVA Rating: 15kVACooling Class: OA or ONANCore: High-permeability, grain-oriented silicon steel or Amorphous metal</div>																						

	<ul style="list-style-type: none">Coil: CopperTap Changer: Provided with an external operating handle mounted on the tank wallPressure Relief Valve: Provided with a pull ring for manually reducing pressure to atmospheric level using a standard hot-stick <table><tr><th colspan="2">Nameplate Information</th></tr><tr><td>Serial Number</td><td>BIL</td></tr><tr><td>Class</td><td>Total Weight, Kgs</td></tr><tr><td>Number of Phase</td><td>Connection Diagram</td></tr><tr><td>Frequency</td><td>Name of Manufacturer</td></tr><tr><td>Voltage rating, primary and secondary</td><td>Insulation and operating instruction reference</td></tr><tr><td>KVA rating</td><td>15kVA</td></tr><tr><td>Temperature rise, °C</td><td>Type of insulation liquid (non-PCB content)</td></tr><tr><td>Polarity</td><td>Conductor material for each winding</td></tr><tr><td>Percent impedance</td><td>Equipment identification number</td></tr></table> <p>Approved Budget Cost: ₱278,342.00 / unit</p>	Nameplate Information		Serial Number	BIL	Class	Total Weight, Kgs	Number of Phase	Connection Diagram	Frequency	Name of Manufacturer	Voltage rating, primary and secondary	Insulation and operating instruction reference	KVA rating	15kVA	Temperature rise, °C	Type of insulation liquid (non-PCB content)	Polarity	Conductor material for each winding	Percent impedance	Equipment identification number		
Nameplate Information																							
Serial Number	BIL																						
Class	Total Weight, Kgs																						
Number of Phase	Connection Diagram																						
Frequency	Name of Manufacturer																						
Voltage rating, primary and secondary	Insulation and operating instruction reference																						
KVA rating	15kVA																						
Temperature rise, °C	Type of insulation liquid (non-PCB content)																						
Polarity	Conductor material for each winding																						
Percent impedance	Equipment identification number																						
6 units	<p>Distribution Transformer 25KVA</p> <ul style="list-style-type: none">Phase: 1Type of installation: Overhead type, pole mountedPrimary Voltage Rating: 23kVTap Settings: One (1) – 2 1/2% taps above and three (3) – 2 1/2 taps below rated primary voltageSecondary Voltage Rating: 230V / 460VFrequency: 60HzkVA Rating: 25kVACooling Class: OA or ONANCore: High-permeability, grain-oriented silicon steel or Amorphous metalCoil: CopperTap Changer: Provided with an external operating handle mounted on the tank wallPressure Relief Valve: Provided with a pull ring for manually reducing pressure to atmospheric level using a standard hot-stick <table><tr><th colspan="2">Nameplate Information</th></tr><tr><td>Serial Number</td><td>BIL</td></tr><tr><td>Class</td><td>Total Weight, Kgs</td></tr><tr><td>Number of Phase</td><td>Connection Diagram</td></tr><tr><td>Frequency</td><td>Name of Manufacturer</td></tr><tr><td>Voltage rating, primary and secondary</td><td>Insulation and operating instruction reference</td></tr><tr><td>KVA rating</td><td>25kVA</td></tr><tr><td>Temperature rise, °C</td><td>Type of insulation liquid (non-PCB content)</td></tr><tr><td>Polarity</td><td>Conductor material for each winding</td></tr><tr><td>Percent impedance</td><td>Equipment identification number</td></tr></table> <p>Approved Budget Cost: ₱344,478.00 / unit</p>	Nameplate Information		Serial Number	BIL	Class	Total Weight, Kgs	Number of Phase	Connection Diagram	Frequency	Name of Manufacturer	Voltage rating, primary and secondary	Insulation and operating instruction reference	KVA rating	25kVA	Temperature rise, °C	Type of insulation liquid (non-PCB content)	Polarity	Conductor material for each winding	Percent impedance	Equipment identification number		
Nameplate Information																							
Serial Number	BIL																						
Class	Total Weight, Kgs																						
Number of Phase	Connection Diagram																						
Frequency	Name of Manufacturer																						
Voltage rating, primary and secondary	Insulation and operating instruction reference																						
KVA rating	25kVA																						
Temperature rise, °C	Type of insulation liquid (non-PCB content)																						
Polarity	Conductor material for each winding																						
Percent impedance	Equipment identification number																						
	X X X X X																						
	Note: Not to be awarded on a one (1) lot basis.																						

THIS IS A TWO (2) ENVELOPE SYSTEM:
This is a two (2) envelope system:

Envelope “A” to contain the following; among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids **OR** Bid Securing Declaration regardless of amount of bid;
- b) Terms of payment, delivery, warranty, bid validity and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of **₱5,000.00**; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
 - For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
 - For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.

Envelope “B” to contain the bid cost per unit.

Pre-bid conference: February 14, 2025
9:30am via Zoom Application
Meeting ID: 452 718 8447
Password: 9Buvqr

By: Supplier or Authorized Representative: _____ (sign over printed name)

Deadline of submission of bids: **February 26, 2025** Opening of bids: **1:30 pm**

Prepared by: <u>signed</u> PAUL TRAJANO OIC - PURCHASING	Noted by: <u>signed</u> ATTY. MA. LUISA C. TENEDERO BAC IN-HOUSE	<u>signed</u> ENGR. REYNALDO C. JAYCO BAC-TECHNICAL
---	---	--

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING
PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184
BWD DOES NOT ENGAGE IN SOLICITATION OF FUNDS FROM ANY INDIVIDUALS OR ENTITIES, AND WE STRONGLY ADVISE
AGAINST RESPONDING TO ANY UNAUTHORIZED REQUESTS CLAIMING ASSOCIATION WITH OUR ORGANIZATION.