



Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 11640020
Procuring Entity BAGUIO WATER DISTRICT - BAGUIO CITY
Title 5 pcs 1"Ø Gate Valve, Threaded Type Class 125 & 2 pcs 2"Ø Gate Valve, flanged type with companion steel flanges and BNG
Area of Delivery Benguet

Solicitation Number:	12-246P-B	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Public Bidding	Associated Components	1
Classification:	Goods		
Category:	Water Service Connection Materials/Fittings	Bid Supplements	0
Approved Budget for the Contract:	PHP 29,671.00		
Delivery Period:		Document Request List	0
Client Agency:			
Contact Person:	Ma. Luisa C Tenedero Chairperson, Bids and Awards Committee BWD Compound, Utility Road Baguio City Benguet Philippines 2600 63-74-4423456 63-74-4424858 bwd.bac2021@gmail.com	Date Published	04/01/2025
		Last Updated / Time	03/01/2025 08:29 AM
		Closing Date / Time	22/01/2025 13:30 PM

Description

5 pcs 1"Ø Gate Valve, Threaded Type Class 125
(please see complete specifications below)
Approved Budget Cost: ₱931.00 / pc

2 pcs 2"Ø Gate Valve, flanged type with companion steel
flanges and BNG
(please see complete specifications below)
Approved Budget Cost: ₱12,508.00 / pc

GATE VALVE (THREADED) SPECIFICATIONS:

Features: Brass Body, Non-Rising stem, Screw-over bonnet, Threaded ends

Specifications:

Nominal pressure: Non-shock working pressure

Max working pressure 150 psi

Fitting to withstand min. working pressure of 1.00

Thread shall be NPT

Water way shall unobstructed when fully opened

Material List

Handwheel: Alloy / Packing Nut: Brass

Bonnet: Brass / Stem: Brass Rod

Wedge: Brass / Body: Brass
Bonnet Gasket: Plastic / Packing: Teflon

Dimensions:

Size Length

mm

Inside

Diameter

mm

Outside

Diameter

mm

Thread

per inch

Wall

Thickness

mm

1"

54.5

24

46.8 11.5

3.5

GATE VALVE FLANGED TYPE SPECIFICATIONS:

Design Code: Hydraulic test to BS 5163 (DIN3230 / DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163

Maximum Pressure: PN16 or 16 bar

Temperature Range: -20 to 160 degree centigrade

Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163

End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16

Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755

Materials:

Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron

Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874

Wedge Nut: Brass or Dezincification Resistant Brass

Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass

Bonnet Gasket: EPDM Rubber or EPDM / NBR

Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt

O-Ring: NBR or EPDM / NBR

Stem Collar: Brass

Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50)

Dustproof Ring: NBR or EPDM / NBR

Hex Nut: Cast Iron

Overall Dimensions:

Size / DN Length (L)

mm

Height (H)

mm

Width or D

mm

Weight kgs

DN50 (2")

178

300-241

160-165

13-14

x x x x x

Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱50,000.00 and above.

Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;

b) Terms of payment, delivery, warranty, bid validity, and complete specifications;

c) Brochure/s (Original);

d) Proof of payment of a non-refundable fee of ₱500.00; otherwise, bids shall not be opened

e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;

- For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
- For locally produced/manufactured products, only a certificate of Authorized distributorship Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Created by Ma. Luisa C Tenedero

Date Created 03/01/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



REQUEST FOR BIDS/QUOTATION (RQ)

Revision No.	03
--------------	----




Contact no.: _____

Proposed installation of 2"Ø x 350m
HDPE Distribution Line along Upper
Purok 1, Happy Hallow, Baguio City

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARRANTY PERIOD AND DELIVERY PERIOD SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS

	Qty.	Description	U-Price	Total												
<div>VALIDITY DATE:</div> <div>_____ day</div> <div>(30 days minimum)</div>	5 pcs	<div>1"Ø Gate Valve, Threaded Type Class 125</div> <div>(please see complete specifications below)</div> <div>Approved Budget Cost: ₱931.00 / pc</div>														
<div>DELIVERY :</div> <div>_____ working days</div> <div>_____ calendar days</div> <div>_____ FOB warehouse</div>	2 pcs	<div>2"Ø Gate Valve, flanged type with companion steel flanges and BNG</div> <div>(please see complete specifications below)</div> <div>Approved Budget Cost: ₱12,508.00 / pc</div>														
<div>WARRANTY</div> <div>_____ calendar days</div> <div>upon acceptance.</div>		<div>GATE VALVE (THREADED) SPECIFICATIONS:</div> <div>Features: Brass Body, Non-Rising stem, Screw-over bonnet,</div> <div>Threaded ends</div> <div>Specifications:</div> <div>Nominal pressure: Non-shock working pressure</div> <div>Max working pressure 150 psi</div> <div>Fitting to withstand min. working pressure of 1.00</div> <div>Thread shall be NPT</div> <div>Water way shall unobstructed when fully opened</div> <div>Material List</div> <div>Handwheel: Alloy / Packing Nut: Brass</div> <div>Bonnet: Brass / Stem: Brass Rod</div> <div>Wedge: Brass / Body: Brass</div> <div>Bonnet Gasket: Plastic / Packing: Teflon</div> <div>Dimensions:</div> <table><tr><td>Size</td><td>Length mm</td><td>Inside Diameter mm</td><td>Outside Diameter mm</td><td>Thread per inch</td><td>Wall Thickness mm</td></tr><tr><td>1"</td><td>54.5</td><td>24</td><td>46.8</td><td>11.5</td><td>3.5</td></tr></table>	Size	Length mm	Inside Diameter mm	Outside Diameter mm	Thread per inch	Wall Thickness mm	1"	54.5	24	46.8	11.5	3.5		
Size	Length mm	Inside Diameter mm	Outside Diameter mm	Thread per inch	Wall Thickness mm											
1"	54.5	24	46.8	11.5	3.5											
<div>TERMS:</div>		<div>GATE VALVE FLANGED TYPE SPECIFICATIONS:</div> <div>Design Code: Hydraulic test to BS 5163 (DIN3230 /</div>														

January 22, 2025

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600		Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)		Revision Date	February 1, 2024
			Revision No.	03

DIN3352) or JIS B2043, DIN 3352, AWWA C509, BS5163
Maximum Pressure: PN16 or 16 bar
Temperature Range: -20 to 160 degree centigrade
Face to Face: BS 5163 or JIS B2002, DIN 3202-F5, DIN 3202-F4, ANSI B16.10, BS 5163
End Flange: EN1092-2 (ISO 7005-2) or JIS B2212 10K, DIN 2533 PN 10/16, ANSI 150#, BS4504 PN 10/16
Tightness Test: Operating Torque Test or JIS B2003, DIN 3230, AWWA C509, BS 6755
Materials:
Body: Ductile Iron, GGG-50 to DIN 1693 (BS 2789 grade 500-7) or Ductile Iron
Wedge: Ductile Iron (DI) + NBR or Ductile Iron, GGG-50, core fully encapsulated with EPDM rubber with integral wedge nut of dezincification resistant brass, CZ 132 to BS 2874
Wedge Nut: Brass or Dezincification Resistant Brass
Stem: Stainless Steel, DIN X 20 Cr 13 or Stainless Steel / Brass
Bonnet Gasket: EPDM Rubber or EPDM / NBR
Bonnet: Ductile Iron (DI) or Stainless Steel A2, sealed with hot melt
O-Ring: NBR or EPDM / NBR
Stem Collar: Brass
Gland Flange: Ductile Iron or Ductile Iron GJS-500-7 (GGG-50)
Dustproof Ring: NBR or EPDM / NBR
Hex Nut: Cast Iron
Overall Dimensions:

Size / DN	Length (L) mm	Height (H) mm	Width or D mm	Weight kgs
DN50 (2")	178	300-241	160-165	13-14

X X X X X




Note: Not to be awarded on a one (1) lot basis.

This is a two (2) envelope system:

Envelope "A" to contain the following, among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or a surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱50,000.00 and above.

January 22, 2025

  	BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600		Document No.	ADM-PUR-F003
	REQUEST FOR BIDS/QUOTATION (RQ)		Revision Date	February 1, 2024
			Revision No.	03
<p>Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing Declaration regardless of the amount of bid;</p> <p>b) Terms of payment, delivery, warranty, bid validity, and complete specifications;</p> <p>c) Brochure/s (Original);</p> <p>d) Proof of payment of a non-refundable fee of ₱500.00; otherwise, bids shall not be opened</p> <p>e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;</p> <ul style="list-style-type: none"> ◦ For bidders who have principal foreign suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement. ◦ For locally produced/manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable; <p>f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);</p> <p>g) International Certificate of Warranty.</p> <p>Envelope "B" to contain the bid cost per unit.</p>				

By: Supplier or Authorized Representative: _____ (sign over printed name)

Deadline of submission of bids: **January 22, 2025** Opening of bids: **1:30 pm**

<i>for signed</i>	<i>signed</i>	<i>signed</i>
Prepared by: <u>PAUL TRAJANO</u>	Noted by: <u>ATTY. MA. LUISA C. TENEDERO</u>	<u>ENGR. REYNALDO C. JAYCO</u>
OIC - PURCHASING	BAC IN-HOUSE	BAC-TECHNICAL

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING
PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184
BWD DOES NOT ENGAGE IN SOLICITATION OF FUNDS FROM ANY INDIVIDUALS OR ENTITIES, AND WE STRONGLY ADVISE
AGAINST RESPONDING TO ANY UNAUTHORIZED REQUESTS CLAIMING ASSOCIATION WITH OUR ORGANIZATION.

Telefax No. (074) 442-3456 (BAC Secretariat) / (074) 442-4858 (Purchasing)