Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 11976173

Procuring Entity BAGUIO WATER DISTRICT - BAGUIO CITY

Title 3 sets Vertical Centrifugal Pump and Motor 100HP for For Lagman, Camp 8 and Marcos

Highway Booster

Area of Delivery Benguet

Solicitation Number:	04-177P-N	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Public Bidding	Associated Components	1
Classification:	Goods		
Category:	Industrial pumps and compressors	Bid Supplements	0
Approved Budget for the Contract:	PHP 8,298,000.00		
Delivery Period:		Document Request List	0
Client Agency:			
		Date Published	24/04/2025
Contact Person:	Ma. Luisa C Tenedero Chairperson, Bids and Awards Committee		
	BWD Compound, Utility Road Baguio City Benguet	Last Updated / Time	21/04/2025 11:51 AM
	Philippines 2600 63-74-4423456 63-74-4424858 bwd.bac2021@gmail.com	Closing Date / Time	14/05/2025 13:30 PM

Description

3 sets Vertical Centrifugal Pump and Motor

Motor Requirement
• Type: Induction
• HP Rating: 100 HP
• Nominal Voltage: 460V

Supply Frequency: 60HzNominal Speed: 3600 RPM

Number of Phase: 3Insulation Class: F

• Efficiency at full load: not less than 90%

• Enclose Class: TEFC

Coupled and aligned with Heavy Duty Mounting Base to:

Pump Requirement:
• Capacity: 500 USGPM
• TDH: 550 feet
Construction Material
• Shaft Seal: Cartridge Type

Shaft Seal. Cartridge Type
Shaft Seal Material: HQQE
Pump Head: Stainless Steel
Pump Shaft: Stainless Steel

Impeller: Stainless SteelChamber: Stainless SteelOuter Sleeve: Stainless Steel

Outer Sleeve: StainlesBase: Stainless Steel

• Neck Ring: PEEK

• Support Bearing: Graflon

• Bearing Rings: Tungsten Carbide

• Pump Efficiency: Not less than 75% at rated

capacity

Complete with Motor Control

Soft Starter

Soft starter adaptable to 100HP, 440V nominal,

3 phase, 60Hz Submersible Motor

Soft Starter Specifications:

1 Main Voltage

L1, L2, L3 200VAC - 300VAC (+/-10%)

380VAC - 600VAC (+/- 10%)

2 Control Voltage

(A4, A6) 220-240VAC (+10% / -15%)

Main Frequency 60Hz (+/- 10%)

Rated insulation voltage

to earth

600VAC

Rated impulse withstand voltage

4kV

3 Short Circuit Capability

Coordination Semi-conductor fuses

Prospective current 65kA

4 Outputs

Relay outputs 10A @ 250VAC resistive

Programmable outputs 1 (NC), 1 (NO), 1 (CO)

Analogue outputs 4-20mA

Maximum load 600Ω (12VDC @ 20mA

accuracy +/-5%)

24VDC output, maximum

load

200mA (accuracy +/- 10%)

5 Environmental

Protection IP20 & NEMA, UL indoor

type 1

Operating temperature -10°C to 60°C

Storage temperature -25°C to 60°C

6 Heat Dissipation

During start 4.5 watts per ampere

- For on-site delivery

- Supplier to provide high tensile mounting bolts for pump
- Supplier to provide BNG and flanges for both suction and discharge ports
- Supplier to provide manufacturer pump test result upon delivery
- Supplier to provide brochure with full specification and pump curve of offered booster pump

Approved Budget Cost: ₱2,766,000.00 / set

xxxx

This is a two (2) envelope system:

Envelope "A" to contain the following; among others:

- a) A refundable bid bond in the form of cash, Manager's or Cashier's check equivalent to 2% or surety bond callable on demand issued by a surety or insurance company duly certified by the Insurance Commission equivalent to 5% of the total approved budget cost is required for a total purchase bid amount of ₱ 50,000.00 and above. Validity of the surety bond is 120 days from the date of opening of bids OR Bid Securing
- Declaration regardless of amount of bid;
- b) Terms of payment, delivery, warranty, bid validity and complete specifications;
- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of ₱10,000.00; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the

participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;

- For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government
- in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
- For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);

g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Pre-bid Conference

Date Time Venue

02/05/2025 9:30:00 AM Pre-bid conference:

9:30am via Zoom Application Meeting ID: 452 718 8447

Password: 9Buvqr

Created by Ma. Luisa C Tenedero

Date Created 21/04/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2025 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap



BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No. ADM-PUR-F003 Effectivity & July 7, 2023 Revision No. 02

REQUEST FOR BIDS/QUOTATION (RQ)

,	177P
Date of RQ:	April 15, 2025
Purpose of RQ:	
For Lagman, Ca	mp 8, and Marcos
Highway Booste	er
	For Lagman, Ca

NOTE: DATA REQUIRED MUST BE FILLED UP COMPLETELY. FAILURE TO INDICATE THE PRICE VALIDITY, TERMS, WARRANTY PERIOD AND DELIVERY PERIOD **SHALL MEAN OUTRIGHT DISQUALIFICATION OF BIDS** Description **U-Price** Total Qty. **VALIDITY DATE:** 3 sets Vertical Centrifugal Pump and Motor day **Motor Requirement** (30 days minimum) Type: Induction HP Rating: 100 HP Nominal Voltage: 460V **DELIVERY:** Supply Frequency: 60Hz working days Nominal Speed: 3600 RPM _ calendar days Number of Phase: 3 FOB warehouse Insulation Class: F Efficiency at full load: not less than 90% **WARRANTY Enclose Class: TEFC** _ calendar days upon acceptance. Coupled and aligned with Heavy Duty Mounting Base to: Pump Requirement: **TERMS:** Capacity: 500 USGPM TDH: 550 feet **Construction Material** Shaft Seal: Cartridge Type Shaft Seal Material: HQQE Pump Head: Stainless Steel Pump Shaft: Stainless Steel • Impeller: Stainless Steel Chamber: Stainless Steel Outer Sleeve: Stainless Steel Base: Stainless Steel Neck Ring: PEEK Support Bearing: Graflon Bearing Rings: Tungsten Carbide Pump Efficiency: Not less than 75% at rated capacity **Complete with Motor Control** Soft Starter Soft starter adaptable to 100HP, 440V nominal, 3 phase, 60Hz Submersible Motor Soft Starter Specifications:



BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No.	ADM-PUR-F003
Effectivity & Revision Date	July 7, 2023
Revision No.	02

REQUEST FOR BIDS/QUOTATION (RQ)

1 Main Voltage

L1, L2, L3 200VAC - 300VAC (+/-10%)

380VAC - 600VAC (+/- 10%)

2 Control Voltage

(A4, A6) 220-240VAC (+10% / -15%)

Main Frequency 60Hz (+/- 10%)

Rated insulation voltage 600VAC

to earth

Rated impulse withstand 4kV

voltage

3 Short Circuit Capability

Coordination Semi-conductor fuses

Prospective current 65kA

4 Outputs

Relay outputs 10A @ 250VAC resistive Programmable outputs 1 (NC), 1 (NO), 1 (CO)

Analogue outputs 4-20mA

 $\mbox{Maximum load} \qquad \qquad \mbox{600}\Omega \mbox{ (12VDC @ 20mA)}$

accuracy +/-5%)

24VDC output, maximum 200mA (accuracy +/- 10%)

load

5 Environmental

Protection IP20 & NEMA, UL indoor

type 1

Operating temperature -10°C to 60°C Storage temperature -25°C to 60°C

6 Heat Dissipation

During start 4.5 watts per ampere

- For on-site delivery
- Supplier to provide high tensile mounting bolts for pump
- Supplier to provide BNG and flanges for both suction and discharge ports
- Supplier to provide manufacturer pump test result upon delivery
- Supplier to provide brochure with full specification and pump curve of offered booster pump

Approved Budget Cost: ₱2,766,000.00 / set

X X X X X

This is a two (2) envelope system:

Envelope "A" to contain the following; among others:

a) A refundable bid bond in the form of cash,
Manager's or Cashier's check equivalent to 2% or
surety bond callable on demand issued by a surety
or insurance company duly certified by the
Insurance Commission equivalent to 5% of the
total approved budget cost is required for a total
purchase bid amount of ₱ 50,000.00 and above.
Validity of the surety bond is 120 days from the

Page 2 of 3 of RQ 04 – 177P-N dated April 15, 2025



BAGUIO WATER DISTRICT BWD Compound, Utility Road, Baguio City 2600

Document No.	ADM-PUR-F003	
Effectivity & Revision Date	July 7, 2023	
Revision No.	02	

REQUEST FOR BIDS/QUOTATION (RQ)

	date of opening of bids OR Bid Securing
	Declaration regardless of amount of bid;
b)	Terms of payment, delivery, warranty, bid validity
	and complete specifications;

- c) Brochure/s (Original);
- d) Proof of payment of a non-refundable fee of **₱10,000.00**; otherwise, bids shall not be opened
- e) Certificate of Authorized Distributorship / Dealership issued by the Principal Supplier to the participating bidder (with red ribbon) if none has been submitted to the BAC in its Accreditation;
 - For bidders who have foreign principal suppliers, the BWD-BAC shall accept an Apostilled Certificate of Authorized Distributorship / Dealership issued by a competent authority of the host government in lieu of the Certificate of Authorized Distributorship / Dealership (with red ribbon), except for non-contracting countries to the Apostille Convention, which still require the red ribbon requirement.
 - For locally produced / manufactured products, only a certificate of Authorized Distributorship / Dealership w/o red ribbon is required if applicable;
- f) ISO Certificate issued to the principal supplier/participating bidder for the offered material or equipment brand name (if none has been submitted to the BAC in its Accreditation);
- g) International Certificate of Warranty.

Envelope "B" to contain the bid cost per unit.

Pre-bid conference: May 2, 2024 9:30am via Zoom Application Meeting ID: 452 718 8447 Password: 9Buygr

By: Supplier or Authorized Representative: (sign over printed name)

Deadline of submission of bids: May 14, 2025 Opening of bids: 1:30 pm

opening of sias.

Prepared by: PAUL TRAJANO Noted by: ATTY. MA. LUISA C. TENEDERO ENGR. REYNALDO C. JAYCO

OIC - PURCHASING BAC IN-HOUSE BAC-TECHNICAL

BWD RESERVES THE RIGHT TO REJECT BIDS &/OR DECLARE A FAILURE OF BIDDING PURSUANT TO THE PERTINENT PROVISIONS OF RA 9184

BWD DOES NOT ENGAGE IN SOLICITATION OF FUNDS FROM ANY INDIVIDUALS OR ENTITIES, AND WE STRONGLY ADVISE AGAINST RESPONDING TO ANY UNAUTHORIZED REQUESTS CLAIMING ASSOCIATION WITH OUR ORGANIZATION.